MILITARY SPECIFICATION

FUZE, PD, M567
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-F-50988B (AR), dated 10 October 1978, and is approved for use within the U.S. Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 13

4.4.2.6, Add Major 106 and Note (b) as follows:

"106 Sealant missing or improperly applied ... 25 (b) ... 3.2 ... Visual."

(b) 25 samples shall have the rear bodies disassembled and inspection performed for proper application of sealant or sealant missing. If one or more samples are classed defective, the lot shall be rejected."

Add Major 107 as follows:

"107 Excessive gap between front and rear bodies (3 places circumferentially) max. ... 0.408 ... 3.2 ... Gage."

PAGE 14

4.4.2.7, Change Critical 3, change number of samples units from "108" to "80."

Change Major 101, change number of samples units from "88" to "60."

Change Major 102, number of sample units from "30" to "10."

Note a, Delete in its entirety and substitute the following:

"Two (2) or more duds shall cause the lot to be rejected. After three (3) consecutive lots have been accepted according to this criteria, a special double sampling plan shall be used. See 4.5.5.1.3."

FSC 1390

AMSC N/A

DISTRIUBTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:46Z
Check the source to verify that this is the current version before use.

PAGE 17

4.5.5.1.3, Delete in its entirety and substitute the following:

"Double sample SQ. After three (3) consecutive lots have met the ballistic requirements of 4.4.2.7, a special double sample for the ballistic, SQ phase shall be employed. Thirty (30) sample fuzes shall be fired in accordance with 4.5.5.1.1. If no (0) duds result, the lot shall be accepted. If two (2) or more duds are found, the lot shall be rejected. If one (1) dud results, another sample of thirty (30) shall be fired. If one (1) additional dud results, the lot shall be rejected and testing shall revert to 4.4.2.7 again until three consecutive lots have been accepted. If only the first sample is required, the Premature Burst sample size shall be reduced to fifty (50)."

PAGE 18

6.4.1 Functioning, Delete in its entirety and substitute the following:

" Weapon	Cartridge	Charge	Fuze Setting	Quantity
81MM Mortar	81MM, HE, M734	0	SQ	30 (a)
		0	Delay	5 (b)
		Maximum	SQ	30 (a)
		Maximum	Delay	5 (b)

(a) Quantity reduced to fifteen (15) per test phase as required when employing special double sample.

(b) Results for information purposes only except for premature functionings. Charge zero quantity shall be TV conditioned prior to functioning test."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1390-A571)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:46Z
Check the source to verify that this is the current version before use.