FED. SUP CLASS
9525



TABLE I. DASH NUMBERS.

DASH NO	A	TENPER
001	.189	0
003	.188	15
005	.207	0
007	.205	15
009	.219	0
011	.219	15
013	.234	0
015	.234	15
017	.250	0
019	.250	15
021	.266	0
023	.266	15
025	.281	0
027	.281	15
029	.297	0
031	.297	15
033	.313	0
035	.313	15
037	.328	0
039	.328	15
041	.344	0
043	.344	15

USER ACTIVITIES
NAVY-OS, SH

REVIEWER ACTIVITIES
AIR FORCE-84
DLA-13

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 29 Feb 1984 REVISED

P. A. AS Other Cust MR 99	INTERNATIONAL INTEREST	TITLE WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 7075	MILITARY STANDARD MS14282
PROCUREMENT SPECIFICATION QQ-A-225	SUPERSEDES		PAGE 1 OF 2

DD FORM 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE 9525-0091

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:39Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
9525

REQUIREMENTS:

1. MATERIAL. ALUMINUM ALLOY 7075, (UNS A97075), AS SPECIFIED IN QQ-A-225/9.

2. FORMING PROCESS. DRAWN.

3. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14282D001

- .188, 0
- DRAWN (SEE REQUIREMENT 2)
- BASIC MS NUMBER

4. MARKING. ALUMINUM AND ALUMINUM ALLOYS SHALL BE MARKED WITH THE PRODUCER'S NAME OR REGISTERED TRADE MARK, THE PART NUMBER (MILITARY STANDARD (MS) NUMBER PLUS THE APPLICABLE DASH NUMBER), AND THE LOT NUMBER, AND THIS MARKING SHALL BE APPLIED IN ACCORDANCE WITH FED-STD-184.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. STANDARD LENGTH OF WIRE FOR TEMPERS "T4" AND "T6" IS 12 FEET NOMINAL, STANDARD LENGTH OF WIRE FOR TEMPER "O" IS 200 LB SPOOLS NOMINAL.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

APPROVED 29 Feb 1984 REVISED

USER ACTIVITIES:
NAVY - OS, SH

REVIEWER ACTIVITIES:
AIR FORCE - 84
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P. A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
AS (Other Cust)		WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 7075	MS14282
MR 99			
PROCUREMENT SPECIFICATION: QQ-A-225	SUPERSEDES		PAGE 2 OF 2

DD FORM 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE 9525-0091

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:39Z
Check the source to verify that this is the current version before use.