MILITARY SPECIFICATION

CHARGE, PROPELLING, M205
LOADING, ASSEMBLING, AND PACKING

This Amendment forms a part of Military Specification MIL-C-48881B(AR), dated 11 March 1983, and is approved for use by the U. S. Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 11

4.5.1.2 Delete in its entirety and substitute the following:

"4.5.1.2 Automated method.

4.5.1.2.1 Method 1. The contractor may elect to perform this operation with automated equipment and mandatory process controls. The automated equipment shall weigh the container and place this weight in memory and then weigh/check weight the propellant before loading. After loading, the total weight of the container/propellant combination shall be weighed to verify complete loading by subtracting the increment weight (from memory) from the total loaded propellant weight. In such cases, process control plans in accordance with Data Item DI-P-1604 must be submitted to the Technical Agency (see 6.6) for review of the automated operation.

4.5.1.2.2 Method 2. The empty increments shall be sorted into discreet weight groups with a minimum group range of 0.6 grains to minimize container weight variance. After the empty increments are sorted, they will be loaded by groups. The automated equipment shall weigh and check weigh the propellant before loading. After loading, the total weight of the container and propellant combination shall be weighed to verify complete loading by subtracting the increment group weight from the total weight to obtain the loaded propellant weight."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A658)

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.