MIL–STD–636

5 June 1958

MILITARY STANDARD

VISUAL INSPECTION STANDARDS FOR SMALL ARMS AMMUNITION THROUGH CALIBER .50

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

FOREWORD

This standard was prepared under the direction of the Office, Chief of Ordnance, to be used to supplement specifications for small arms ammunition through caliber .50. It replaces the following publication on the same subject: ORD–SIP–S315, 1 January 1952.

This publication serves to create a military standard which evaluates and illustrates a practical majority of defects assembled as a result of extensive surveys covering all the small arms ammunition manufacturing facilities in this country.

The format retains most of the features of the format of the publication it replaces because experience has proved that the numbering of illustrations to conform to the numbering of visual defects in the applicable detail specifications, special treatment of indexes and specialized grouping have served to facilitate inspection, training, and general use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

CONTENTS

1. SCOPE AND PURPOSE
1.1 Scope
1.2 Purpose
2. REFERENCED DOCUMENTS
2.1 Standards
3. DEFINITIONS
3.1 General
3.2 Specific
3.2.1 Permissible Defect
4. GENERAL REQUIREMENTS
4.1 General
5. DETAIL REQUIREMENTS
5.1 Defect Grouping

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.

1. SCOPE AND PURPOSE

1.1 Scope. This standard provides procedures for determining and evaluating defects in small arms ammunition up to and including caliber .50, and the standard shall be used as a supplement to pertinent specifications.

1.2 Purpose. The purpose of this standard is to—

(a) Provide a standard basis for the inspection of small arms ammunition at the various manufacturing facilities.

(b) Serve as an instruction manual in the training of personnel engaged in the manufacture and inspection of small arms ammunition.

2. REFERENCED DOCUMENTS

2.1 Standards.

MIL–STD–105—Sampling Procedures and Tables for Inspection by Attributes.

3. DEFINITIONS

3.1 General. Definitions of Standard MIL–STD–105 are applicable.

3.2 Specific. For the purpose of this standard the following definition shall apply:

3.2.1 *Permissible defect.* A condition which, though not desirable from an appearance standpoint, may be permitted for reasons of economy.

4. GENERAL REQUIREMENTS

4.1 General. The description and definitions of defects established in this standard are those commonly occurring. Any other defects not listed, present in the lot, shall be reported. If, in the opinion of the Government inspector, the other defects be serious, complete information, recommendations and request for disposition shall be submitted through proper channels.

5. DETAIL REQUIREMENTS

5.1 Defect grouping. For convenience in referencing, the defect lists and defect photographs are grouped as follows:

	Page
Caliber .30 List of Defects	2
Caliber .30 Defect Photographs	3
NATO Caliber 7.62-mm List of Defects	16
NATO Caliber 7.62-mm Defect Photographs	17
Caliber .30 Carbine List of Defects	27
Caliber .30 Carbine Defect Photographs	28
Caliber .45 List of Defects	34
Caliber .45 Defect Photographs	35
Caliber .50 List of Defects	41
Caliber .50 Defect Photographs	42
Caliber .22 Long Rifle (Commercial) List of Defects	65
Caliber .22 Long Rifle (Commercial) Defect Photographs	66
12-Gauge Shotgun Shells (Commercial) List of Defects	69
12-Gauge Shotgun Shells (Commercial) Defect Photographs	70

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

CALIBER .30

CARTRIDGE

No.		Page
1.	Discolored, Dirty, Oily, Smeared (waterproofing)	3
2.	Corroded or Stained	3
3.	Mixed Ammunition Types	3

CASE

4.	Round Head	4
5.	Dent (case)	4
6.	Split Case	5
7.	Perforated Case	5
8.	Draw Scratch	6
9.	Scratch (case)	6
10.	Beveled Underside of Head	6
11.	Case Mouth not Crimped in Cannelure	7
12.	Scaly Metal (case)	8
13.	No Chamfer on Head (rim)	8
14.	Fold	9
15.	Wrinkle	9
16.	Buckle	9
17.	Bulge	10
18.	Illegible or Missing Head Stamp	10, 11
19.	Defective Head	11
20.	Defective Mouth	11
21.	No Visible Evidence of Mouth Anneal	12

BULLET

22.	Dent (bullet)	12
23.	Scratch (bullet)	12
24.	Split Bullet Jacket	12
25.	Loose Bullet	12
26.	Missing Cannelure	12
27.	Scaly Metal (bullet)	13
28.	Upset (crooked) Point	13
29.	Exposed Steel (clad jacket)	13
30.	Blunt Point	13
31.	Defective Cannelure	14

PRIMER

32.	No Primer	14
33.	Cocked Primer	14
34.	Inverted Primer	14
35.	Loose Primer	15
36.	Nicked or Dented Primer	15
37.	No Waterproofing (Primer pocket joint)	15
38.	Defective Crimp	15

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



a b c d e f g h i

[— — — — — Minor — — — — —] [— — — — — — — — Permissible — — — — — — — —]

No. 1. Discolored, Dirty, Oily, Smeared (waterproofing)

(a) (b) (c) Smeared Identification Paint.

(d) Smeared Primer Waterproofing.

(e) (f) Dirty Cartridge Cases.

(g) Smeared Primer Waterproofing.

(h) (i) Dirty Cartridge Cases.




[— — — — Major — — — —] [— Permissible —]

No. 2. Corroded or Stained

Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.

No. 3. Mixed Ammunition Types (Not illustrated). Critical, Major, or Minor depending on types mixed. See detail specification. (Also includes incorrect or poor identification.)


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — Major — — —] [— — Permissible — —]

No. 4. Round Head


Cartridges having excessive head chamfers at any point on the circumference of the head are to be counted as Round Heads.



[— — — — — — — Major — — — — — — —] [— — — — — — — Minor — — — — — — —] [— — Permissible — —]

No. 5. Dent (case)


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — Major — — — — — — —]

No. 6. Split Case

A cartridge is to be counted as a defective because of a split case if the cartridge case shows a definite separation of the metal entirely through the case wall.



A cartridge is to be classified either as a "major" or "critical" defective depending on location of split. A split in the (I), (S) or (J) position shall be counted as a "major" defect when no loss of powder occurs; and as a "critical" defect when loss of powder occurs. A split in the (K), (L), or (M) position shall be counted as a "critical" defect.



[— — — Critical — — —]

No. 7. Perforated Case


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — Major — —] [— — Minor — —] [— — Permissible — —]

No. 8. Draw Scratch

The seriousness of a draw scratch is to be determined by the depth, location and shape of the scratch. Draw scratches which cannot be detected by the finger nail are permissible. Draw scratches which CAN be detected by the finger nail but do not extend into the neck section are to be counted as minor draw scratches. Draw scratches which CAN be detected by the finger nail and extend into the neck section are to be counted as major draw scratches.




[— Major —] [— — — — — Permissible — — — — —]

No. 10b. Beveled Underside of Head (twice normal size)



[— — — — Minor — — — —] [Permissible]


No. 9. Scratch (case)



[Major] [— — Permissible — —]


No. 10a. Beveled Underside of Head (normal size).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — Major — — — — — — —]


No. 11a. Case Mouth not Crimped in Cannelure



[— — — — — — — — — — — — — — — Major — — — — — — — — — — — — — — —]


No. 11b. Case Mouth not Crimped in Cannelure (Twice normal size)

A cartridge is also to be counted as a defective because of case mouth not crimped in cannelure if the crimp does not extend around the entire circumference of the case mouth.



[— — — — — — Major — — — — — —]


No. 11c. Case Mouth not Crimped in Cannelure



[— — — — — — — — — — — — Major — — — — — — — — — — — —]

No. 11d. Case Mouth not Crimped in Cannelure
(Twice normal size inclined view)


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — Major — — — — —] [Minor] [Permissible]


No. 12. Scaly Metal (case)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.




[— — Major — —] [Permissible]

No. 13a. No Chamfer on Head (rim)




[— — — Major — — —] [Permissible]

No. 13c. No chamfer on Head (rim)



[— — — — — — — Major — — — — — — —] [— Permissible —]


No. 13b. No Chamfer on Head (rim)
(Twice normal size)



[— — — — — — — Major — — — — — — —] [— Permissible —]


No. 13d. No Chamfer on Head (rim) (Twice normal size, Inclined view)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — Minor — —] [— — — — — — Permissible — — — — — —]

No. 14. Fold



[— — — — Minor — — — —] [Permissible]


No. 15. Wrinkle



[— — — — Minor — — — —] [Permissible]

No. 16. Buckle

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — Permissible — — — — — — —]

No. 17. Bulge

No. 18. Illegible or Missing Head Stamp

(Not illustrated)


Minor



[— — — — — — — Minor — — — — — — —] [— — Permissible — —]


No. 19a. Defective Head

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — Minor — — — — — — —] [— — Permissible — —]

No. 19b. Defective Head



[— — — — — — — — Minor — — — — — — — —] [— — Permissible — —]

No. 19c. Defective Head



[— — Minor — —] [— — — Permissible — — —]

No. 20. Defective Mouth

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — Major — —] [— Permissible —]

No. 21. No Visible Evidence of Mouth Anneal

Gas Mouth and Neck Annealed Case
No Oxide Film Apparent — Major (see illustration)

Induction Mouth and Neck Annealed Case
No Visible Iris [1] — Major

[1] Doubtful cases to be decided by Rockwell 30T hardness reading of assembled cartridges taken on the case 1/8" from mouth. Absence of visible iris shall be considered a major defect if this hardness, when compared with the hardness taken on cartridges assembled with cases having visible evidence of mouth anneal, shows conclusively that the case has not been annealed.



[Minor] [— Permissible —]


No. 23. Scratch (bullet)



[— — — — — — Major — — — — — —]

No. 24. Split Bullet Jacket

A cartridge is to be counted as a defective because of a split bullet jacket if the jacket shows a definite separation of the metal so as to expose the core or slug.



[— — Minor — —] [— — — — Permissible — — — —]

No. 22. Dent (bullet)


No. 25. Loose Bullet (Not illustrated)
Major

A cartridge is to be counted as a defective because of a loose bullet if the bullet can be moved relative to the case by twisting, pushing or pulling while the cartridge is held in the hands.

No. 26. Missing Cannelure (Not illustrated)
Major

The defect, missing cannelure, may be determined by pulling the bullet. However, the cartridge in question must not contain defect No. 11—Case Mouth not Crimped in Cannelure, wherein the case mouth is located above the cannelure (not illustrated).


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[Major] [— — Minor — —] [— — Permissible — —]

No. 27. Scaly Metal (bullet)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.




[— — — — — — — Minor — — — — — — —] [— Permissible —]

No. 28. Upset (crooked) Point



[— — — — — — Minor — — — — — —]

No. 29. Exposed Steel (clad jacket)




[— — — — Permissible — — — —]

No. 30. Blunt Point

A cartridge is to be counted as a minor defective if point bluntness or flatness exceeds that shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



(a) Misplaced Cannelure.

(b) Deformed Cannelure.

(c) Double Cannelure.


(d) Misplaced Cannelure.

(e) Double Cannelure.

a b c d e

[— — — — — — — — — Minor — — — — — — — — —]


No. 31a. Defective Cannelure



a b c d e

[— — — — — — — — — — — — — — — — — Minor — — — — — — — — — — — — — — — — —]

No. 31b. Defective Cannelure
(Twice normal size)



[Critical] [— — — — — — — — Critical — — — — — — — —] [Critical]

No. 33. Cocked Primer

No. 32
No Primer


An obvious cocked primer, or a suspected cocked primer that fails to ignite the propellant is a critical defective. A suspected cocked primer that ignites the propellant is to be counted a major defective.

No. 34
Inverted Primer

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.

No. 35. Loose Primer (Not illustrated)
Major

A cartridge is to be counted as a defective because of a loose primer if the primer can be moved within the primer pocket or if the primer can be shaken or jarred from the pocket.




a b c d e f g

[— — — — — — Minor — — — — — —] [— — — Permissible — — —]

(a) Deformed Primer.
(b) Nick extending to edge of primer cup.
(c-d-e-f-g) Small Nicks and Dents.


No. 36a. Nicked or Dented Primer



a b c d e f g

[— — — — — — Minor — — — — — —] [— — — Permissible — — —]

No. 36b. Nicked or Dented Primer



[Minor] [— — — Permissible — — —]

No. 37. No Waterproofing
(Primer pocket joint)



[— — — — Minor — — — —] [— — Permissible — —]

No. 38. Defective Crimp

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

NATO CALIBER 7.62-MM

CARTRIDGE

No.		Page
1.	Discolored, Dirty, Oily, Smeared (waterproofing)	17
2.	Corroded or Stained	17
3.	Mixed Ammunition Types	17

CASE

4.	Round Head	17
5.	Dent (case)	18
6.	Split Case	18
7.	Perforated Case	19
8.	Draw Scratch	19
9.	Scratch (case)	19
10.	Beveled Underside of Head	20
11.	Case Mouth not Crimped in Cannelure	20
12.	Scaly Metal (case)	20
13.	No Chamfer on Head (rim)	21
14.	Fold	21
15.	Wrinkle	21
16.	Buckle	22
17.	Bulge	22
18.	Illegible or Missing Head Stamp	22
19.	Defective Head	22, 23
20.	Defective Mouth	23
21.	No Visible Evidence of Mouth Anneal	23

BULLET

22.	Dent (bullet)	24
23.	Scratch (bullet)	24
24.	Split Bullet Jacket	24
25.	Loose Bullet	24
26.	Missing Cannelure	24
27.	Scaly Metal (bullet)	24
28.	Upset (crooked) Point	25
29.	Exposed Steel (clad jacket)	25
30.	Blunt Point	25
31.	Defective Cannelure	25

PRIMER

32.	No Primer	25
33.	Cocked Primer	25
34.	Inverted Primer	25
35.	Loose Primer	26
36.	Nicked or Dented Primer	26
37.	No Waterproofing (Primer pocket joint)	26
38.	Defective Crimp	26

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



No. 1. Discolored, Dirty, Oily, Smeared (waterproofing)


(a) } Smeared Identification
(b) } Paint
(c) Smeared Primer Waterproofing
(d) Oil on Cartridge Case
(e) Dirty Cartridge Case
(f) Smeared Primer Waterproofing
(g) } Discolored Cartridge
(h) } Cases
(i) Dirty Cartridge Case



No. 2. Corroded or Stained

Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.


No. 3. Mixed Ammunition Types (Not illustrated). Critical, Major, or Minor depending on types mixed. See detail specification. (Also includes incorrect or poor identification.)




No. 4. Round Head

Cartridges having execessive head chamfers at any point on the circumference of the head are to be counted as Round Heads.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



No. 5. Dent (case)




A cartridge is to be counted as a defective because of a split case if the cartridge case shows a definite separation of the metal entirely through the case wall.

A cartridge is to be classified either as a "major" or "critical" defective depending on location of split. A split in the (I), (S) or (J) position shall be counted as a "major" defect when no loss of powder occurs; and as a "critical" defect when loss of powder occurs. A split in the (K), (L), or (M) position shall be counted as a "critical" defect.




No. 6. Split Case

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — Critical — — — —]

No. 7. Perforated Case



[— — — Minor — — —] [— — Permissible — —]

No. 9. Scratch (case)




[— — Major — —] [— — Minor — —] [— — — — Permissible — — — —]

No. 8. Draw Scratch


The seriousness of a draw scratch is to be determined by the depth, location and shape of the scratch. Draw scratches which cannot be detected by the finger nail are permissible. Draw scratches which CAN be detected by the finger nail but do not extend into the neck section are to be counted as minor draw scratches. Draw scratches which CAN be detected by the finger nail and extend into the neck section are to be counted as major draw scratches.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — Permissibe — —] [Major]

No. 10. Beveled Underside of Head



[— — — — — — — Major — — — — — — —]

No. 11a. Case Mouth not Crimped in Cannelure. A cartridge is also to be counted as a defective because of case mouth not crimped in cannelure if the crimp does not extend around the entire circumference of the case mouth.




[— — — — — — — Major — — — — — — —]

No. 11b. Case Mouth not Crimped in Cannelure


No. 12. Scaly Metal (case)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.




[— — — — — — — Major — — — — — — —] [Minor] [Permissible]

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[Major] [— — Permissible — —]

No. 13a. No Chamfer on Head (rim)




[— — Minor — —] [— — — — — — Permissible — — — — — —]

No. 14. Fold



[Major] [— — — Permissible — — —]


No. 13b. No Chamfer on Head (rim)



[— — — — — Minor — — — — —] [Permissible]

No. 15. Wrinkle

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — Minor — — — — —] [— — Permissible — —]

No. 16. Buckle

No. 18. Illegible or Missing Head Stamp


(Not illustrated)

Minor



[— — — — — — — Permissible — — — — — — —]


No. 17. Bulge



[— — — — — — — Minor — — — — — — —] [— — — Permissible — — —]


No. 19a. Defective Head

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — Minor — — — — — — —] [— — — Permissible — — —]

No. 19b. Defective Head



[— — — — — — — Minor — — — — — — —] [— — — Permissible — — —]

No. 19c. Defective Head



[— — — — — Minor — — — — —] [Permissible]

No. 20. Defective Mouth



[— — Major — —] [Permissible]

No. 21. No Visible Evidence of Mouth Anneal

Gas Mouth and Neck Annealed Case


No Oxide Film Apparent — Major (see illustration)

Induction Mouth and Neck Annealed Case

No Visible Iris [1] — Major


[1] Doubtful cases to be decided by Rockwell 30T hardness reading of assembled cartridges taken on the case 1/8" from mouth. Absence of visible iris shall be considered a major defect if this hardness, when compared with the hardness taken on cartridges assembled with cases having visible evidence of mouth anneal, shows conclusively that the case has not been annealed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — Minor — — — —] [— Permissible —]

No. 22. Dent (bullet)



[— — — — — Minor — — — — —] [— Permissible —]

No. 23. Scratch (bullet)



[— — — — Major — — — —]

No. 24. Split Bullet Jacket


A cartridge is to be counted as a defective because of a split bullet jacket if the jacket shows a definite separation of the metal so as to expose the core or slug.

No. 25. Loose Bullet (Not illustrated)
Major

A cartridge is to be counted as a defective because of a loose bullet if the bullet can be moved relative to the case by twisting, pushing or pulling while the cartridge is held in the hands.

No. 26. Missing Cannelure (Not illustrated)
Major

The defect, missing cannelure, may be determined by pulling the bullet. However, the cartridge in question must not contain defect No. 11—Case Mouth not Crimped in Cannelure, wherein the case mouth is located above the cannelure (not illustrated).




[— — Major — —] [— — Minor — —] [Permissible]

No. 27. Scaly Metal (bullet)


In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — Minor — — — — —] [— Permissible —]

No. 28. Upset (crooked) Point



[— — — — — — — Permissible — — — — — — —]


No. 30. Blunt Point

A cartridge is to be counted as a minor defective if point bluntness or flatness exceeds that shown.



[— — — — — — Minor — — — — — —]


No. 29. Exposed Steel (clad jacket)



a b c d e

No. 31. Defective Cannelure

(a) Misplaced Cannelure
(b) Deformed Cannelure
(c) Eccentric and Misplaced Cannelure
(d) Misplaced Cannelure
(e) Double Cannelure



[Critical] [— — — — — — — — Critical — — — — — — — —] [Critical]

No. 32. No Primer

No. 33. Cocked Primer

An obvious cocked primer, or a suspected cocked primer that fails to ignite the propellant is a critical defective. A suspected cocked primer that ignites the propellant is to be counted a major defective.

No. 34. Inverted Primer

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

No. 35. Loose Primer

(Not illustrated)

Major


A cartridge is to be counted as a defective because of a loose primer if the primer can be moved within the primer pocket or if the primer can be shaken or jarred from the pocket.



a b c d e f g

[— — — — — — — Minor — — — — — — —] [— Permissible —]

No. 36a. Nicked or Dented Primer




a b c d e f g

[— — — — — — — Minor — — — — — — —] [— Permissible —]

No. 36b. Nicked or Dented Primer

(a) Deformed Primer
(b) Deformed Primer
(c) Nicks, Extending to Edge of Primer Cup
(d) } Nicks in Center
(e) } of Primer
(f) } Small Nicks
(g) } and Dents



[— — — Minor — — —] [— — Permissible — —]

No. 37

No Waterproofing

(Primer pocket joint)



[— — — — Minor — — — —] [— — Permissible — —]

No. 38. Defective Crimp

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

CALIBER .30 CARBINE

CARTRIDGE

No.		Page
1.	Discolored, Dirty, Oily, Smeared (waterproofing)	28
2.	Corroded or Stained	28
3.	Mixed Ammunition Types	28

CASE

4.	Round Head	28
5.	Dent (case)	28
6.	Split Case	28
7.	Perforated Case	29
8.	Draw Scratch	29
9.	Scratch (case)	29
10.	Beveled Underside of Head	29
11.	Scaly Metal (case)	29
12.	No Chamfer on Head (rim)	29
13.	Fold	30
14.	Wrinkle	30
15.	Bulge	30
16.	Illegible or Missing Head Stamp	30
17.	Defective Head	30, 31
18.	Defective Mouth	31
18A.	Defective Protective Finish	31

BULLET

19.	Dent (bullet)	31
20.	Scratch (bullet)	31
21.	Split Bullet Jacket	31
22.	Loose Bullet	31
23.	Scaly Metal (bullet)	32
24.	Upset (crooked) Point	32
25.	Exposed Steel (clad jacket)	32
26.	Flat Point	32

PRIMER

27.	No Primer	33
28.	Cocked Primer	33
29.	Inverted Primer	33
30.	Loose Primer	33
31.	Nicked or Dented Primer	33
32.	No Waterproofing (Primer pocket joint)	33

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.



a b c d

[— Minor —] [Permissible]

No. 1. Discolored, Dirty, Oily, Smeared (waterproofing).

(a) Smeared Primer
(b) Water-
(c) proofing
(d) Dirty Cartridge Case




[— Major —] [Permissible]

No. 2. Corroded or Stained

Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.


No. 3. Mixed Ammunition Types (Not illustrated). Critical, Major, or Minor depending on types mixed. See detail specification. (Also includes incorrect or poor identification.)



[Major] [Permissible]


No. 4a. Round Head

Cartridges, having excessive head chamfers at any point on the circumference of the head are to be counted as Round heads.




[— Major —] [Permissible]

No. 4b. Round Head (Twice normal size)



[— — — Major — — —] [Minor] [— — Permissible — —]

No. 5. Dent (case)




[— Major —]


No. 6. Split Case

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

A cartridge is to be counted as a defective because of a split case if the cartridge case shows a definite separation of the metal entirely through the case wall.




A cartridge is to be classified either as a "major" or "critical" defective depending on location of split. A split in the (I) or (J) position shall be counted as a "major" defect when no loss of powder occurs; and as a "critical" defect when loss of powder occurs. A split in the (K), (L), or (M) position shall be counted as a "critical" defect.



[Major] [Minor] [Permissible]

No. 8. Draw Scratch

The seriousness of a draw scratch is to be determined by the depth, location and shape of the scratch. Only those draw scratches which cannot be detected by the finger nail are permissible.



[Major] [Permissible]

No. 10a. Beveled Underside of Head



[— Major —] [Permissible]


No. 10b. Beveled Underside of Head (Twice normal size)



[Critical]


No. 7

Perforated Case



[— — — — — Minor — — — — —] [Permissible]

No. 9. Scratch (case)



[Major] [Minor] [Permissible]

No. 11. Scaly Metal (case)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.



[— — Major — —] [Permissible]


No. 12a. No Chamfer on Head (rim)



[— — — — — Major — — — — —] [Permissible]


No. 12b. No Chamfer on Head (rim) (Twice normal size)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[Minor] [— Permissible —]

No. 13. Fold




[— — Minor — —] [Permissible]

No. 14a. Wrinkle



[— — — Permissible — — —]

No. 15a. Bulge



[— — — — — — — Permissible — — — — — — —]


No. 15b. Bulge

(Twice normal size)

No. 16. Illegible or Missing Head Stamp

(Not illustrated)


Minor



[— — — — Minor — — — —] [Permissible]

No. 14b. Wrinkle

(Twice normal size)



[— — — Minor — — —] [— Permissible —]

No. 17a. Defective Head

[— — — Minor — — —] [— Permissible —]


No. 17b. Defective Head

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — Minor — — —] [— Permissible —]

No. 17c. Defective Head




[— — — Minor — — —] [— — — — Permissible — — — —]

No. 18. Defective Mouth

No. 18A. Defective Protective Finish


Minor

Refer to illustrations of Defect No. 17A, Defective Protective Finish, in Caliber .45 section of this Standard.



[— — — — Minor — — — —] [— Permissible —]

No. 19. Dent (bullet)



[— — — — — Minor — — — — —] [Permissible]

No. 20. Scratch (bullet)

No. 21. Split Bullet Jacket

A cartridge is to be counted as a defective because of a split bullet jacket if the jacket shows a definite separation of the metal so as to expose the core or slug.



[— — — Major — — —]


No. 22. Loose Bullet

(Not illustrated)

Major

A cartridge is to be counted as a defective because of a loose bullet if the bullet can be moved relative to the case by twisting, pushing or pulling while the cartridge is held in the hands.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — Major — — — —] [— Minor —] [—Permissible—]

No. 23. Scaly Metal (bullet)


In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.



[Minor] [Permissible]

No. 26a.

Flat Point



[— Minor —] [Permissible]


No. 24a. Upset (crooked) Point



[— Minor —]

No. 25.

Exposed Steel
(clad jacket)




[Minor] [Permissible]

No. 26b. Flat Point




[— Minor —] [Permissible]

No. 24b. Upset (crooked) Point



[— — — — Minor — — — —] [Permissible]

No. 24c. Upset (crooked) Point
(Twice normal size)



[— Minor —] [Permissible]

No. 26c. Flat Point
(Twice normal size)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[Critical] [— — — — Critical — — — —] [Critical]

No. 27. No Primer

No. 28. Cocked Primer

An obvious cocked primer, or a suspected cocked primer that fails to ignite the propellant is a critical defective. A suspected cocked primer that ignites the propellant is to be counted a major defective.

No. 29. Inverted Primer

No. 30. Loose Primer (Not illustrated)

Major

A cartridge is to be counted as a defective because of a loose primer if the primer can be moved within the primer pocket or if the primer can be shaken or jarred from the pocket.

(a) Dented Primer.
(b) Nick Extending to Edge of Primer Cup.
(c) Deformed Primer Cup.
(d) Small Nicks.



a b c d


[— Minor —] [— Permissible —]

No. 31a. Nicked or Dented Primer



[Minor] [—Permissible—]

No. 32. No Waterproofing (Primer pocket joint)



a b c d

[— — — — Minor — — — —] [— — — Permissible — — —]

No. 31b. Nicked or Dented Primer (Twice normal size)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

CALIBER .45

CARTRIDGE

No.		Page
1.	Discolored, Dirty, Oily, Smeared (waterproofing)	35
2.	Corroded or Stained	35
3.	Mixed Ammunition Types	35

CASE

4.	Round Head	35
5.	Dent (case)	35
6.	Split Case	36
7.	Perforated Case	36
8.	Draw Scratch	36
9.	Scratch (case)	36
10.	Beveled Underside of Head	36
11.	Scaly Metal (case)	36
12.	No Chamfer on Head (rim)	36
13.	Wrinkle	37
14.	Bulge	37
15.	Illegible or Missing Head Stamp	37
16.	Defective Head	37
17.	Defective Mouth	37
17A.	Defective Protective Finish	37, 38

BULLET

18.	Dent (bullet)	39
19.	Scratch (bullet)	39
20.	Split Bullet Jacket	39
21.	Loose Bullet	39
22.	Scaly Metal (bullet)	39
23.	Upset (crooked) Point	39
24.	Exposed Steel (clad jacket)	40
25.	Flat Point	40

PRIMER

26.	No Primer	40
27.	Cocked Primer	40
28.	Inverted Primer	40
29.	Loose Primer	40
30.	Nicked or Dented Primer	40
31.	No Waterproofing (Primer pocket joint)	40

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



a b c d e

[— — — — Minor — — — —] [— Permissible —]

No. 1. Discolored, Dirty, Oily, Smeared (waterproofing)

(a) Smeared Mouth Waterproofing.

(b) Smeared Primer Waterproofing.

(c) Dirty Cartridge Case.

(d) Dirty Cartridge Case.

(e) Smeared Primer Waterproofing.



[Major] [— — — Permissible — — —]

No. 2. Corroded or Stained

Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.


No. 3. Mixed Ammunition Types (Not illustrated). Critical, Major, or Minor depending on types mixed. See detail specification. (Also includes incorrect or poor identification.)



[— — — — Major — — — —] [Permissible]

No. 4a. Round Head


Cartridges having excessive head chamfers at any point on the circumference of the head are to be counted as Round Heads.



[— — — — Major — — — —] [Permissible]


No. 4b. Round Head

A cartridge is to be counted as a defective because of a split case if the cartridge case shows a definite separation of the metal entirely through the case wall.




[— — Major — —] [Minor] [Permissible]

No. 5. Dent (case)




A cartridge is to be classified either as a "major" or "critical" defective depending on location of split. A split in the (I) or (J) position shall be counted as a "major" defect when no loss of powder occurs; and as a "critical" defect when loss of powder occurs. A split in the (K), (L), or (M) position shall be counted as a "critical" defect.

Source: https://assist.dla.mil – Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — Major — — —]

No. 6. Split Case




[— Permissible —] [— — Minor — —]

No. 9. Scratch (case)




[— — — Critical — — —]

No. 7. Perforated Case




[Major] [Permissible]

No. 10a. Beveled Underside of Head



[Major] [Permissible]


No. 10b. Beveled Underside of Head



[Major] [— — — — — Minor — — — — —] [Permissible]

No. 8. Draw Scratch

The seriousness of a draw scratch is to be determined by the depth, location and shape of the scratch. Only those draw scratches which cannot be detected by the finger nail are permissible.



[— — Major — —] [Minor] [Permissible]


No. 11. Scaly Metal (case)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.



[Major] [Minor] [Permissible]


No. 12a. No Chamfer on Head (rim)



[— Major —] [— Minor —] [— Permissible —]


No. 12b. No Chamfer on Head (rim)
(Twice normal size, inclined view)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[Minor] [— Permissible —]

No. 13. Wrinkle



[— — Permissible — —]

No. 14. Bulge

No. 15. Illegible or Missing Head Stamp

Not illustrated

Minor



[— — — — Minor — — — —] [— Permissible —]

No. 16a. Defective Head




[— — — — Minor — — — —] [— Permissible —]

No. 16b. Defective Head



[— — — — Minor — — — —] [— Permissible —

No. 16c. Defective Head



[Minor] [— — — — — — — — — — — Permissible — — — — — — — — — — —]

No. 17. Defective Mouth



[— — — — — — — — — — Minor — — — — — — — — — —] [Permis-sible] [— — Minor — —]

No. 17a. 1. Inadequate Zinc Plating

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — Minor — —]

Defective Zinc Plating



[— — — — Minor — — — —] [Permissible]

Chromate Stains



[— — — — — — — — — Minor — — — — — — — — —] [— Permissible —]

Inadequate Surface Preparation and/or Contamination of Bath




[Minor]

Plating Damage (from cartridge assembly)



[— — Minor — —] [— Permissible —]

Defective Zinc Plating (craters caused by electrical short)




[— — — — — Minor — — — — —] [— — — Permissible — — — —]

Chromate Discontinuity


No. 17a. 2. Defective Protective Finish Steel Cased Ammunition

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.



[— — Minor — —] [— Permissible —]

No. 18. Dent (bullet)



[— — — — Minor — — — —] [Permissible]

No. 19. Scratch (bullet)



[Major]


No. 20. Split Bullet Jacket

A cartridge is to be counted as a defective because of a split bullet jacket if the jacket shows a definite separation of the metal so as to expose the slug.

No. 21. Loose Bullet (Not illustrated)

Major


A cartridge is to be counted as a defective because of a loose bullet if the bullet can be moved relative to the case by twisting, pushing or pulling while the cartridge is held in the hands.



[— — Major — —] [— — Minor — —] [Permissible]


No. 22. Scaly Metal (bullet)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.



[— — — Minor — — —] [— — Permissible — —]


No. 23a. Upset (crooked) Point
(Normal size)



[— — Minor — —] [— Permissible —]


No. 23b. Upset (crooked) Point
(Normal size, inclined view)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — Minor — — — —]

No. 24. Exposed Steel (clad jacket)



[— — Minor — —] [Permissible]

No. 25a. Flat Point
(Normal size)



[— — Minor — —] [Permissible]

No. 25b. Flat Point
(Normal size, inclined view)



[Critical] [— — — — — — — Critical — — — — — — —] [Critical]

No. 26.
No Primer

No. 27. Cocked Primer


No. 28.
Inverted Primer

An obvious cocked primer, or a suspected cocked primer that fails to ignite the propellant is a critical defective. A suspected cocked primer that ignites the propellant is to be counted a major defective.

No. 29. Loose Primer (Not illustrated)


Major

A cartridge is to be counted as a defective because of a loose primer if the primer can be moved within the primer pocket or if the primer can be shaken or jarred from the pocket.



[Minor] [— Permissible —]

No. 31. No Waterproofing
(Primer pocket joint)



a b c d

[— — — — Minor — — — —] [Permissible]

No. 30. Nicked or Dented Primer

(a) } Deep Nick in
(b) } Primer Cup.
(c) Nick extending to edge of Primer Cup.
(d) Small Nicks and Dents.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

CALIBER .50

CARTRIDGE

No.		Page
1.	Discolored, Dirty, Oily, Smeared (waterproofing)	42
2.	Corroded or Stained	43
3.	Mixed Ammunition Types	43

CASE

4.	Round Head	43
5.	Dent (case)	44, 45
6.	Split Case	46
6A.	Incipient Split	46
7.	Perforated Case	47
8.	Draw Scratch	47
9.	Scratch (case)	48
10.	Beveled Underside of Head	49
11.	Case Mouth not Crimped in Cannelure	49, 50
12.	Scaly Metal (case)	51
13.	No Chamfer on Head (rim)	52
14.	Fold	53
15.	Wrinkle	54
16.	Buckle	54
17.	Bulge	55
18.	Illegible or Missing Head Stamp	55
19.	Defective Head	55, 56
20.	Defective Mouth	57
21.	No Visible Evidence of Mouth Anneal	58
21A.	Defective Protective Finish	58


BULLET

22.	Dent (bullet)	59
23.	Scratch (bullet)	59
24.	Split Bullet Jacket	60
25.	Loose Bullet	60
26.	Missing Cannelure	60
27.	Scaly Metal (bullet)	60
28.	Upset (crooked) Point	61
29.	Exposed Steel (clad jacket)	62
30.	Blunt Point	62
31.	Defective Cannelure	62, 63

PRIMER

32.	No Primer	63
33.	Cocked Primer	63
34.	Inverted Primer	63
35.	Loose Primer	64
36.	Nicked or Dented Primer	64
37.	No Waterproofing (Primer pocket joint)	64
38.	Defective Crimp	64

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



No. 1. Discolored, Dirty, Oily, Smeared (waterproofing)

(a) Smeared Identification Paint.
(b) Smeared Mouth Waterproofing.
(c) Grease on Cartridge Case.
(d) Smeared Primer Waterproofing.
(e) Dirty Cartridge Case.
(f) Dirty Cartridge Case.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— Major —] [— — — — — — — Permissible — — — — — — —]


No. 2. Corroded or Stained

Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.

No. 3. Mixed Ammunition Types (Not illustrated). Critical, Major, or Minor depending on types mixed. See detail specification. (Also includes incorrect or poor identification.)



[— — — — — — — Major — — — — — — —]




[— — — — — — — Permissible — — — — — —]

No. 4. Round Head

Cartridges having excessive head chamfers at any point on the circumference of the head are to be counted as Round Heads.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — — — Major — — — — — — — — —] [— — — — — Minor — — — — —]


No. 5. Dent (case)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

A cartridge is to be counted as a defective because of a split case if the cartridge case shows a definite separation of the metal entirely through the case wall.



A cartridge is to be classified either as a "major" or "critical" defective depending on location of split. A split in the (I), (S) or (J) position shall be counted as a "major" defect when no loss of powder occurs; and as a "critical" defect when loss of powder occurs. A split in the (K), (L), or (M) position shall be counted as a "critical" defect.




[— — — — — — — — — — — — — — Permissible — — — — — — — — — — — — — —]

No. 5. Dent (case)—Continued


489592°—59——4

Source: https://assist.dla.mil/ Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — — — — Major — — — — — — — — — —] [— — — — — — Permissible — — — — — —]


No. 6A. Incipient Split Cal. .50 Steel Case



[— — — — — — Major — — — — — —]

No. 6. Split Case


Source: https://assist.dla.mil -- Downloaded: 20261026T07:33Z
Check the source to verify that this is the current version before use.



[— Major —] [— — — — — — — — — Minor — — — — — — — — —] [— — — — Permissible — — — —]

No. 8. Draw Scratch


The seriousness of a draw scratch is to be determined by the depth, location and shape of the scratch. Draw scratches which cannot be detected by the finger nail are permissible. Draw scratches which CAN be detected by the finger nail but do not extend into the next section are to be counted as minor draw scratches. Draw scratches which CAN be detected by the finger nail and extend into the neck section are to be counted as major draw scratches.




[— — Critical — —]

No. 7. Perforated Case


Source: https://assist.dla.mil - Downloaded: 20260-26T07:33Z
Check the source to verify that this is the current version before use.


[— — —




[— Major —] [Permissible]

No. 10a. Beveled Underside of Head



[— — — — Major — — — —] [— — — Permissible — — —]


No. 10b. Beveled Underside of Head (Twice normal size)



[— — — — — — — — — Major — — — — — — — — —]

No. 11a. Case Mouth not Crimped in Cannelure


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — — — — — Major — — — — — — — — — — —]

No. 11b. Case Mouth not Crimped in Cannelure

A cartridge is also to be counted as a defective because of case mouth not crimped in cannelure if the crimp does not extend around the entire circumference of the case mouth.



[— — — — — — — — — — — — — — — — — — Major — — — — — — — — — — — — — — — — — —]

No. 11c. Case Mouth not Crimped in Cannelure (Twice normal size, inclined view)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — Major — — — — —] [— — — — — Minor — — — — —] [— — — — — Permissible — — — — —]

No. 12. Scaly Metal (case)


In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— Major —] [— — — — — — Permissible — — — — — —]


No. 13a. No Chamfer on Head (rim)



[— Major —] [— — — — — — Permissible — — — — — —]

No. 13b. No Chamfer on Head (rim)


A cartridge will be classified as a critical defect for No Chamfer on Head if it fails in the function test prescribed in the applicable detailed specification.




[— — — — Major — — — —] [— — — — — — — — — Permissible — — — — — — — — —]

No. 13c. No Chamfer on Head (rim) (Twice normal size)

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




[— — —



[— — — — — Minor — — — — —] [Permissible]


No. 15. Wrinkle



[— — — — — — Minor — — — — — —] [— — — — — Permissible — — — — —]

No. 16. Buckle

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— — — — — — — — — Permissible — — — — — — — — —]

No. 17. Bulge

No. 18. Illegible or Missing Head Stamp

(Not illustrated)

Minor



[— — — — — — — — — — — — — — — — Minor — — — — — — — — — — — — — — — —] [Permissible]

No. 19a. Defective Head

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — — — — — — — — — Minor — — — — — — — — — — — — — — —] [Permissible]


No. 19b. Defective Head



[— — — — — — — — — — — — — — — Minor — — — — — — — — — — — — — — —] [Permissible]

No. 19c. Defective Head

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — Minor — — — — — — —] [— — — — — — Permissible — — — — — —]

No. 20. Defective Mouth


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— Major —] [— — — — Permissible — — — —]

No. 21. No Visible Evidence of Mouth Anneal
Gas Mouth and Neck Annealed Case
No Oxide Film Apparent — Major (see illustration)
Induction Mouth and Neck Annealed Case
No Visible Iris [1] — Major


[1] Doubtful cases to be decided by Rockwell 30T hardness reading of assembled cartridges taken on the case ⅛″ from mouth. Absence of visible iris shall be considered a major defect if this hardness, when compared with the hardness taken on cartridges assembled with cases having visible evidence of mouth anneal, shows conclusively that the case has not been annealed.



[— — — — Major — — — —] [— — — — — — Minor — — — — — —] [— — — Permissible — — —]

No. 21A. Defective Protective Finish
Cal. .50 Steel Case


Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — Minor — — — — — — —]

[— — — — — — — Permissible — — — — — — —]

No. 22. Dent (bullet)



[— — — — — — — Minor — — — — — — —]

[— — — — — — — — — — — Permissible — — — — — — — — — — —]

No. 23. Scratch (bullet)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — — — — Major — — — — — — — — — —]

← No. 24. Split Bullet Jacket

A cartridge is to be counted as a defective because of a split bullet jacket if the jacket shows a definite separation of the metal so as to expose the core or slug.

No. 25. Loose Bullet (Not illustrated)


Major

A cartridge is to be counted as a defective because of a loose bullet if the bullet can be moved relative to the case by twisting, pushing or pulling while the cartridge is held in the hands.

No. 26. Missing Cannelure (Not illustrated)

Major

The defect, missing cannelure, may be determined by pulling the bullet. However, the cartridge in question must not contain defect No. 11—Case Mouth not Crimped in Cannelure, wherein the case mouth is located above the cannelure (not illustrated).




[— — — — — — Major — — — — — —] [— — — — — — Minor — — — — — —] [Permissible]

No. 27. Scaly Metal (bullet)

In classifying scaly metal cartridges, due consideration must be given to the depth as well as the area of the scale.


Source: https://assist.dla.mil -- Downloaded: 20264O-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — — Minor — — — — — — — —] [— — — — — — — — Permissible — — — — — — — —]


No. 28. Upset (crooked) Point

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — — — — Minor — — — — — — —]


No. 29. Exposed Steel (clad jacket)



[— — — — — — — Permissible — — — — — — —]

No. 30. Blunt Point

A cartridge is to be counted as a minor defective if point bluntness or flatness exceeds that shown.



a b c d

[— — — — — — — — — — Minor — — — — — — — — — —]

No. 31a. Defective Cannelure


(a) Misplaced Cannelure.

(b) Incomplete Cannelure.

(c) Double Cannelure.

(d) Deformed Cannelure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




[— Minor —]

No. 31b. Defective Cannelure
(Twice normal size)



[— Critical —]


No. 32. No Primer



[— — — — Critical — — — —] [— Major —]

No. 33. Cocked Primer

An obvious cocked primer, or a suspected cocked primer that fails to ignite the propellant is a critical defective. A suspected cocked primer that ignites the propellant is to be counted a major defective.



[— Critical —]


No. 34. Inverted Primer

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

No. 35. Loose Primer (Not illustrated)

Major

A cartridge is to be counted as a defective because of a loose primer if the primer can be moved within the primer pocket or if the primer can be shaken or jarred from the pocket.



a b c d e

[— — — — Minor — — — —] [— — — — — — Permissible — — — — — —]

No. 36. Nicked or Dented Primer

(a) Nick extending to edge of primer cup.

(b) Deformed primer cup.

(c)
(d) } Small nicks and dents.
(e)



[— Minor —] [— — — — — — Permissible — — — — — —]

No. 37. No Waterproofing
(Primer pocket joint)



[— — — — — — — — — Permissible — — — — — — — — —]

No. 38. Defective Crimp

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

CALIBER .22 LONG RIFLE (COMMERCIAL)

CARTRIDGE

No.		Page
1.	Corroded or Stained	66
2.	Crooked	66

CASE

3.	Dented or Mashed	66
4.	Split Case	66
5.	Perforated Case	66
6.	Draw Scratch	67
7.	Draw Rough	67
8.	Scratch (case)	67
9.	Scaly Metal	67
10.	Fold	67
11.	Wrinkle	67
12.	Bulge	67
13.	Defective Head	68
14.	Defective Mouth	68
15.	No Lubricant Coating	68

BULLET

16.	Dent (bullet)	68
17.	Scratch (bullet)	98
18.	Gash (bullet)	68
19.	Upset Point	68
20.	Flat Point	68
21.	Jam	68

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — Major — — — —]



[— — — — Minor — — — —] [Permissible]

No. 1. Corroded or Stained


Where etching appears in stained areas, local or general, the cartridge will be classified as a major defective.



[— — — Minor — — —]

No. 2. Crooked

Classified as a major if cartridge fail to chamber in an M2 rifle.



[— — — — — — — — Minor — — — — — — — —] [— — Permissible — —]

No. 3. Dented or Mashed


Classified as a major if cartridge fail to chamber in an M2 rifle.



[— — — — — Major — — — — —]

No. 4. Split Case

A definite separation of the metal entirely through the case wall.



[— — — Major — — —]

No. 5. Perforated Case


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — Major — — —] [— — — Minor — — —]


No. 6. Draw Scratch

The seriousness of a draw scratch is to be determined by the depth, location and length of the scratch. Only those draw scratches which cannot be detected by the finger nail are permissible.



[— — — Major — — —]

No. 7.
Draw Rough



[— — — Minor — — —] [— — Permissible — —]


No. 8. Scratch (case)



[Major] [Minor]

No. 9. Scaly Metal

In classifying scaly metal, due consideration must be given to the depth as well as the area of the scale.




[Minor] [Permissible]

No. 10. Fold



[Minor]

No. 11. Wrinkle



[— — — — — Minor — — — — —] [Permissible]

No. 12. Bulge

Classified as a major if cartridge fail to chamber in an M2 rifle.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



[— — — — Minor — — — —]

No. 13. Defective Head

Classified as a major if cartridge fail to chamber or fire in an M2 rifle.



[— — — Minor — — —] [— — Permissible — —]

No. 14. Defective Mouth

No. 15.

No Lubricant Coating

(Not illustrated)

Classified as a minor if all or part of the bullet is not properly coated with lubricant.




[— — — Minor — — —] [Permissible]

No. 16. Dent (bullet)



[— — — Minor — — —] [Permissible]

No. 17. Scratch (bullet)




[— — — Major — — —]

No. 18. Gash (bullet)




[— — — Minor — — —] [Permissible]

No. 19. Upset Point



[— — — Minor — — —] [Permissible]

No. 20. Flat Point



[— — — Major — — —]

No. 21. Jam

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

LIST OF DEFECTS

12-GAGE SHOTGUN SHELLS

GROUP I—VISUAL DEFECTS

No.		Page
1.	Tipped Wads	70
2.	Open Crimp	71
3.	Visual Defects Which May Cause Malfunctions:	
	a. Defective Head	71
	b. Sheared Paper Over Head	71
	c. Mashed Head	71
	d. Head Split	71
	e. Defective Body	71
	f. Shot Pimples	71
	g. Battery Cup Defects	71


GROUP II—VISUAL DEFECTS—FIRING

4.	Head Split, Through Head	72
5.	Head Pulled Off	72
6.	Head Start Less than 1/16"	72
7.	Head Start More than 1/16"	72
8.	Bulged Rim	72
9.	Burst Rim	72
10.	Split Knurl	73
11.	Split Mouth	73
12.	Partial Split Less Than Shell Length	73
13.	Body Split Full Length	73
14.	Head Cut Off	73
15.	Partial Cut Off	73
16.	Body Cut Off	73
17.	Rupture	74
18.	Powder Burns	74
19.	Blown Battery or Primer Cup	74
20.	Primer Blown Up	74
21.	Primer Set Back	74
22.	Primer Leak	74
23.	Primer Punctured	75
24.	Primer Pierced	75
25.	Blown Base Wad	75
26.	Misfire	75


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

CROSS SECTION OF SHOTGUN SHELL


TYPE II AND III ONLY



GROUP I—VISUAL DEFECTS



CROSS SECTION OF SHOTGUN SHELL ILLUSTRATING TIPPED WADS AND RESULTING BULGED CASE




Bulged Shells, caused by tipped filling wads.



Bulged Shell, caused by tipped over powder wad.


No. 1. Tipped Wads

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.




No. 2. Open Crimp


Exposing shot to extent that loss in shot charge can occur.




a. Defective Head




b. Sheared Paper Over Head



c. Mashed Head




d. Head Split



e. Defective Body



f. Shot Pimples




g. Battery Cup Defects


No. 3. Visual Defects Which May Cause Malfunctions. Note: Shells having visual defects, which, in the belief of the Government Inspector will cause malfunctions, shall be segregated at the time of visual inspection and tested separately for chambering through the magazine by the action of the gun, and fired. Such shells which, when chambered through the magazine, function, feed, fire and eject satisfactorily, shall not be counted as defectives. This does not apply to shells which have been subjected to the water absorption test.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

GROUP II—FIRING DEFECTS




No. 4. Head Split, Through Head



No. 5. Head Pulled Off




No. 6.
Head Start
Less Than $\frac{1}{16}$"



No. 7.
Head Start
More Than $\frac{1}{16}$"



No. 8.
Bulged Rim



No. 9.
Burst Rim


Source: https://assist.dla.mil -- Downloaded: 202610-26T07:33Z
Check the source to verify that this is the current version before use.




No. 10.
Split Knurl




No. 11.
Split Mouth




No. 12.
Partial Split
Less Than Shell Length




No. 13.
Body Split
Full Length



No. 14. Head Cut Off




No. 15.
Partial Cut Off



No. 16.
Body Cut Off

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



No. 17.
Rupture



No. 18.
Powder Burns



Blown Battery Cup



Blown Primer

No. 19. Blown Battery or Primer Cup



Deformed Head



Deformed Battery Cup




Anvil




Deformed Primer Cup

No. 20. Primer Blown Up



Primer Set Back



Battery Cup Set Back

No. 21. Primer Set Back



[— — Defect — —]



[— Permissible —]

No. 22. Primer Leak

A primer leak shall be considered a defect if there be signs of leakage around 50 per cent or more of the circumference, or if the leak be through the metal of the primer cup or battery cup.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.



No. 23.

Primer Punctured

A perforated primer shall be considered a punctured primer if the diameter of the hole be smaller than the diameter of the firing pin.



No. 24.


Primer Pierced

A perforated primer shall be considered a pierced primer if the diameter of the hole be as large or larger than the diameter of the firing pin.



No. 26.

Misfire



CROSS SECTION OF FIRED SHOTSHELL ILLUSTRATING BLOWN BASE WAD
(WHEN BASE WAD IS BLOWN IT MAY LODGE IN BORE)

No. 25.

Blown Base Wad

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

Copies of this standard for Military use may be obtained as indicated in the foreword to the Index of Military Specifications and Standards.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.

Both the title and the identifying symbol number should be stipulated when requesting copies of Military Standards.

Preparing activity:
Army—Ordnance Corps

Custodians:
Army—Ordnance Corps
Navy—Bureau of Ordnance
Air Force

Other Interest:
Navy—MC

* U.S. GOVERNMENT PRINTING OFFICE: 1981/707-965

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:33Z
Check the source to verify that this is the current version before use.