CCC-C-426c
INTERIM AMENDMENT-1(Army-GL)
June 6, 1968

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

CLOTH, DRILL, COTTON

This Interim Amendment was developed by the U.S. Army Natick Laboratories (GL), Natick, Massachusetts, for use by Defense Personnel Support Center based on currently available technical information. It is recommended that Federal Agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above. The General Services Administration has authorized Federal Agencies to use this Interim Amendment as a valid exception to Federal Specification CCC-C-426c, dated January 3, 1966.

PAGE 1

Paragraph 1.2.1 Type and classes: - Delete in its entirety and substitute: "1.2.1 Types and classes. - The cloth cotton drill shall be of the types as specified in table I and in the following classes as specified (see 6.2)

Class 1 - Greige

Class 2 - Desized, preshrunk

Class 3 - White or dyed, preshrunk

Note: The types designate greige texture which are of the same construction as class 1.

Paragraph 2.1 Under Federal Specification: Delete "PPP-P-51" and title and substitute: PPP-P-1134 - Packaging and Packing of Cotton and Cotton-Synthetic Fiber Blend Fabrics (Excluding Duck Fabrics)

Under Federal Standards: Delete Fed. Std. No. 102 and title.

PAGE 2

Paragraph 3.3 Delete third sentence and remainder of paragraph and substitute: "The use of dyes or substances containing elementary sulfur compounds capable

FSC 8305

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.

to oxidation of sulfuric acid is prohibited. The dyed and finished cloth shall contain no more labile sulfur than that shown by the standard sample when tested as specified in 4.4. When no standard sample is available the dyed and finished cloth shall show not more than a slight trace of labile sulfur as defined in test method when tested as specified in 4.4."

Table I Under "Weight per square yard"

Type I, Class 1 - delete "7.7" and substitute "7.0"
Type I, Class 2 - delete "7.5" and substitute "7.0"

Under"Breaking Strength"

Type I, Class 1 - Warp - delete "130" and substitute "115"
Filling- delete "90" and substitute "82"
Type I, Class 2 - Warp - delete "120" and substitute "105"
Filling- delete "85" and substitute "75"

Insert new paragraph as follows:

3.5.1 Acidity (pH). The pH value of the water extract of dyed and finished cloth shall be not lower than 5.5 or higher than 8.5 when tested as specified in 4.4.

PAGE 3

Paragraph 3.8 last line delete "PPP-P-51" and substitute "PPP-P-1134"

Paragraph 4.1 delete and substitute:

"4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Paragraph 4.2.2 - Delete and substitute:

"4.2.2 Yard-by-yard examination.- Each piece in the sample shall be examined on the face side only. When the total yardage in the piece does not exceed 100 yards, the entire yardage in the piece shall be examined. When the total yardage in the piece exceeds 100 yards, only 100 yards shall be examined. All defects as defined in Section I of Fed. Std. No. 4, which are clearly noticeable at normal inspection distance (3 feet) shall be scored and assigned demerit

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.

points as listed in 4.2.2.1 except that only those slubs and knots which exceed the limits shown in figure 1 shall be scored. No folded linear yard shall be penalized more than 4 points. The sample size shall be 20 pieces selected from 20 containers. The lot shall be unacceptable if the points per 100 square yards of the total yardage examined exceeds the following point values:

Class 1 - 45 points

Class 2 - 45 points

Class 3 - 35 points for dyed cloth.
42 points for bleached cloth.

The lot shall be unacceptable if the points per 100 square yards of two or more individual pieces exceeds the following point values:

Class 1 - 68 points

Class 2 - 68 points

Class 3 - 53 points for dyed cloth.
63 points for bleached cloth.

If no individual roll exceeds the point level the lot shall be acceptable with respect to this characteristic. If one piece exceeds the point level, a second sample of 20 pieces shall be examined only for individual piece quality examination. The lot shall be unacceptable if one or more pieces in the second sample exceeds the point level. For individual piece quality, examination of local defects only shall be scored. Overall type defects shall be scored only in determining compliance with the lot average quality requirements. Point computation for lot quality and individual piece quality shall be as follows:

$$\frac{\text{Total points scored in sample} \times 3600}{\text{Contracted width of cloth (inches)} \times \text{total yards inspected}} = \text{Points per 100 square yards"}$$

PAGE 4

Paragraph 4.3 line 4, delete "PPP-P-51" and substitute "PPP-P-1134"

Table II in Characteristic Column, delete "Sulfur content" and substitute: "Presence of labile sulfur"; in test method column delete "4.4.1" and substitute "2020".

Table II Add" "Acidity (pH)" "3.5.1" "2811" in their respective columns.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.

Paragraphs 4.4.1 through 4.4.1.3: Delete in their entireties.

Paragraph 5 under the title: Delete preamble.

Paragraph 5.1.1: Delete "For class 3 fabrics of PPP-P-51" and substitute: "PPP-P-1134".

Paragraph 5.2.1 last line: Delete "PPP-P-51" and substitute: "PPP-P-1134".

Paragraph 5.3, last line: Delete "PPP-P-51" and substitute: "PPP-P-1134".

Paragraph 6.2.1: Delete in its entirety.

Preparing activity:

Army - GL

Project No. 8305-A806

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:29Z
Check the source to verify that this is the current version before use.