MILITARY SPECIFICATION SHEET

CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC,
(DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES,
ESTABLISHED RELIABILITY,
STYLES CRH11, CRH12, AND CRH13 (INSULATED)

This amendment forms a part of MIL-C-83421/2, dated 27 May 1986, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 4

Leads, delete and substitute:

"Leads: Type designation in accordance with MIL-STD-1276.

L W (1.02 ±0.05) C 3 or 4 N."

Seal, delete and substitute:

"Seal: Method 112 of MIL-STD-202, test condition C, procedure IIIa, followed by test condition B, or D at 85°C. Leakage rate sensitivity 10^{-6} atm cm^3/s."

Insulation resistance (IR), delete and substitute:

"Insulation resistance (IR): Method 302 of MIL-STD-202. Charge to rated voltage, for 5 minutes maximum; however, for capacitance values greater than 1.0 µF, an additional 1 minute per µF is permitted."

PAGE 5

* Dissipation factor (DF), delete and substitute:

"Dissipation factor (DF): 0.07 percent maximum."

Burn-in, delete and substitute:

"AC burn-in: 40 kHz for 24 hours ±8 hours at rms current as specified in table I at 85°C."

TABLE III, column two, line two, delete and substitute:

"0.07% maximum."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:05Z
Check the source to verify that this is the current version before use.

The margin of this amendment is marked with an asterisk to indicate where a change (addition, modification, correction, deletion) from the previous amendment was made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - ER
Navy - EC
Air Force - 85
NASA - NA

Review activities:
Army - AR
Air Force - 17
DLA - ES

User activities:
Navy - AS, CG, MC, OS, SH
Air Force - 11, 19

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5910-1598)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:05Z
Check the source to verify that this is the current version before use.