MIL-I-2781D
INTERIM AMENDMENT - 2(SHIPS)
16 July 1965
SUPERSEDING
INTERIM AMENDMENT - 1(SHIPS)
10 December 1964

MILITARY SPECIFICATION

INSULATION, PIPE, THERMAL

(This interim amendment forms a part of Military Specification MIL-I-2781D, 13 June 1963. It was developed by the Department of the Navy, Bureau of Ships for immediate use pending the inclusion of its contents in a coordinated document.)

Pages 2 and 3, Table I, last column heading: Delete "Tolerance" and substitute "Tolerance 2/"; and add footnote as follows:

"2/ When specified (see 6.1) the allowable tolerance for grade II, class c and grade III, class f, for pipe sizes 1/2, 3/4 and 1 inch shall be minus 1/16 inch plus 0 inch."

Page 5, table III, columns 3 through 8: Change densities from "13.0", "15.0", "13.0", "13.0", "20.0" and "20.0" to "14.0", "15.0", "14.0", "14.0", "22.0" and "20.0", respectively; and column 8, # delete "1/".

Page 5, paragraph 4.3.1.1.1, line 3: Change "I" to "II" and "4.0 percent" to "2.5 percent".

Page 5, paragraph 4.3.1.1.2, line 3: Change "L-6" to "II".

CHANGES FROM PREVIOUS ISSUE. THE OUTSIDE MARGINS OF THIS DOCUMENT HAVE BEEN MARKED "#" TO INDICATE WHERE CHANGES (DELETIONS, ADDITIONS, ETC.) FROM THE PREVIOUS ISSUE HAVE BEEN MADE. THIS HAS BEEN DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT AS WRITTEN IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

FSC 5640

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:42Z
Check the source to verify that this is the current version before use.

Page 6, table IV: Delete and substitute:

"Table IV - Sampling for tests.

Lot size in half section or segments	Sample size = Number of test specimens for each test (4.4.2, 4.4.4, 4.4.5, 4.4.6)	Number of test failures allowed (each test)
Up to 63	None	—
64 to 160	2	0
161 to 400	3	0
401 to 1,000	5	0
1,001 to 2,500	8	0
2,501 to 6,300	13	1
6,301 to 16,000	20	2
16,001 to 40,000	32	3

"

Page 8, paragraph 6.1: Add:

"(e) Whether modified tolerance is desired (see table I, footnote 2/)."

Preparing activity:
Navy - SH
(Project 5640-N036Sh)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:42Z
Check the source to verify that this is the current version before use.