7 March 1977

MILITARY SPECIFICATION

ETCHERS, ELECTRIC, PORTABLE, 120-VOLT A.C.

This amendment forms a part of Military Specification MIL-E-3118C, dated 12 February 1974, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.4.5, line 4, after "The etchers": Add ", with test lamps removed,".

3.4.5.1, line 2: Delete "4 heat-taps" and substitute "3 heat-taps".

Line 3, after "and 10": Insert ", with at least three taps below 300 watts,".

PAGE 6

3.6.1: Delete in its entirety and substitute:

"3.6.1 Type I and II. Type I and II etchers, as applicable, shall be capable of operating for 30 minutes at heat output of 500 and 1000 watts respectively in "on" and "off" duty cycles such that the transformer temperature (see 3.4.5.4) shall not exceed 65°C above ambient and the etching point shall withstand the heat developed without distortion or blunting of the tip so as to make etching illegible, when tested as specified in 4.4.5."

3.6.2, line 1, after "operating": Insert "continuously".

3.7, at end of first sentence: Add "except in no case shall cadmium plating be used." Delete second sentence in its entirety.

FSC 5130

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:05Z
Check the source to verify that this is the current version before use.

4.4.5: Delete in its entirety and substitute:

"4.4.5 Performance tests. Type I and II etchers shall be operated at 500 and 1000 watts respectively for a total etching time of 30 minutes during an elapsed time interval of not more than 180 minutes to etch letters and numerals on a 1/8 inch thick cold rolled steel plate of suitable area size. Duration of the "on" and "off" time cycles shall be determined by the temperature of the transformer which shall not be allowed to increase above the ambient by more than 65°C. Overheating, failure to produce legible markings or to obtain the required etching time within the specified elapsed time frame shall be cause for rejection. Type III etchers shall be operated continuously for 60 minutes. Failure to produce legible markings or an increase in temperature which would render handling impractical shall be cause for rejection."

Custodians:

Army - GL
Navy - SH
Air Force - 99

Preparing activity:

Army - GL

Project No. 5130-0249

Review activity:

Army - EL

User activities:

Army - AV, WC
Navy - MC, YD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:05Z
Check the source to verify that this is the current version before use.