INCH-POUND

MIL-O-60863A (AR)
AMENDMENT 4
10 April 1992
SUPERSEDING
AMENDMENT 3
23 November 1990

MILITARY SPECIFICATION

OXAMIDE

This Amendment forms a part of Military Specification MIL-O-60863A (AR), dated 7 March 1986, and is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1 Scope. Delete in its entirety and substitute the following:

"This specification covers three types of oxamide for use in explosives and propellant formulations."

Add the following paragraph:

"1.2 Classification. Oxamide shall be of the following types:

Type I - Oxamide meeting the particle size requirements given in 3.1.

Type II - Oxamide meeting the granulation requirements given in 3.1.

Type III - Oxamide meeting the requirements given in 3.1.1."

2.1 Specifications, Federal. Delete "PPP-C-301 - Chemicals, Dry and Paste, Packaging and Packing of" and insert "PPP-C-2020- Chemicals, Liquid, Dry, and Paste, Packaging of".

AMSC N/A FSC 6810

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:02Z
Check the source to verify that this is the current version before use.

PAGE 3

* 3.1 Chemical and physical requirements. Delete "Thru US Standard Sieve No. 100 min" and substitute "Thru US Standard Sieve No. 325 min." in table I.

Add the following paragraph:

"3.1.1 Requirements for Type III. The properties of Type III oxamide shall conform to Table 1-A.

TABLE 1-A
Chemical and physical requirements for Type III Oxamide

Requirement	Min.	Max.	Applicable Test Paragraph
Assay ($(NH_2)_2CO_2$),%	99.0	-	4.6.2
Acidity, as oxalic acid,%	-	0.045	4.6.3
Moisture, %	-	0.15	4.6.1
Average Particle Size (microns)	1	50	4.6.8"

PAGE 4

4.3.3 Rejection. Delete pH requirement in Table II.

PAGE 5

Add the following paragraph:

"4.5.1.1 Sampling for M864 propellant component. (Type III only). Approximately 500 grams of the composition shall be selected from each batch to be sampled using ASTM Method E300 for solids. Samples shall be selected for inspection in accordance with table below. If any sample fails to meet any test requirement, the batch represented by the sample shall be rejected. Each required test shall be performed in duplicate. No composite samples shall be used.

Number of containers in batch	Number of containers to be sampled
2 - 200	2
Over - 200	5"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:02Z
Check the source to verify that this is the current version before use.

4.5.3 Classification of defects. Delete pH major defect.

PAGE 7

4.6.4 Delete in its entirety.

PAGE 8

* 4.6.7 Granulation (Type II). Delete, "No. 352 sieve" in the first sentence of the paragraph and substitute with "No.325 sieve."

Add the following paragraph:

"4.6.8 Average particle size. (Type III). The average particle size shall be determined in accordance with Method 205.1 of MIL-STD-650. The sample size shall be 1.7 g."

4.6.8 Workmanship. Change this paragraph to 4.6.9.

5.1 Delete "PPP-C-301" whenever it appears and substitute "PPP-C-2020."

PAGE 9

5.1.3 Delete in its entirety and substitute the following:

"5.1.3 Level C. Unless otherwise specified in the contract or order, packaging and packing shall be in accordance with ASTM D-3951."

5.2 Marking. Delete in its entirety and substitute the following:

"5.2 Marking. In addition to any special marking specified, Level A, B and C shipping containers shall be marked in accordance with MIL-STD-129."

6.1 Insert the following paragraph:

"6.1 Intended use. Oxamide is intended for use in explosive and for M864 propellant component." Change previous paragraph 6.1 to 6.2 (Ordering Data).

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions,

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:02Z
Check the source to verify that this is the current version before use.

modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 6810-A085)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:02Z
Check the source to verify that this is the current version before use.