INCH-POUND

MIL-C-43637C
INTERIM AMENDMENT 2 (GL)
6 December 1990
USED IN LIEU OF
AMENDMENT 1
27 March 1989

MILITARY SPECIFICATION

CLOTH, PLAIN WEAVE, RIPSTOP, NYLON; FOR LINERS

This interim amendment is approved for use within the Department of the Army, with MIL-C-43637C, dated 21 December 1987.

PAGE 1

1.1: Delete "poncho" and insert "quilted clothing"

1.2, lines 5 and 6: Delete and substitute the following:

"Class 3 - (Deleted see 6.9.1)
Class 4 - Woodland camouflage pattern
Class 5 - Desert camouflage pattern (3 color)"

PAGE 2

2.1.1, under "SPECIFICATIONS": Add

"MILITARY

MIL-B-41826 - Batting, Synthetic Fibers, Polyester, (Unquilted and Quilted)"

2.1.2, under "DRAWINGS": Add

"2-1-2240 - 3 Color Desert Pattern 48 & 60 inch pattern

(Copies of drawings are available from the U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-UX, Natick, MA 01760-5017)

FEDERAL TRADE COMMISSION"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.

3.3.3: Delete.

3.3.3.1: Delete.

3.3.4, after the last sentence: Add "Printing shall be accomplished by the use of resin bonded pigments."

Add the following paragraphs:

"3.3.4.2 Class 5, printing. The color of the class 5 finished cloth shall be the Desert camouflage pattern, obtained by roller or screen printing for the Light Tan 492, Light Brown 493 and Light Khaki 494 areas of the pattern. Printing shall be accomplished by the use of resin bonded pigments.

3.3.4.3 Class 5, pattern execution. The pattern shall reproduce the standard sample in respect to design, colors, and registration of the respective areas and the measurement of the repeat. The warpwise pattern repeat of the printed and finished cloth shall be 16.75 +1.25 -1.75 inches. Each pattern area shall show solid coverage. Skitteriness exceeding that shown by the standard sample in any of the printed areas will not be acceptable. When the standard sample is not referenced for pattern execution or design, a pattern drawing shall be provided and the pattern on the finished cloth shall match that of Drawing 2-1-2240 (see 2.1.2, 6.2 and 6.3)."

3.3.6.2: Delete paragraph identifier "Classes 3 and 4" and substitute "Class 4."

Add the following:

"3.3.6.3 Class 5. The desert camouflage printed and finished cloth shall show fastness to laundering and perspiration equal to or better than the standard sample or equal to or better than a rating of "good" for each of the pattern areas. The cloth shall show fastness to crocking equal to or better than the standard sample or shall have an AATCC Chromatic Transference Scale rating not lower than 3.5 for all the pattern areas. Testing shall be as specified in 4.2.3."

3.5: Delete and substitute:

"3.5 Weave. The ripstop weave pattern for the cloth shall be one of the weaves as shown in figures 1, 2, 3, or 4. Reinforcement ribs in both the warp and filling shall form a uniform pattern of squares. There shall be a minimum of 6.5 repeats of the pattern per inch in both directions."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.

3.6, line 1: Delete "Classes 3 and 4" and substitute "Classes 4 and 5".

3.8: Delete and substitute:

"3.8 Nonfibrous material. The total chloroform-soluble and water soluble material content of the finished cloth shall not exceed 1.0 percent for classes 1 and 2 and 4.0 percent for classes 4 and 5 when tested as specified in 4.2.3."

PAGE 6

3.9.1: Delete.

3.9.2 and TABLE III: Delete and substitute the following:

"3.9.2 Class 4. The spectral reflectance of each color for the Woodland camouflage printed finished cloth shall conform to the requirements specified in table III, when tested as specified in 4.2.3.

TABLE III. Spectral reflectance requirements, class 4

Wavelength, Nanometers (nm)	Reflectance values (percent)					
	Black 357		Light Green 354		Dark Green 355 and Brown 356	
	Min.	Max.	Min.	Max.	Min.	Max.
600	-	10	8	20	3	13
620	-	10	8	20	3	13
640	-	10	8	20	3	13
660	-	10	8	22	3	13
680	-	10	8	36	3	22
700	-	10	14	60	8	46
720	-	10	26	78	20	66
740	-	10	40	90	30	80
760	-	10	50	92	32	88
780	-	10	55	92	32	90
800	-	10	55	92	32	90
820	-	10	55	92	32	90
840	-	10	55	92	32	90
860	-	10	55	92	32	90

"

PAGE 8

4.2.2.1, line 2: Delete "classes 3 and 4" and substitute "classes 4 and 5".

PAGE 9

4.2.2.1.1, lines 17, 18 and 19: Delete "classes 3 and 4" and substitute "classes 4 and 5".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.

Line 20: Delete.

After line 22: Add the following:

"Warpwise pattern repeat less than 15.00 inches or more than 18.00 inches (class 5)"

PAGE 11

Table IV, across from Colorfastness to Laundering: Delete "5614 and 3/" and substitute "5614 and 3/ 4/"

Under "Reflectance": Delete "Class 3 3.9.1 4.3.2.1".

PAGE 12

Table IV: Add the following new footnote:

"4/ On camouflage pattern cloths, a 2 gram test specimen from each color in the pattern area shall be used."

4.3.2.1: Delete.

PAGE 13

4.3.2.2, line 11: Delete sentence beginning with "The specimen" and substitute: "The specimen shall be measured as a single layer, backed with one layer of white polyester batting conforming to type VIII, class 6 of MIL-B-41826, and sufficient layers of the same fabric and shade. For the Woodland pattern colors, sufficient layers are 18 layers of Light Green 354, 14 layers for Dark Green 355, 10 layers for Brown 356 and 5 layers for Black 357."

PAGE 14

6.2, "d": Delete and substitute:

"d. Woodland or Desert camouflage pattern drawing if required (see 3.3.4.1 and 3.3.4.3)."

6.3: Delete and substitute:

"6.3 Sample. For access to samples, address the contracting activity issuing the invitation for bids or request for proposal."

6.5: Delete.

PAGE 15

6.6 and 6.7: Delete.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.

Add the following:

"6.9.1 Supersession data. The Class 3 U.S. Army Camouflage Pattern 1948 cloth has been deleted since it is no longer required."

PAGE 16

6.10: Add "Batting" and "Quilted clothing"

PAGE 17


After figure 1: Insert attached figures 2, 3, and 4.

Preparing activity:

Army - GL

(Project 8305-A421)


Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.



A = TWO WARP ENDS WOVEN AS ONE
B = TWO FILLING PICKS PER SHED

FIGURE 2. RIPSTOP WEAVE PATTERN.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.




A = TWO WARP ENDS WOVEN AS ONE

B = TWO FILLING PICKS PER SHED

FIGURE 3. RIPSTOP WEAVE PATTERN.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.



A = TWO WARP ENDS WOVEN AS ONE
B = TWO FILLING PICKS PER SHED

FIGURE 4. RIPSTOP WEAVE PATTERN.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:54Z
Check the source to verify that this is the current version before use.