JAN–A–183

AMENDMENT—2

12 OCTOBER 1951

SUPERSEDING
AMENDMENT—1
16 June 1945

JOINT ARMY-NAVY SPECIFICATION

ACID, NITRIC (FOR ORDNANCE USE)

Army Number
50–11–3C

Navy Number
51A22

This amendment forms a part of Joint Army-Navy Specification JAN–A–183, dated 28 February 1945, and was approved by the Departments of the Army, the Navy, and the Air Force for use of procurement services of the respective Departments.

Page 2, table I, line 6, class d: Delete "0.0" and substitute "1.0".

Page 3, paragraph F–4c (1) a (1), line 4: Delete "94.5+0.5" and substitute "94.5±0.5".

Page 3, paragraph F–4c (1) a (1): Change the second factor in the denominator of the calculation formula to "(273+T′)".

Page 6, paragraph F–4c (2), line 7: Add "(See H–7 for alternate procedure)." before "Hold".

Page 9: Add paragraph H–7, as follows:

"H–7. The following alternate procedure can be used for drawing the acid into the glass bulb (see F–4c (2)): Place a weighted bulb in a 100-ml. beaker with its capillary stem protruding through a hole in the bottom of the beaker. Immerse the tip of the stem in the acid, place crushed dry ice in the beaker, and draw into the bulb sufficient acid to neutralize from 60 to 90 ml. of N/3 sodium hydroxide solution. Remove the bulb from the iced beaker and quickly seal off the tip of the stem in a flame. Wipe the stem several times with a clean cloth and rinse it with distilled water to remove all acid from the outer wall. Wipe dry with a cloth, allow to warm to room temperature and weigh. Finish the determination as specified in F–4c (2)."

Custodian:
Army—Ordnance Corps

Other interest:
Navy—OS.

952172—51—(No. 326)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T05:27Z
Check the source to verify that this is the current version before use.