MIL-C-83393(USAF)
AMENDMENT 2
20 May 1980

SUPERSEDING
AMENDMENT 1
20 August 1979

MILITARY SPECIFICATION

CLOTH, KNITTED POLYAMIDE, HIGH TEMPERATURE RESISTANT, REVERSE JERSEY

This amendment forms a part of Military Specification MIL-C-83393(USAF) dated 14 September 1972.

PAGE 1

Paragraph 2.1, SPECIFICATIONS, Federal: Delete "PPP-P-51" and substitute the following:

"PPP-P-1133 Packaging and Packing for Synthetic Fiber Fabrics"

PAGE 2

Paragraph 3.3.3: Delete and substitute the following:

"3.3.3 Twist. The yarn used for both beams shall be producers twist such as the R-79 filament interlacing type or twisted to a maximum of 3 turns per inch."

Paragraph 3.6: Delete and substitute the following paragraphs:

"3.6 Finish. The cloth shall be finished to meet the requirements of Table I, including the applications of a durable antistatic finish (see 6.5).

3.7 Length and put-up. The cloth shall be put up on rolls, full width, and shall be furnished in continuous pieces of not less than 30 yards in length as specified in PPP-P-1133."

Table I: Opposite "Construction" under "Minimum" column, delete "24 X 30" and substitute "24 X 28".

PAGE 3

Change paragraph "3.7" to "3.8".

FSC 8305

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:54Z
Check the source to verify that this is the current version before use.

PAGE 3

Paragraph 4.3.1: Delete and substitute new paragraph:

"4.3.1 Samples for yard-by-yard examination. The sample unit for this examination shall be 1 linear yard. A sample size for the yard-by-yard examination shall be selected in accordance with MIL-STD-105, Inspection Level II and the Acceptable Quality Level (AQL) shall be 2.5 major and 6.5 total defects per 100 units (yards). The required sample yardage to be examined shall comprise an approximately equal number of yards out of each selected roll."

PAGE 9

Paragraph 5.1, 2nd line: Delete "PPP-P-51" and substitute "PPP-P-1133".

Paragraph 6.2.1, 3rd line: Delete "PPP-P-51" and substitute "PPP-P-1133".

PAGE 10

Paragraph 6.5, delete lines 1, 2, and 3, and substitute the following:

"6.5 Finishing procedures. The following is for information only, and are suggested procedures:"

Paragraph d, line 1, delete "(optional)".

Delete paragraph "*The requirements for the durable .....", and substitute new paragraph as follows:

"* Aston 123 is a product of Onyx Chemical Co., 190 Warren Street, Jersey City, NJ 07032."

Custodian:
Air Force - 11

Preparing activity:
Air Force - 11

Review activity:
DLA - CT

(Project No. 8305-F747)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:54Z
Check the source to verify that this is the current version before use.