INCH-POUND
MIL-STD-202-305
18 April 2015

SUPERSEDING
MIL-STD-202G
w/CHANGE 2 (IN PART)
28 June 2013
(see 6.1)

DEPARTMENT OF DEFENSE

TEST METHOD STANDARD

METHOD 305, CAPACITANCE

AMSC N/A

FSC 59GP

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:45Z
Check the source to verify that this is the current version before use.

FOREWORD

1. This standard is approved for use by all Departments and Agencies of the Department of Defense.

2. This entire standard has been revised. This revision has resulted in many changes to the format, but the most significant one is the splitting the document into test methods. See MIL-STD-202 for the change summary.

3. Comments, suggestions, or questions on this document should be emailed to std202@dla.mil or addressed to: Commander, Defense Logistics Agency, DLA Land and Maritime, ATTN: VAT, P.O. Box 3990, Columbus, OH 43218–3990. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:45Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
	FOREWORD.....	ii
1.	SCOPE	1
1.1	Purpose.....	1
2.	APPLICABLE DOCUMENTS	1
3.	DEFINTIONS	1
4.	GENERAL REQUIREMENTS	1
4.1	Procedure.....	1
5.	DETAILED REQUIREMENTS	1
5.1	Summary.....	1
6.	NOTES	2
6.1	Supersession data.....	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:45Z
Check the source to verify that this is the current version before use.

METHOD 305
CAPACITANCE

1. SCOPE

1.1 Purpose. The purpose of this test is to measure the capacitance of component parts. Preferred test frequencies for this measurement are 60 Hz, 100 Hz, 120 Hz, 1 kHz, 100 kHz, and 1 MHz.

2. APPLICABLE DOCUMENTS

This section not applicable to this standard.

3. DEFINTIONS

This section not applicable to this standard.

4. GENERAL REQUIREMENTS

4.1. Procedure. The capacitance of the specimen shall be measured with a capacitance bridge or other suitable method at the frequency specified. Unless otherwise specified, the measurement shall be made at a temperature of 25°C ± 5°C. In the case of measurement dispute, capacitance measurements shall be made at or corrected to 25°C. The inherent accuracy of the measurement shall be ±(0.5 percent +0.2 picofarad) unless otherwise specified. Suitable measurement technique shall be used to minimize errors due to the connections between the measuring apparatus and the specimen. The alternating-current (ac) voltage actually impressed across the specimen shall be as low as practicable. When a direct-current (dc) polarizing voltage is required, it shall be as specified and shall exceed the peak ac voltage impressed across the specimen; however, the sum of the peak ac and the dc voltages shall not exceed the voltage rating of the specimen.

5. DETAILED REQUIREMENTS

5.1. Summary. The following details are to be specified in the individual specification:

a. Test frequency (see 4.1).

b. Test temperature, if other than that specified (see 4.1).

c. Limit of accuracy, if other than that specified (see 4.1).

d. Magnitude of polarizing voltage, if applicable (see 4.1)

e. Magnitude of AC rms test signal, if applicable (see 4.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:45Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Supersession data. The main body and 38 parts of this revision of MIL-STD-202 replace superseded MIL-STD-202.

Custodians:
Army - CR
Navy - EC
Air Force - 85
DLA - CC

Preparing activity:
DLA – CC

(Project 59GP-2015-035)

Review activities:
Army - AR, AT, AV, CR4, MI, SM, TE
Navy - AS, OS, SH
Air Force - 19, 99
NSA - NS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:45Z
Check the source to verify that this is the current version before use.