INTERIM AMENDMENT

MILITARY SPECIFICATION

BARIUM CHROMATE

This Interim Amendment is issued for use by the U.S. Army Munitions Command with Military Specification MIL-B-550A dated 25 September 1958.

Page 1, paragraph 1.2 Classification. - Add a new Grade: "Grade C".

Page 1, paragraph 2.1, under STANDARDS. - Add the following:

"MIL-STD-1233 Procedures for Determining Particle Size. Particle Size Distribution and Packing Density of Powdered Materials.

Page 2, paragraph 3.1, Table I. - Add a new grade as follows:

	Grade C	
	min.	max
Volatile matter, percent	...	0.10
Barium Chromate, percent	98.5	...
Chlorides (as Cl), percent	...	0.05
Water soluble matter, percent	...	0.05
Moisture reabsorption, percent	...	...
Apparent density gm/gl	0.35	0.50
Granulation, percent:		
Through 199-micron (No. 100) sieve	...	...
Through 74 -micron (no. 200) sieve	...	...
Through 44 - micron (No. 325) sieve	100	...
Average particle diameter (microns)	0.50	1.50
Sulfate, percent (Test para 4.3.9)	...	0.04

Page 5, paragraph 4.3.8 Particle size. - Delete in its entirety and substitute the following:

"4.3.8 Particle size. The particle size shall be determined in accordance with Method 100 of Standard MIL-STD-1233."

/FSC 6810/

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:44Z
Check the source to verify that this is the current version before use.

Page 5. - Add new paragraph as follows:

"4.3.9 Sulfate. Dissolve a 10 gm sample in 150 ml of water and 30 ml of HCl. Filter through Whatman No. 42 paper or equivalent, washing with HCl (1 + 20), then water. Ignite paper and residue in a platinum crucible; then fuse with 5 gm of sodium carbonate. Dissolve the melt in water and filter. Make filtrate acid with HCl and add 25 ml of $BaCl_2$ solution (10 percent) and let stand overnight. Filter through Whatman No. 42 paper or equivalent, washing with water. Ignite paper and precipitate in a weighed crucible at 1000 ^{o}C, cool and reweigh as $BaSO_4$.

$$\text{Percent sulfate} = \frac{0.4114 \times \text{wt of } BaSO_4 \times 100}{\text{wt of sample}}$$

Custodian:
Army - MU

Preparing Activity:
Army - MU

Project No. 6810-A151

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:44Z
Check the source to verify that this is the current version before use.