MIL-T-44100
AMENDMENT-1
28 September 1984

MILITARY SPECIFICATION

THREAD, PARA-ARAMID, SPUN, INTERMEDIATE MODULUS

This amendment forms a part of Military Specification MIL-T-44100 dated 15 February 1983 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.5, line 1: Delete first three words in the first sentence and substitute "The natural and dyed finished threads".

PAGE 4

Table I: Delete "Breaking strength" requirements and substitute:

"Breaking strength (minimum)

Size	Initial (Natural)		After Heat Aging (Natural and Dyed)	
	Pounds	Newton (N)	Pounds	Newton (N)
T-35	6.0 1/	26.7 1/	2.0	8.9
T-50	8.5	37.8	3.5	15.6
T-70	12.0	53.4	3.8	16.9
T-90	16.0	71.2	5.1	22.7
T-105	19.0	84.5	6.1	27.1
T-135	22.0	97.9	7.0	31.1

1/ When dyed thread is specified, the initial breaking strength (min.) shall be 5.0 lbs (22.2N).

3.5.3: Delete.

3.7: Delete and substitute:

"3.7 Finish. The thread shall have a soft finish and shall contain only the minimum amount of lubricant necessary to facilitate sewing (see 4.2.2)."

PAGE 7

4.2.2, c., lines 1 and 2: Delete "non flame propogating".

FSC 8310

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:53Z
Check the source to verify that this is the current version before use.

PAGE 9

Table V, in "Characteristic" column: Delete "Breaking strength (initial)" and "Aging resistance" characteristics plus information in next two columns and substitute:

"Breaking strength:		
Initial	3.5	4100 4/
After heat aging	3.5	4.3.2"

Delete the following entry:

"Aging resistance	3.5.3	4.3.2"

PAGE 10

4.3.2: Delete paragraph identifier and substitute "Heat aging test.". Delete first sentence and substitute "Five specimens shall be used for the heat aging test."
Line 5, after "FED-STD-191": Delete remainder of paragraph.

PAGE 12

6.6: Delete.

Custodians:

Army - GL
Navy - NU
Air Force - 11

Preparing activity:

Army - GL

Project No. 8310-0141

Review activities:

Army - MD
Navy - AS
Air Force - 20, 82, 99
DLA - CT

☆U.S. GOVERNMENT PRINTING OFFICE: 1984 — 505-038/A4781

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:53Z
Check the source to verify that this is the current version before use.