MIL-C-0083933A(MR)
AMENDMENT-3
12 August 1971
SUPERSEDING
AMENDMENT-2
20 November 1970

MILITARY SPECIFICATION

CORROSION PREVENTIVE COMPOUND COLD-APPLICATION (FOR MOTOR VEHICLES)

This amendment forms a part of Military Specification MIL-C-0083933A(MR), dated 5 October 1970.

Page 3

Paragraph 3.6: Delete the last sentence in this paragraph.

Page 4

Add the following new paragraph 3.16:

"3.16 Lead content. The lead content of the compound shall not exceed 0.015 percent (see 4.6.11)."

Page 6

Table III: After "Flash and fire point, D 92" add "(see Note 1)". At bottom of table add "Note 1: For flash point and fire point determinations the material shall be heated at the rate of 2 to 3°F per minute instead of 9 to 11°F per minute as specified in ASTM D 92. The material shall be stirred slightly between passes of the test flame if it shows any tendency to skin over during heating."

Page 9

Paragraph 4.6.9: Delete first and last sentences.

In lines 3 and 6 delete "40 to 45°F" and substitute "70 to 80°F".

In line 11 delete "3 mils" and substitute "2 mils".

FSC 8030

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:53Z
Check the source to verify that this is the current version before use.

Add the following new paragraph 4.6.11:

"4.6.11 Lead content. The lead content of the compound shall be determined by use of an Atomic Absorption Spectrophotometric technique or other method of equal sensitivity. The sensitivity range of the method described in "Analytical Methods for Atomic Absorption Spectrometry", published March 1971 by Perkin-Elmer Corp., Norwalk, Connecticut, is given as 1-100 ppm. Samples are prepared for analysis by dilution using nine parts of ACS analytical reagent grade methyl isobutyl ketone to one part of corrosion preventive compound. The same dilutions are made on the organo-metallic standards used for comparison".

Page 11

Paragraph 6.6: Delete "40° and 100°F" and substitute "70 to 80°F".

Custodian:
Army - MR

Preparing Activity:
Army - MR

Review interest:
WC, MD, AT

Project No. 8030-A031

User interest:
MU, MI

Source: https://assist.dla.mil -- Downloaded: 202610-23T09:53Z
Check the source to verify that this is the current version before use.