MIL-E-22200/1E
INT. AMENDMENT 2(SH)
15 January 1979
SUPERSEDING
INT. AMENDMENT 1(SH)
5 October 1978

MILITARY SPECIFICATION

ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER,

LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS

WELDED OR STRESS-RELIEVED WELD APPLICATION

This interim amendment is issued for use by the Naval Sea Systems Command, with Military Specification MIL-E-22200/1E, dated 3 October 1973.

PAGE 2

Table II, delete and substitute:

TABLE II. Water content.

Type	Percent by weight maximum
MIL-7018	0.40
MIL-8018-C3	0.40
MIL-8018-C3SR	0.40
MIL-9018-M	0.15
MIL-10018-M	0.15
MIL-11018-M	0.15

PAGE 4

Table III, opposite type "MIL-11018-M", column entitled "Charpy-V notch impact", "As-welded", "Energy ft/lbs min avg"; Delete "20" and substitute "35".

PAGE 6

Table VII, column entitled "Tests", items one and three, delete reference to "1/", and at end of table VII delete "1/".

PAGE 8

Table X, end of title, delete reference to "2/", and at end of table X delete "2/".

PAGE 13

Note 2 to figure 1: Delete.

Note 9 to figure 1: Delete and substitute:

"9. Impact properties for the five specimens for each test condition shall be obtained at test temperatures specified in table III herein, plus or minus 3°F. The extreme lowest impact value thus obtained together with the extreme highest value may be disregarded for this test. Two of the three remaining values shall be greater than that specified in table III herein. One of the three remaining values may be 5 foot/pounds less than that specified in table III herein. The computed average value of the three remaining values shall be greater than that specified in table III herein."

FSC 3439

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:21Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked "#" to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 3439-N371)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:21Z
Check the source to verify that this is the current version before use.