AA-T-636a
OCTOBER 14, 1957
SUPERSEDING
Fed. Spec. AA-T-636
May 24, 1946

FEDERAL SPECIFICATION

TRAY, DESK; AND SUPPORT SET, STACKING, DESK TRAY

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope.—This specification covers a wood desk tray suitable for general purpose office work that can be used as a single unit or tiered when assembled with the desk-tray stacking support set specified herein.

1.2 Classification.

1.2.1 *Item 1:* Tray, desk.

1.2.1.1 *Type and size.*—The desk tray shall be of one type and of legal size (see 3.2.1.1).

1.2.2 *Item 2:* Support set, stacking, desk tray.

1.2.2.1 *Type and size.* — The desk-tray stacking support set shall be of the interlocking type and shall be of the size shown in figure 2.

1.2.3 *Colors of finish.*—The colors of finish for the desk trays shall be as specified in the invitation for bids and shall conform to the following standard colors adopted by the Federal Supply Service, General Services Administration:

Light Oak
Walnut

(Sample panels of the standard colors of finish are obtainable, without charge, from the General Services Administration, Federal Supply Service, Business Service Center, Washington 25, D. C., or from the Business Service Center of the nearest GSA Regional Office.)

2. APPLICABLE SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS

2.1 Specifications and standards.—The following specifications and standards of the issues in effect on the date of invitation for bids, form a part of this specification.

Federal Specifications:

CCC-T-191—Textile Test Methods.

MMM-A-100 — Adhesive, Animal Gelatin.

PPP-B-566 — Boxes, Folding, Paperboard.

PPP-B-585—Boxes, Wood, Wirebound.

PPP-B-591 — Boxes, Fiberboard, Wood Cleated.

PPP-B-601 — Boxes, Wood, Cleated-Plywood.

PPP-B-621—Boxes, Wood, Nailed and Lock-Corner.

PPP-B-636—Boxes, Fiber.

PPP-B-676 — Boxes, Set-up, Paperboard.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.




FIGURE 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging, and Packing Levels.

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-W-6110—Wood; Determination of Moisture Content of.

MIL-B-10377 — Boxes, Wood, Cleated, Veneer, Paper Overlaid.

MIL-L-10547 — Liners, Case, Waterproof.

Military Standards:

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 — Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. — The following publication forms a part of this specification. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

Consolidated Classification Committee Publication:

Consolidated Freight Classification Rules.

(Application for copies should be addressed to the Consolidated Classification Committee, 202 Chicago Union Station, Chicago 6, Ill.)

3. REQUIREMENTS

3.1 Materials.—All materials used in the construction of the desk tray and the desk-tray stacking support set shall be of the kind and quality specified herein.

3.1.1 *Wood.*—Light oak color finish of desk trays shall be made of oak, and walnut color of finish desk trays shall be made of select beech, birch, cherry, maple, pecan, or walnut. All wood shall be uniformly kiln-dried to a moisture content of not less than 5 percent, nor more than 8 percent, and shall be free from knots over ¼ inch diameter, shakes, sap discolorations, brashness, or other defects which may affect the appearance of the desk tray.

3.1.2 *Felt.*—The felt used for covering the bottom of the desk trays shall be dark brown or natural color felt weighing not less than 4 ounces per square yard and containing not less than 25 percent wool.

3.1.3 *Glue.*—The glue shall conform to the test requirements of type I, grade J1, of Federal Specification MMM-A-100.

3.1.4 *Metal.*—The desk tray stacking support set shall be made of brass-plated steel having a nominal thickness of not less than 21 gage (0.0329 inch).

3.2 Construction.

3.2.1 *Desk tray.*—Desk tray shall be of the design shown in figure 1.

3.2.1.1 *Dimensions.*—The desk tray shall have dimensions of 15⅝ by 10⅜ by 2⅞

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:41Z
Check the source to verify that this is the current version before use.

inches overall. The height dimension exclusive of the felt shall be $2\frac{15}{16}$ inches overall.

3.2.1.1.1 *Tolerance.*—A tolerance of plus or minus $\frac{1}{16}$ inch will be permitted in the over-all dimensions. A tolerance of plus or minus $\frac{1}{32}$ inch will be permitted in all other dimensions.

3.2.1.2 *Sides and ends.*—The sides and ends of the desk tray shall be solid wood $\frac{5}{16}$ inch thick. The ends shall have cutouts shaped as shown in figure 1.

3.2.1.3 *Corners.*—The corners formed by the sides and ends of the desk tray shall be joined by either a lock joint or a dovetail joint.

3.2.1.4 *Bottoms.*—The bottom of each desk tray shall be either of 3-ply or 5-ply wood, $\frac{5}{16}$ inch thick. The bottom shall be tenoned into the sides and ends of the desk tray, and shall be flush with the bottom edge of the sides and ends. The felt covering for the underside of the desk trays shall be evenly and securely glued.

3.2.1.5 *Joints.*—All joints shall be carefully fitted and securely glued.

3.2.2 *Desk-tray stacking support set.*

3.2.2.1 *Design and dimensions.*—The desk-tray stacking support set shall consist of four supports of the general design and dimensions shown in figure 2.

3.3 Method of finishing.—All surfaces, with the exception of the underside of the desk trays, shall be brought to a smooth surface. Surfaces manufactured of open grain or porous woods shall be stained, filled, sealed, sanded, and lacquered to produce a uniform color and appearance; surfaces of all other woods shall be stained, sealed, sanded and lacquered. The use of putty will not be permitted. The final finish shall consist of at least two coats of lacquer or varnish by cold application, or one coat of lacquer by the hot spray application. The final coat of lacquer or varnish shall produce a semigloss finish.

3.3.1 *General finishing requirements.*—The sanding, the finishing materials and their application, drying time and cleaning shall be controlled to produce a clean, smooth, heavy, even film of finish without blisters, pits, wrinkles, runs or more than a trace of orange peel. The method of finish shall not cloud the natural grain of the wood.

3.4 Workmanship.—The method of joining, assembly, and finishing shall be in accordance with commercial practices, characteristic of the quality of furniture required by this specification. The desk tray and the desk tray supports shall be free from any defects which may impair serviceability or appearance.

4. SAMPLING, INSPECTION, AND PROCEDURES

4.1 Lot.—For purposes of sampling, a lot shall consist of all the same color wood desk trays and desk-tray stacking support sets offered for delivery at one time.

4.2 Sampling.

4.2.1 *For visual and dimensional inspection.*—A sample of wood desk trays and desk-tray stacking support sets shall be selected at random from each lot for Government inspection in accordance with Military Standard MIL–STD–105, AQL 4.0 percent defective.

4.2.2 *For testing of components.*—A sample of wood desk trays shall be selected at random for purposes of test in accordance with appendix to Military Standard MIL–STD–105 with sample unit, inspection level, and AQL shown in table I

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.

TABLE I.

Component (Unit of Product)	Characteristic	Requirement Paragraph	Test Procedure	Sample Unit	Inspection Level	AQL
Lumber (board feet)	Moisture Content	3.1.1	MIL–W–6110	1 pc. (each diff. part)	I-4	2.5
Felt (yards)	Weight & Wool content	3.2.2	CCC–T–191	1 sq. ft.	I-4	6.5

4.3 Visual and dimensional inspection. — Each random sample selected in accordance with 4.2.1 shall be inspected for compliance with this specification with respect to dimensions, construction, finish, workmanship, packaging and packing, and marking and any other requirements of this specification which may be determined by visual examination.

4.4 Tests.—Tests shall be performed on components and materials listed in table I for the characteristics specified therein.

5. PREPARATION FOR DELIVERY

(For definitions of levels see 6.4.)

5.1 Packaging.—Desk trays and tray supports shall be packaged level A or C as specified in the contract or order (see 6.2).

5.1.1 *Level A.*

5.1.1.1 *Trays.*—Trays shall be packaged in corrugated or solid fiberboard boxes conforming to the special requirements of Federal Specification PPP–B–636. Each tray shall be separated from other trays by a separator pad constructed of nontest fiberboard. Closure of boxes shall be in accordance with the applicable box specifications.

5.1.1.2 *Tray supports.*—Each set (4 supports) of supports shall be wrapped in tissue or similar paper and sealed. Thirty (30) wrapped sets shall then be packaged in paperboard folding or set-up boxes conforming to Federal Specification PPP–B–566 or PPP–B–676.

5.1.2 *Level C.*—Trays and tray supports shall be packaged in accordance with the manufacturer's commercial practice.

5.2 Packing. — Trays and tray supports, packaged level A or C, shall be packed level A, B or C as specified in the contract or order (see 6.2).

5.2.1 *Level A.*

5.2.1.1 *Trays.*—Trays shall be packed in any one of the following overseas type boxes:

Container	*Specification*
Wood wirebound	PPP–B–585 (class 3)
Wood cleated fiberboard	PPP–B–591
Wood cleated plywood	PPP–B–601
Nailed wood	PPP–B–621
Wood cleated veneer	MIL–B–10377

Shipping containers shall be provided with waterproof case liners conforming to class 2 of Military Specification MIL–L–10547 and sealed in accordance with the appendix thereto. Shipping containers shall be closed in accordance with the appendix of the applicable box specification. Gross weight of wood and wood cleated boxes shall not exceed 200 pounds.

5.2.1.2 *Tray supports.*—Supports shall be packed in any one of the overseas type boxes specified in 5.2.1.1 with a gross weight limitation of 200 pounds, or in fiberboard boxes conforming to Federal Specification PPP–B–636 compliance symbol V3c or V3s. Case liners as specified in 5.2.1.1 will be required

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.

and the gross weight of boxes when Federal Specification PPP-B-636 is used shall not exceed 70 pounds.

5.2.2 *Level B.*

5.2.2.1 *Trays.*—Trays packaged as specified in 5.1.1.1 will require no overpacking.

5.2.2.2 *Tray supports.*—Supports shall be packed in corrugated or solid fiberboard boxes conforming to the special requirements of Federal Specification PPP-B-636.

5.2.3 *Level C.*—Trays and tray supports shall be packed in containers of the type, size and kind commonly used for the purpose, in a manner that will insure acceptance by common carrier and safe delivery at destination. Shipping containers shall comply with the Consolidated Freight Classification Rules, or regulations of other cariers as applicable to the mode of transportation.

5.3 **Marking.**

5.3.1 *Military.*—In addition to any special marking required by the contract or order, shipments shall be marked in accordance with Military Standard MIL-STD-129. Nomenclature shall be "Tray, Desk" or "Support Set, Stacking, Desk Tray", as applicable.

6. NOTES

6.1 Intended use.—The wood desk tray covered by this specification is intended to hold both legal and letter-size papers, publications, etc.

6.2 Ordering data. — Procurement documents should specify the following:

(*a*) Title, number and date of this specification.

(*b*) Whether the desk tray or the desk tray stacking support set is required (see 1.2.1 and 1.2.2).

(*c*) Color of finish required (see 1.2.3).

(*d*) Both the level of packaging and the level of packing required (see 5.1 and 5.2).

6.3 It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

6.4 Definitions (see Section 5).—Federal Standard 102 should be referred to for definitions and applications of the various levels of packaging protection for supplies and equipment.

6.5 **Transportation Description.** — Transportation description applicable to this item is:

Trays, Desk, Wooden
Carload minimum weight 16,000 pounds, subject to Rule 34, Uniform Freight Classification
Truckload minimum weight 16,000 pounds.

Notice. — When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

MILITARY INTEREST:
Army—Q
Navy—S MC
Air Force.

Copies of this specification may be purchased for 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.