INCH-POUND

MIL-C-7219F
INTERIM AMENDMENT 3(GL)
4 March 1991
USED IN LIEU OF
AMENDMENT 2
2 April 1990

MILITARY SPECIFICATION

CLOTH, DUCK, NYLON

This interim amendment is approved for use within the Department of the Army, with MIL-C-7219F dated 19 March 1987.

PAGE 3

3.2, line 7, after "polyamide": Delete the remainder of the paragraph and substitute ". A polyamide (nylon) with a melting point of at least 200°C (392°F) shall be used for all types and classes when determined in accordance with 4.5. The yarn shall not be bleached in any manner or in any subsequent process."

PAGE 4

Table I, delete:

"after three dry 4/ cleanings	70,70,70	70,70,70	70,70,70"

and substitute:

"after three launderings 4/	70,70,70	70,70,70	80,80,80"

PAGE 5

3.4.1, line 3: Delete "which" and "having" and substitute "that" and "and that have" respectively.

3.4.3.1, line 1: Delete "(OG-106)" and "Olive Green 106" and substitute "Camouflage Green 483" in both locations.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:18Z
Check the source to verify that this is the current version before use.

Tables II, and III: Delete and substitute the following:

"TABLE II. Spectral reflectance (percent) limits for shade Camouflage Green 483, Type III, Class 4

Wavelength, Nanometers (nm)	Reflectance Min.	Max.	Wavelength Nanometers (nm)	Reflectance Min.	Max.
600	3	10	740	7	52
620	3	10	760	11	60
640	3	10	780	17	64
660	3	11	800	24	67
680	3	15	820	32	70
700	3	28	840	37	75
720	5	40	860	40	78

TABLE III. Spectral reflectance (percent) limits for Type III Class 5

Wavelength, Nanometers (nm)	Black 357 Min.	Max.	Light Green 354 Min.	Max.	Dark Green 355 and Brown 356 Min.	Max.
600	-	10	8	20	3	13
620	-	10	8	20	3	13
640	-	10	8	20	3	13
660	-	10	8	22	3	13
680	-	10	8	36	3	22
700	-	10	14	60	8	46
720	-	10	26	78	20	66
740	-	10	40	90	30	80
760	-	10	50	92	32	88
780	-	10	55	92	32	90
800	-	10	55	92	32	90
820	-	10	55	92	32	90
840	-	10	55	92	32	90
860	-	10	55	92	32	90"

PAGE 7

3.7: Add the following at the end of the paragraph: "Class 1, untreated cloth, shall not be subjected to this requirement."

PAGES 11

4.5.2, lines 1: Delete "OG-106" and substitute "Camouflage Green 483"

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:18Z
Check the source to verify that this is the current version before use.

PAGES 12

4.5.2, lines 7: Delete "OG-106" and substitute "Camouflage Green 483"

PAGE 13

Table IV: Delete:

"After dry cleaning all Classes as applicable except Class 1	3.3	5508/5526"

and substitute:

"After three launderings all Classes as applicable except Class 1	3.3	5552/5526"

After "Infrared reflectance": Delete "(OG-106)" and substitute "(Camouflage Green 483)"

PAGE 15

6.7, line 1: Delete "formulation" and substitute "combination"

Preparing activity:

Army - GL

(Project 8305-A433)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:18Z
Check the source to verify that this is the current version before use.