

TABLE I. DASH NUMBERS.

DASH NO	A	B	C
001	.062	48	120
003	.109	48	96
005	.188	48	96

REQUIREMENTS:

1. MATERIAL. STEEL, CARBON, MEDIUM AS SPECIFIED IN PROCUREMENT DOCUMENT.
2. FORMING PROCESS. SHEET, STEEL, CARBON, MEDIUM, SHALL BE HOT ROLLED.
3. FINISH. AS SPECIFIED IN PROCUREMENT DOCUMENT.
4. HEAT TREATMENT. AS FABRICATED.
5. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A DASH NUMBER FROM TABLE I.

   EXAMPLE: MS90505-003
   - DASH NUMBER
   - BASIC MS NUMBER

   MS90505-003 INDICATES - SHEET, STEEL, CARBON, MEDIUM, .109 INCH THICK; 48 INCH WIDE; 96 INCH LENGTH.
6. MARKING. IRON AND STEEL PRODUCTS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-183 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. ALL SHEET, STEEL, CARBON, MEDIUM SHALL HAVE A MILL EDGE.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

USER ACTIVITIES:
NAVY-AS

REVIEWER ACTIVITIES:
ARMY-AT, MI
AIR FORCE-84
DLA-IS

APPROVED 29 JAN 85
REVISED

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P.A.	YD	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Other Cust	MR 99		SHEET, STEEL, CARBON, MEDIUM	MS90505
PROCUREMENT SPECIFICATION: ASTM A36		SUPERSEDES:		PAGE 1 OF 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:37Z
Check the source to verify that this is the current version before use.