CCC-B-686a

MARCH 2, 1948

SUPERSEDING
Fed. Spec. CCC-B-686
July 8, 1937

FEDERAL STANDARD STOCK CATALOG

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

BROADCLOTH; COTTON, MERCERIZED

This specification was approved on the above date by the Director, Bureau of Federal Supply, for the use of all departments and establishments of the Government, and shall become effective not later than June 1, 1948, for use in procurement initiated on or after that date. It may be put into effect, however, at any earlier date after promulgation.

A. APPLICABLE SPECIFICATION

A–1. The following Federal Specification, of the issue in effect on date of invitation for bids, shall form a part of this specification:

CCC–T–191—Textiles; General Specifications, Test Methods, and Supplement.

B. TYPES AND GRADE

B–1. *Types.*—Broadcloth in accordance with this specification shall be furnished in the following types, as specified in the invitation for bids:

Type I. —144 x 76.
Type II. —136 x 60.
Type III.—128 x 68.
Type IV.—112 x 60.
Type V. —100 x 60.
Type VI.— 80 x 60.

B–2. *Grade.*—Broadcloth shall be furnished in the grade known commercially as "firsts."

C. MATERIAL AND WORKMANSHIP

C–1. *Yarn.*—The material shall be cotton, thoroughly cleaned, well carded or combed as specified in the invitation for bids, evenly drawn, spun, and twisted into single yarns (2-ply yarns will be acceptable).

C–2. *Workmanship.*—The finished cloth shall be clean, evenly woven, and free from any defects which affect its appearance or which may affect its serviceability.

D. GENERAL REQUIREMENTS

D–1. *Weave.*—The weave shall be plain.

751477—48—(192)

Source: https://assist.dla.mil -
Check the source to verify that

D–2. *Color.*—The cloth shall be bleached white, printed with vat colors, or evenly dyed with vat dyes as specified in the invitation for bids. Colors shall show good fastness to light, laundering, weather, perspiration, and bleaching when tested in accordance with paragraph F–3a.

D–3. *Shrinkage.*—When tested for shrinkage in laundering, the residual shrinkage shall not exceed 1 percent in either the warp or filling direction.

D–4. *Finish.*—The cloth shall have a clear, lustrous mercerized finish and shall contain not more than 2 percent of sizing, finishing, and other nonfibrous materials.

D–5. *Length of pieces.*—Broadcloth shall be furnished in one-piece bolts or rolls of 40 yards or longer.

E. DETAIL REQUIREMENTS

E–1. *Weight, construction, breaking strength, and width.*—The cloth shall conform to the requirements shown in table I.

F. METHODS OF SAMPLING, INSPECTION, AND TESTS

F–1. *Sampling.*—At least one sample not less than 1 yard long, full width, shall be taken at random from each 1,000 yards or fraction thereof delivered, except when the shipment is over 10,000 yards, in which case the sample shall be taken from each one-tenth of the shipment.

F–2. *Inspection.*—

F–2a. Samples shall be inspected to determine compliance with this specification with respect to workmanship, weave, count, width, finish, length, and other applicable requirements.

F–2b. Unless otherwise specified, the material shall be subject to inspection during and after manufacture by Government inspectors. In the case of factory inspection, every facility shall be afforded inspectors by the manufacturer for the prosecution of their work.

F–3. *Tests.*—The methods of testing specified in Federal Specification CCC–T–191 and Supplement thereto, wherever applicable, shall be followed.

F–3a. *Colorfastness.*—The methods of testing for colorfastness as specified in the following sections of Federal Specification CCC–T–191 and Supplement, except as noted, shall be followed.

(1) *Fastness to weather.*—Section XIII, paragraph 3, except that specimens shall be exposed 30 days.
(2) *Fastness to light.*—Section XIII, paragraph 2c.
(3) *Fastness to laundering.*—Section XIII, paragraph 4.
(4) *Fastness to perspiration.*—Section VI (Supplement), paragraph 3.
(5) *Fastness to bleaching.*—Section VI (Supplement), paragraph 4.

G. PACKAGING, PACKING, AND MARKING FOR SHIPMENT

G–1. *Packaging.*—Unless otherwise specified, commercial packages will be acceptable under this specification.

G–2. *Packing.*—Unless otherwise specified, the subject commodity shall be packed in substantial commercial containers of the

Source: https://assist.dla.mil -- Downloaded: 2
Check the source to verify that this is the curren

TABLE I.—*Weight, construction, breaking strength, and width.*

Type	Commercial grey designation			Weight minimum per square yard	Count—number of yarns per inch, minimum		Breaking strength, grab method, minimum		Finished width[1]
	Width	Count	Weight		Warp	Filling	Warp	Filling	
	Inches		*Yd./lb.*	*Ounces*			*Pounds*	*Pounds*	*Inches*
I....	37½	144 x 76	4.15	3.5	148	74	74	28	36
II....	37	136 x 60	4.00	3.2	140	56	65	25	36
III....	37	128 x 68	4.00/4.25	3.2	132	64	75	30	36
IV....	37	112 x 60	3.80	3.2	176	56	60	25	36
V....	37	100 x 60	4.10	3.2	102	56	55	25	36
VI....	36½	80 x 60	5.00	2.8	82	56	30	25	35

[1] A minus tolerance of ½ inch or a plus tolerance of 1 inch is permitted in width.

Source: https://assist.dla.mil -- Downloaded: 2
Check the source to verify that this is the current

type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to the point of delivery called for in the contract or purchase order.

G–3. *Marking.*—

G–3a. *Units.*—Each bolt or roll shall be marked with the name of the material, the type, color, length of piece, and the name of the manufacturer or contractor.

G–3b. *Shipping containers.*—Unless otherwise specified, shipping containers shall be marked with the name of the material, the type, color, and the quantity contained therein, as defined by the contract or order under which shipment is made, the name of the contractor, and the number of the contract or order.

H. REQUIREMENTS APPLICABLE TO INDIVIDUAL DEPARTMENTS

H–1. The following departmental specifications, of the issues in effect on date of invitation for bids, and special requirements, shall form a part of this specification, and shall be applicable to purchases made under this specification by the respective departments.

H–2. *Army.*—

H–2a. *Tickets.*—Each bolt or roll shall have a ticket attached to the selvage at one end, with not finer than five-fold cotton string doubled to not less than 8 inches long. The ticket shall be made of heavy cardboard and shall be provided with a reinforced eyelet for attaching the tying cord. The ticket shall have the following information legibly printed on it:

Broadcloth; cotton, mercerized
Type ..... Color ..... Width .....
Yarns (combed or carded)
Contractor's name
Contract number and date
Specification number
Stock number
Name of contracting agency or bureau
Contractor's piece number
Actual yards
Net yards

In addition, the ticket shall have sufficient blank space for the inspector's stamp.

H–2b. *Packaging, packing, and marking for shipment.*—The cloth shall be packaged, packed, and marked for domestic and overseas shipment in accordance with the requirements of U. S. Army Specification 100-63, Packaging and Packing of Cotton Fabrics (except Cotton Duck and Coated Cotton Fabrics), copies of which may be obtained without cost upon application to the procuring agency.

I. NOTES

I–1. Purchasers should exercise any desired options offered herein and should specify type, color, and kind of yarn required. (See pars. B–1, C–1, D–2, F–2b, G–1, G–2, and G–3b.)

I–2. It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that

Source: https://assist.dla.mil -- Downloaded: 2
Check the source to verify that this is the curren

normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

I–3. Federal specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirement.

I–4. An Index of Federal Specifications may be purchased as noted in the paragraph below, price to be obtained from the Superintendent of Documents.

I–5. Copies of this specification and CCC–T–191 may be obtained upon application, accompanied by postal note, money order, coupon, or cash, to the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Price of this specification and CCC–T–191, 5 cents each; Supplement to CCC–T–191, 10 cents.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

For sale by the Superintendent of Documents, Washington 25, D. C.
Price [illegible] nts.

Source: https://assist.dla.mil -- Downloaded: 2
Check the source to verify that this is the curren