MIL-I-11490E
14 May 1985
SUPERSEDING
MIL-I-11490D
4 February 1976

MILITARY SPECIFICATION

INSECTICIDE, LINDANE, POWDER, DUSTING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers one type of lindane dusting powder insecticide (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

SPECIFICATIONS

FEDERAL

L-P-390	-	Plastic, Molding and Extrusion Material, Polyethylene and Copolymers (Low, Medium and High Density)
RR-S-366	-	Sieve, Test
PPP-B-601	-	Boxes, Wood, Cleated Plywood
PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-F-320	-	Fiberboard; Corrugated and Solid, Sheet Stock (Container Grade), and Cut Shapes

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research and Development Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6840

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

PPP-P-704 - Pails, Metal: (Shipping, Steel, 1 through 12 Gallon)

MILITARY

MIL-L-10547 - Liners, Case, and Sheet, Overwrap, Water-Vaporproof or Waterproof, Flexible

STANDARDS

FEDERAL

FED-STD-313 - Material Safety Data Sheets, Preparation and Submission of
FED-STD-595 - Colors

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-147 - Palletized Unit Loads
MIL-STD-1233 - Procedures for Determining Particle Size, Particle Size Distribution, and Packed Density of Powdered Materials

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

Laws and Regulations

ENVIRONMENTAL PROTECTION AGENCY

Federal Insecticide, Fungicide, and Rodenticide Act (Title 7 - United States Section 135 et seg.)

(Application for copies should be addressed to the Environmental Protection Agency Pesticide Registration Division, 401 M Street, S.W., Washington, DC 20460.)

Code of Federal Regulations (CFR) 49, Transportation, Parts 100-199.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 - Standard Practice for Commercial Packaging

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

GLASS CONTAINERS MANUFACTURERS INSTITUTE

Glass Finish 410

(Application for copies should be addressed to the Glass Containers Manufacturers Institute, 1800 K Street, N.W., Washington, DC 20006.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

3. REQUIREMENTS

3.1 Composition and form. The insecticide shall be a uniformly mixed powder and shall contain 1.0 ± 0.1 percent lindane and an inert diluent. Submission of a Material Safety Data Sheet is mandatory for stock classes in FED-STD-313.

3.1.1 Lindane. The lindane shall be the gamma isomer of 1, 2, 3, 4, 5, 6-hexachlorocyclohexane having a purity of not less than 99 percent. It shall be a white crystalline substance having a melting point of 112° to 113°C.

3.1.2 Diluent. The diluent shall be pyrophyllite or talc (see 6.4).

3.2 Mixed melting point of extracted lindane. The melting point of a mixture of equal weights of lindane extracted from the insecticide powder as specified in 4.3.1 and authentic lindane shall not be lower than 110°C when tested as specified in 4.2.2.

3.3 Physical form.

Source: https://assist.dla.mil -- Downloaded: 2026l0-17T18:16Z
Check the source to verify that this is the currentversion before use.

3.3.1 Sieve size. The finished insecticide powder shall be of such fineness that not less than 99.0 percent will pass a U.S. Standard No. 100 (149 micron) sieve when tested as specified in 4.2.2. The sieve residue shall contain not more than 1.5 mg of lindane per gram of original sample when tested as specified in 4.2.2.

3.4 pH value. An aqueous extract of the finished powder shall have a pH value not lower than 5.0 and not higher than 9.0 when tested as specified in 4.2.2.

3.5 Labeling. Labeling shall be in compliance with the requirements of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Labels shall be approved by the Pesticide Registration Division of the Environmental Protection Agency (EPA).

3.5.1 Label data. The label data shall be neatly and legibly printed in black ink on the bottle, or on an olive drab colored paper stock conforming to No. 24087 of FED-STD-595. The ink shall be weather-resistant and shall not smear nor rub off during handling. The paper label shall be a wrap around type conforming to method of marking and size of markings of MIL-STD-129.

3.5.1.1 Bottles. The label for the bottles shall include, but not be limited to, the following information:

INSECTICIDE, LINDANE, POWDER, DUSTING

2 Ounces

Military Specification MIL-I-11490

National Stock No.

	Percent by weight
Active ingredient, lindane (gamma isomer of 1, 2, 3, 4, 5, 6-hexachlorocyclohexane)	1.0
Inert ingredients	99.0

Manufacturer's name and address

EPA Registration No.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

For external use only. Harmful if swallowed. Keep away from food and mess gear. The following precautions should be observed:

a. If possible, bathe before using.
b. Do not use if insect repellent, oil, or grease is on skin.
c. Do not apply more than one bottle at any one time.
d. Do not use more than one bottle in seven full days.
e. Do not use this powder for at least seven full days after you have been dusted with a hand or machine duster.
f. Avoid prolonged breathing of dust.
g. Avoid contact with eyes.
h. Wash hands thoroughly after handling.

INSTRUCTIONS FOR USE

For body lice:

Dust entire inner surfaces of undergarments, especially seams; also inner seams of trousers and shirt. Rub treated areas lightly by hand to spread powder evenly. Repeat every week and following each change of clothing. Complete treatment will require about 1 ounce or one-half the contents of this container.

For pubic lice (crab):

Apply to all regions of body where coarse hair is present. Do not bathe for at least 24 hours. Repeat at end of 1 and 2 weeks.

For head lice:

Apply lightly to hair. Rub well. Do not wash hair for at least 24 hours. Repeat at the end of 1 and 2 weeks.

3.5.1.1.1 Container stamping. Date of packaging (month and year) and manufacturer's lot number shall be stamped on side or bottom of the container.

3.5.1.2 Twenty-five pound containers. The label for the containers shall include, but not be limited to, the following information:

INSECTICIDE, LINDANE, POWDER, DUSTING

25 Pounds

Military Specification MIL-I-11490

National Stock No.

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:16Z
Check the source to verify that this is the current version before use.

	Percent by weight
Active ingredient, lindane (gamma isomer of 1, 2, 3, 4, 5, 6-hexachlorocyclohexane)	1.0
Inert ingredients	99.0

Manufacturer's name and address

EPA Registration No.

CAUTION

KEEP OUT OF REACH OF CHILDREN

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes and containers. Apply this product only as specified on this label.

For external use only. Harmful if swallowed. Keep away from food and mess gear. Respirator or face mask should be used if powder is dispensed into air with dust gun or blower and one hour allowed for dust to settle before re-entering.

The following additional precautions should be observed:

a. If possible, individuals should bathe before being dusted.
b. Do not dust individuals who have insect repellents, oil, or grease on the skin.
c. When dusting by hand or machine, do not apply more than 2 ounces to each person.
d. Do not redust for seven full days after a previous dusting.
e. Avoid prolonged breathing of dust.
f. Avoid contact with eyes.
g. Individuals applying dust, wash thoroughly after handling.

INSTRUCTIONS FOR USE

For head or crab lice:

Dust into infested hairy portions of body and work down to base of hair with finger tips. Individuals dusted should not bathe or wash hair for at least 24 hours. Repeat at end of 1 and 2 weeks to kill lice hatched from eggs.

For body lice:

Remove clothing, turn inside out, and dust lightly over entire inner surface, rubbing powder well into all seams. Repeat at weekly intervals until infestation is controlled.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

a. To dust persons without removing clothing, fill duster 3/4 full and adjust to deliver heavy cloud of powder at each stroke.
b. Dust inside of hat and replace on head.
c. Extend arms at side, shoulder height. Insert delivery tube slowly up each sleeve between skin and inner garment. Blow powder into armpit and about shoulder. Also between individual layers of clothing.
d. Insert tube at back of neck dusting back and neckband.
e. Insert tube in front at neck and dust toward armpits, both sides of body, chest and abdomen.
f. Loosen trousers, insert tube between skin and innermost garments, and powder generously crotch and pubic area, also underdrawers, especially waist and side seams.
g. Insert tube down rear of trousers next to skin and powder buttocks and rear of crotch.
h. Dust in socks.
i. Individuals should not bathe or wash clothing for at least 24 hours.

3.5.1.2.1 Container stamping. Date of packaging (month and year) and manufacturer's lot number shall be stamped on container body.

3.6 Workmanship. The product shall be clean, uniform, and devoid of lumps.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the document where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Certificate of compliance. Where certificates of compliance are submitted, the Government reserves the right to check test such items to determine the validity of the certification.

4.2 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.2.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.2.1.1 Certification. A certificate of compliance will be acceptable as evidence of conformance with the following requirements:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

Requirement	Requirement paragraph
Lindane purity	3.1.1
Lindane melting point	3.1.1
Diluent identity	3.1.2

4.2.2 Product testing. The insecticide powder shall be tested for the characteristics specified in table I. The sample shall be a 1-pound composite made up of equal portions of insecticide powder selected at random from the lot in the number specified below. The composite shall be placed in a clean, dry, glass, sealed container. Care shall be exercised to prevent contamination or alteration of the insecticide during the sampling, compositing, storage,and testing. Any test failure shall be cause for rejection of lot.

Lot size (pounds)	No. of portions to make up composite
800 or less	2
801 up to and including 22,000	3
22,001 or more	5

TABLE I. Product tests

Characteristic	Requirement paragraph	Test method paragraph	Number of determinations	Results reported to nearest
Composition, lindane	3.1	4.3.1	2	0.1 percent
Mixed melting point of extracted lindane	3.2	4.3.2	2	0.1°C
Particle size (fineness)	3.3.1	4.3.3	2	0.1 percent
Lindane content in sieve residue	3.3.1	4.3.3.1	2	0.1 mg
pH value	3.4	4.3.4	2	0.1 pH

4.2.3 Unit container examination. The filled unit containers shall be examined for the defects listed below. The lot size shall be expressed in units of containers of one size only. The sample unit shall be one filled unit container. The inspection level shall be I and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5.

Examine	Defects
Unit container	
Construction	Not as specified (see 5.1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

Examine	Defects (cont'd)
Closure	Not as specified (see 5.1); imperfect
Workmanship	Dented, abraded, dirty, split, punctured, any seepage of contents
Markings	Missing, incomplete, incorrect, not in accordance with contract requirements
Content	Not uniform, not clean, not homogeneous, or contains lumps or presence of foreign matter

4.2.4 Net weight examination. The filled unit containers shall be examined for net weight. The lot size shall be expressed in units of unit containers of one size only. The sample shall be the number of unit containers indicated by inspection level S-2. If the sample average net weight per unit container is less than specified in 5.1, the lot shall be rejected.

4.2.5 Packaging inspection. An examination shall be made to determine that preservation, packing, and marking comply with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit for this examination shall be one shipping container fully packaged except that it shall not be palletized. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

Examine	Defect
Marking (exterior and interior)	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application.
Materials	Any component missing. Any component damaged.
Workmanship	Inadequate application of components, such as incomplete closure of container flaps, improper taping, loose strapping, inadequate stapling. Bulged or distorted container.
Content	Number of unit packs per intermediate pack and shipping container is less than required.

4.2.6 Palletization examination. An examination shall be made to determine that the palletization complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one palletized unit load fully packaged. The lot size shall be the number of

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

palletized unit loads in the inspection lot. The inspection level shall be S-1 and the AQL, expressed in terms of defects per hundred units, shall be 6.5.

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirement.
Palletization	Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application.

4.3 Methods of inspection.

4.3.1 Composition test. Extract 20 grams of the insecticide powder for 6 hours in a Soxhlet extractor with 100 mL of n-hexane using a previously weighed extraction flask. Distill off the n-hexane. Dry the residue at 50°C to constant weight. Compute the percentage of n-hexane soluble matter as percent lindane. (Reserve the n-hexane soluble product for the test specified in 4.3.2).

4.3.2 Melting point of extracted lindane test. Mix equal parts of the dried lindane extract and authentic lindane by gently grinding with a spatula. Determine the melting point by the capillary tube method using a Thiele-Dennis type or equivalent melting tube, heating at a rate not to exceed 0.5°C per minute. Take the initial reading when first appearance of liquid is observed and final reading when the sample is completely liquified. The melting point is assumed to be the mean of initial and final readings providing spread is not over 6°C.

4.3.3 Sieve size test. Sieves shall conform to RR-S-366. Screen a dry 20-gram sample through a U.S. Standard No. 100 (149 microns) sieve using a single-eccentric type mechanical shaker which imparts to the sieve a rotary motion and tapping action of uniform speed of 300 ± 15 gyrations and 150 ± 10 taps of the striker per minute. Continue the screening for 15 minutes. Weigh the residue and calculate the percentage passing through the sieve.

4.3.3.1 Sieve residue. Transfer the sieve residue obtained from test specified in 4.3.3 to a weighed Gooch crucible with fritted disc No. 6130-E, Ace Glass Inc., (see 6.3), or equivalent disc and weigh again to determine sample weight. Pour 25 mL of boiling n-hexane into the crucible and allow the n-hexane to filter through the sample by gravity. Repeat with an additional 25 mL of

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

boiling n-hexane. Wash the residue with 50 mL n-hexane, using vacuum to speed the filtration. Dry at 50°C for 30 minutes and weigh. Calculate the loss in weight of the residue as lindane.

4.3.4 pH value test. Shake a suspension of 20 grams of the finished insecticide and 80 mL of distilled water in a glass stoppered Erlenmeyer Flask at intermittent intervals, during the course of 1 hour. Filter the suspension through a quantitative filter paper and determine the pH of the filtrate by any suitable method. In the event of a dispute, however, the results obtained with a calibrated pH electrometer shall govern.

5. PACKAGING

5.1 Preservation. Preservation shall be level A.

5.1.1 Level A.

5.1.1.1 Unit pack. The insecticide shall be unit packed in 2-ounce or 25-pound quantities as specified (see 6.2).

5.1.1.1.1 Two ounces. Two ounces of the insecticide shall be unit packed in a 3-ounce polyethylene bottle. The polyethylene shall conform to L-P-390 with the following limitations: Each polyethylene bottle shall conform to Color No. 24087 olive drab of FED-STD-595. The olive drab color shall be produced by the use of inorganic pigments. The bottle shall be oval around the vertical axis, and shall be formed in one piece with a 20-410 medium (depth) continuous thread, concealed bead finish in accordance with the standard of the Glass Container Manufacturers Institute. The approximate dimensions of the bottle shall be 4-3/32 inches overall in height. The minimum wall thickness shall be 0.015 inch. The weight of each empty bottle less cap and plug shall be 15 grams $\pm$ 1/2 gram. The inside dimensions of the finish shall be 0.544 to 0.558 inch. Each finish shall be provided with an 0.565 $\pm$ 0.005 inch diameter tube wall, vertical spray orifice type plug. Each plug shall have an 0.037 $\pm$ 0.003 inch diameter spray orifice. Each plug shall be furnished with a polyethylene tube having an inside diameter of 0.052 $\pm$ 0.003 inch and an outside diameter such that the tube will fit snugly into the tube well of the plug. Each bottle shall be provided with a cap made of black phenolic or melamine thermosetting plastic. The cap shall match 20-410 finish of the bottle. The cap shall be furnished with a securely fitted 0.040 inch thick cork cap liner with 0.0015 inch thick tin or aluminum foil. When the cap is completely screwed onto the bottle, the plug shall fit firmly against the cap insert to assure sealing against dusting. There shall be not less than 1/32 inch clearance between the bottom skirt of the cap and any portion of the shoulder area of the bottle. Alternatively, 2 ounces of the insecticide shall be unit packed in a 3 or 4-ounce capacity round polyethylene bottle. The polyethylene shall be of low density and conform to L-P-390. The color shall be as specified above. The bottle and cap shall be of a 24-400 minimum finish. The cap closure shall seat snugly against the rim of the bottle. The cap shall be furnished with a spout for dispensing the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

5.1.1.1.2 Twenty-five pounds. Twenty-five pounds of the insecticide shall be unit packed in a steel pail conforming to type II, class 4 of PPP-P-704 with interior coating.

5.1.1.2 Intermediate pack. Forty-eight polyethylene bottles of the insecticide, unit packed as specified in 5.1.1.1.1, shall be packed in a snug-fitting intermediate fiberboard box conforming to style RSC, type CF (variety SW) or SF, class domestic, grade 175 of PPP-B-636. Each box shall be provided with full height, half-slotted partitions and separators constructed of minimum 0.040 inch thick paperboard. When there is more than one layer of bottles within the intermediate pack, they shall be separated by means of a layer pad constructed of minimum 0.040 inch thick paperboard. Closure shall be in accordance with the appendix of PPP-B-636.

5.2 Packing. Packing shall be level A, B or Commercial as specified (see 6.2).

5.2.1 Level A packing. One hundred and ninety-two polyethylene bottles of insecticide preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, grade V2s of PPP-B-636. Each shipping container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of PPP-B-636. Insecticide, unit packed in steel pails as specified in 5.1.1.1.2, shall not require any overpacking other than palletization (see 5.3).

5.2.1.1 Wood cleated-plywood box. When specified (see 6.2), the shipping container shall be a wood cleated-plywood box conforming to overseas type, style A or J of PPP-B-601 and closed and strapped in accordance with the appendix thereto. Each wood cleated-plywood container shall be provided with a sealed case liner conforming to type I, grade C of MIL-L-10547.

5.2.2 Level B packing. One hundred and ninety-two polyethylene bottles of insecticide, preserved as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF (variety SW) of type SF, class domestic, grade 200 of PPP-B-636. Closure shall be in accordance with method II of the appendix of PPP-B-636. Insecticide, unit packed in steel pails as specified in 5.1.1.1.2, shall not require any overpacking other than palletization (see 5.3).

5.2.2.1 Weather-resistant shipping container. When specified (see 6.2), the shipping container shall be a grade V3c, V3s, or V4s, fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix thereto.

5.2.3 Commercial packing. Insecticide, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

5.3 Palletization. When specified (see 6.2), insecticide packed as specified shall be palletized in accordance with MIL-STD-147.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

5.3.1 Two ounces. Two-ounce quantities of the insecticide, unit packed in polyethyelene bottles and packed as specified in 5.2, shall be palletized in accordance with load type Ia and bonded with primary and secondary straps in accordance with bonding means K and L. Pallet type shall be type I (4-way entry), type III, type IV or type V in accordance with MIL-STD-147. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall be approved by the contracting officer.

5.3.2 Twenty-five pounds. Twenty-five pound quantities of insecticide unit packed in pails shall be palletized in accordance with load type IV. The load shall first be bonded with a horizontal strap around each course in accordance with bonding means E. The primary and secondary straps shall be applied in accordance with bonding means K and L. A wood cap shall be positioned over and under the load in accordance with storage aid 5.

5.4 Marking. In addition to the labeling specified in 3.5 and any special marking required by the contract or purchase order, interior packs, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129 or ASTM D 3951, as applicable. Level A packaging (labeling) shall be used for all overseas shipments.

6. NOTES

6.1 Intended use. Lindane insecticide dusting powder is intended for use in the control of body, crab, and head lice.

6.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. Selection of applicable level of packing (see 5.2).
c. Quantity of insecticide per unit pack (see 5.1.1.1).
d. When weather-resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1).
e. When wood cleated-plywood shipping containers are required for level A packing (see 5.2.1.1).
f. When palletization is required (see 5.3).

6.3 Source of material. Gooch crucibles with fritted discs No. 6130-E may be obtained from Ace Glass Inc., Vineland, NJ.

6.4 Diluent. Pyrophyllite or talc with a fineness such that not less than 99 percent will pass a U.S. Standard No. 100 (149 micron) sieve will be satisfactory for this purpose.

6.5 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:16Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - MS
Air Force - 68

Review activities:

Army - MD
DLA - GS

User activities:

Army - CE, ME
Navy - CG

Preparing activity:

Army - GL

Project No. 6840-0367

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T18:16Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-I-11700F	Insecticide, Lindane, Powder, Dusting

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-01-27T16:16:07
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY
US Army Natick Research and Development Center
Natick, Massachusetts 01760

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STRNC-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D C
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Center
ATTN: STRNC-ES
Natick, MA 01760

Source: https://assist.dla.mil -- Downloaded: 202610-17T18:16Z
Check the source to verify that this is the current version before use.