INCH-POUND

MIL-C-70991A(AR)
AMENDMENT 1
17 June 1994

MILITARY SPECIFICATION

CLOTH, COATED, KEVLAR-29, POLYURETHANE COATED

This amendment forms a part of Military Specification MIL-C-70991A(AR), dated 01 December 1993, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 4

3.2.2.8: Delete "The hydrostatic resistance of the coated cloth shall be a minimum of 480 pounds per square inch."

and substitute

"The hydrostatic resistance of the coated cloth shall be a minimum average of 470 pounds per square inch, with no point value less than 400 pounds per square inch."

PAGE 11

4.4.2: Add the following:

"d. Provisions for re-sampling. If during lot acceptance testing, a failure should occur in one or more of the following tests described in paragraphs 4.5.4, 4.5.6, 4.5.7, 4.5.8, 4.5.9, 4.5.10, & 4.5.11, and as an aggregate, all failures occur on samples from end(s) only or from center only, the contractor may re-sample the cloth further into the roll from either both end or center. Initial re-samples may be taken no less than one yard from the original sample point. All subsequent re-samples, if required, shall be no less than five yards from the previous re-sample point. If the original failure should occur in the center of the roll, then the re-sample and re-testing shall occur at locations both to the left and to the right of the original sample location in accordance with the re-sampling distances specified for the ends. If the re-test data is acceptable, then all cloth between the re-sampled point and the failure point shall be marked and discarded and the re-sampled data used for lot acceptance. This re-sampling and re-testing provision may be repeated as many times as necessary, however, the Government reserves the right to discontinue re-sampling and reject the lot after the second re-sample."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:17Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1330-0385)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:17Z
Check the source to verify that this is the current version before use.