P-S-583b
13 MAY 1952
SUPERSEDING
Fed. Spec. P-S-583
17 June 1942, and
Int. Fed. Spec. P-S-583a (GSA-FSS)
1 August 1951

FEDERAL SPECIFICATION

SOAP, LAUNDRY (GRANULATED, ROSIN-TYPE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. — This specification covers rosin-type granulated laundry soap for use in heavy-duty laundering, such as heavily-soiled occupational clothing, where high wash temperatures are required.

1.2 Classification (type).—Laundry granulated soap shall be of but one type.

2. APPLICABLE SPECIFICATIONS

2.1 The following Federal Specifications, of the issues in effect on date of invitation for bids, form a part of this specification:

P-S-536—Soap and Soap-Products (Including Synthetic Detergents); Methods of Sampling and Testing.

RR-S-366—Sieves; Standard, Testing.

(Copies of Federal specifications and the Federal Specifications Index may be obtained upon application, accompanied by money order, coupon, or cash to the Superintendent of Documents, Government Printing Office, Washington 25, D. C., or to the GSA Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, and Seattle. Prices may be obtained from the Superintendent of Documents or from the GSA Regional Offices.)

2.2 Specifications and other publication applicable only to individual Departments are listed in section 7.

3. REQUIREMENTS

3.1 Composition.—The composition of the soap shall conform to the requirements shown in table I.

TABLE I.—*Composition*

	Minimum	Maximum
	Percent	*Percent*
Moisture and matter volatile at 105° C.	----	10.0
Sum of free alkali or free acid, total matter insoluble in alcohol, and sodium chloride	----	14.0
Free alkali, calculated as sodium hydroxide (NaOH)	----	.5
Free acid, calculated as oleic acid	----	.5
Matter insoluble in water	----	1.0
Chloride, calculated as sodium chloride (NaCl)	----	1.0
Rosin	----	20.0
Anhydrous soap	(a)	----
Residue retained on a No. 12 sieve	--	2.0
Titer of mixed fatty acids prepared from the soap	29° C.	----

3.1.1 *Computation.* — The percentage of moisture and volatile matter shall be computed and reported by the testing laboratory, on the soap as received. The percentages of all other constituents shall be calculated and reported on an assumed

Source: https://assist.dla.mil -- Downloaded: 2026-04-26T11:18Z
Check the source to verify that this is the current version before use.

moisture and volatile matter content of 10 percent. (For basis of purchase, see 6.3.)

3.2 Form.—Granulated laundry soap shall be a well-made, uniformly mixed soap in granulated or powdered form, made from soda, rosin, and fats, and shall be of a uniform color.

3.3 Odor.—The odor shall not be objectionable in the soap as received or in a hot solution of the soap in water. The soap shall not leave an objectionable odor on objects after washing with a water solution of the soap and rinsing thoroughly with hot water. When required, the odor of the soap, under the above conditions, shall conform to that of the accepted bid sample. (See 6.2.1.)

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling.—Samples shall be taken as described in Federal Specification P-S-536.

4.2 Inspection. — Samples shall be inspected to determine compliance with this specification with respect to form, color, odor, and condition. When required, samples taken from deliveries shall be compared with the accepted bid sample (see 6.2.1). If unsatisfactory, the soap shall be subject to rejection without further testing.

4.3 Tests.—Tests to determine conformance with the requirements of table I shall be performed in accordance with the applicable test methods in Federal Specification P-S-536. (See 6.3.2.)

5. PREPARATION FOR DELIVERY

5.1 Packaging.—Unless otherwise specified, commercial packages are acceptable under this specification.

5.2 Packing.—Unless otherwise specified, the subject commodity shall be delivered in standard commercial containers, so constructed as to permit acceptance by carrier for transportation at the lowest applicable rate and to afford maximum protection from normal hazards of transportation.

5.3 Marking.—Unless otherwise specified, shipping containers shall be marked with the name of the commodity, and the quantity contained therein, as defined by the contract or order under which the shipment is made, the name of the contractor, the number of the contract or order, and the gross weight.

6. NOTES

6.1 Intended use.—The laundry granulated soap covered by this specification is intended for use with moderately hard water for heavy-duty laundry purposes.

6.2 Ordering data. — Purchasers should exercise any desired options offered herein and should specify whether a bid sample is required. (See 3.3, 5.1, 5.2, 5.3, 6.3, and 7.2.6.)

6.2.1 *Bid samples.*—It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, bid samples are required, invitations for bids should state that each bidder shall submit, in time to arrive prior to the date of opening of bids, a sample of the soap he proposes to furnish, to show color, odor, and condition, and should specify the size and weight of sample unit required. Samples should be marked with the name of the commodity, the schedule number and date of opening of bids, and the name and address of the bidder. The accepted bid samples should be kept in air-tight containers for later comparison with samples from deliveries.

6.3 Basis of Purchase.—Laundry granulated soap is subject to a possible gain or loss of weight, depending on atmospheric or

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:18Z
Check the source to verify that this is the current version before use.

torage conditions, or both, or on packaging, s a result of fluctuation in the moisture content. Changes in the moisture content result in a corresponding change in the percentage of total solids or anhydrous soap content, or both.

6.3.1 The material should be purchased by net weight, provided the matter volatile at 105° C. is neither above nor below 8 percent.

6.3.2 Deliveries containing more than 10 percent of matter volatile at 105° C. should be rejected without further test.

6.3.3 On deliveries containing 10 percent or less of matter volatile at 105° C., settlement should be made on the basis of a product containing 8 percent moisture, that is, 0.92 pound nonvolatile matter should be considered 1 pound of soap. The net weight of the material to be paid for on an 8 percent moisture and matter volatile basis is calculated as follows:

$$W = \frac{R \times (100-L)}{92}$$

where:

W = net weight of material to be paid for on 8 percent moisture and matter volatile basis.
R = net weight of material as received.
L = percentage of loss at 105° C.
92 = percent nonvolatile matter.

'or example: For 9 percent moisture and atile matter where R — 1 pound,

$$W = \frac{1 \times (100-9)}{92} = 0.989 \text{ pound}$$

Cost of soap — number of pounds of soap as received × 0.989 × price per pound.

Likewise, for soap containing less than 8 percent moisture, such as 6 percent,

$$W = \frac{1 \times (100-6)}{92} = 1.022 \text{ pounds}$$

Cost of soap = number of pounds of soap × 1.022 × price per pound.

6.4 Federal Specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

Patent notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

7. DEPARTMENTAL REQUIREMENTS

7.1 The following specifications, and standards, of the issues in effect on date of invitation for bids, and special requirements, form a part of this specification for purchases made under this specification by the respective departments.

7.2 Army, Navy, and Air Force.

7.2.1 *Applicable specifications and standards.*

Federal Specification:

UU-S-48—Sacks; Paper, Shipping.

Military Specification:

JAN-P-110—Packaging and Packing for Overseas Shipment — Drums, Metal, 55-Gallon (for Other Than Petroleum Products).

Military Standards:

MIL-STD-105—Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129—Marking of Shipments.

Source: https://assist.dla.mil -- Downloaded: 2021-10-29 11:41 EDT
Check the source to verify that this is the current version before use.

Navy Department Specification:

General Specifications for Inspection of Material.[1]

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

7.2.2 *Sampling.*—Sampling shall be conducted in accordance with Military Standard MIL-STD-105.

7.2.3 *Packing.*

7.2.3.1 *For domestic shipment.*—The soap shall be packed in bulk in standard commercial shipping containers such as fiberboard drums, plywood drums, slack kegs, or No. 1 and No. 2 slack barrels, conforming to Consolidated Freight Classification requirements. Net weight packed in slack barrels shall not exceed approximately 200 pounds; net weight in all other containers, not to exceed approximately 100 pounds. Each shipping container shall be lined with a two-way stretch creped kraft paper bag or liner having a basis weight of 45 pounds per ream (24 × 36 — 500). The liner shall be unwaxed and shall have a minimum stretch of 15 percent in each direction. Alternatively, the soap shall be packed in paper shipping sacks conforming to number 1 W of Federal Specification UU-S-48. Net weight of the product shall not exceed 50 pounds.

7.2.3.2 *For overseas shipment.*—The soap shall be packed in paper shipping sacks conforming to number 2 X of Federal Specification UU-S-48. Net weight of the product shall not exceed 50 pounds. Alternatively, the soap may be packed in single-trip metal drums conforming to Military Specification JAN-P-110, with thickness of metal not less than 20 gage (0.0359 inch).

7.2.4 *Marking.*—In addition to any special marking required by the contract or order, each shipping container, including multiwall paper shipping sacks, shall be marked in accordance with the requirements of Military Standard MIL-STD-129.

7.2.5 *Inspection procedures (Navy only).*—General inspection procedures shall be in accordance with Navy Department General Specifications for Inspection of Material.

7.2.6 *Ordering data.* — Procurement documents should specify whether domestic or overseas shipment is required (see 7.2.3 and 7.2.4).

NAVY INTEREST: *MC Md S Y*

[1] Applicable to Navy purchases only.

This specification is a part of Section IV, Part 5, of the Federal Standard Stock Catalog.

For sale by the Superintendent of Documents, Washington 25, D. C. Price cents.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:18Z
Check the source to verify that this is the current version before use.