MIL-P-50570A (AR)
AMENDMENT 2
15 January 1981

MILITARY SPECIFICATION

PROJECTILE, 155MM, HE, ROCKET ASSISTED
M549 & M549A1, DELAY ASSEMBLY FOR

This amendment forms a part of Military Specification MIL-P-50570A (AR) dated 19 July 1979.

PAGE 1

Paragraph 2.1: Delete the following Military Specification:

MIL-E-463 - Ethyl Alcohol, For Ordnance Use

PAGE 9

Paragraph 4.4.2.2: Delete Major 101 in its entirety and substitute the following:

"101. Distance from end of tube to inside bottom of igniter plug, min., 0.40%, 3.2, Gage."

PAGE 16

Add the following new paragraph:

"4.4.3.9 Density of delay composition pellets. A sample of 5 pellets shall be randomly selected from each lot and the density determined in accordance with 4.5.5 for compliance in accordance with the requirements on Drawing 9235983. If any pellet does not meet the required density, the lot shall be rejected."

PAGE 17

Paragraph 4.5.1.1.2: Delete in its entirety and substitute the following paragraph:

"4.5.1.1.2 Plus 145°F. This test shall be conducted as

FSC: 1320

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:29Z
Check the source to verify that this is the current version before use.

specified in 4.5.1.1.1 except that the conditioning temperature for the delay assembly and projectile shall be plus 145°F and a PXR-6297 proof charge conditioned at +145°F is to be used in lieu of a M203 series propelling charge."

Paragraph 4.5.1.2.1: Delete in its entirety and substitute the following paragraph:

"4.5.1.2.1 Plus 145°F. This test shall be conducted as specified in 4.5.1.1.1 except that the conditioning temperature for the delay assembly and projectile shall be plus 145°F and a PXR-6297 proof charge conditioned at plus 145°F is to be used in lieu of a M203 series propelling charge."

PAGE 18

Add the following new paragraph:

"4.5.5 Determination of density. The density of the delay composition pellet shall be calculated as follows:

$$\text{Density} = \frac{\text{Pellet wt.}}{(\text{Length of Pellet})\ (\text{Dia. of Pellet})^2\ (.7854)}$$

Note: All weights and dimensions are to be in metric units."

Custodian:
Army - AR

Preparing activity:
Army - AR

Project No.: 1320-A546

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:29Z
Check the source to verify that this is the current version before use.