FSC 5110

MARK BACK WITH MFR NAME OR TRADE MARK

MARK FRONT WITH IMPRESSION OF CHARACTERS. SHOWN AS EXAMPLE ONLY.

KNURL FRONT AND REAR SIDE MINIMUM DEPTH .010. WIDTH OF FLAT AT APEX AND BOTTOM 0.005 TO 0.015. SQUARE OR DIAMOND CUT

BREAK ALL SHARP EDGES

HEIGHT OF CHARACTERS AND BORDER 1/64 MIN





ENLARGED VIEW
POSITIVE IMPRESSION

LETTER AND NUMERALS DESIGNATING INSPECTOR'S IDENTIFICATION SHOWN AS EXAMPLE ONLY. LETTER AND NUMBERS SHALL BE AS SPECIFIED IN ORDER. FOR ARMY PROCUREMENT LETTER SHOULD PRECEDE NUMERAL. EXAMPLE A477. FOR NAVY PROCUREMENT NUMERAL SHOULD PRECEDE LETTER. EXAMPLE 477A.



PART NO	A	B	C	D	E	F	G	H	J	K
AN8500-1	5/16	7/64	1/8	1/16	1/32	1/32	1/2	1/4	5/8	3
AN8500-2	5/32	3/64	1/16	1/32	.024	1/64	3/8	3/16	1/2	2-3/4

MATERIAL: HIGH-GRADE TOOL STEEL. SUBJECT TO MAGNETIC INSPECTION IN ACCORDANCE WITH SPEC AN-QQ-M-181.

HEAT TREAT: DIE END-ROCKWELL "C" 58-61; BUTT END-ROCKWELL "C" 48-53.

UNLESS OTHERWISE SPECIFIED TOLERANCES ON FRACTIONS ±1/64, DECIMALS ±.010, ANGLES ±2°.

THIS STAMP IS INTENDED FOR USE BY AAF AND NAVY PROCUREMENT INSPECTORS.

④ CANCELED AFTER 28 October 1964.
NO SUPERSEDING STANDARD.

APPROVED 2 Jan 41 REVISED ① 9 Feb 42 ② 13 May 42 ③ 2 Oct 45 ④ 28 Oct 64

PROCUREMENT SPECIFICATION	ARMY-NAVY AERONAUTICAL STANDARD	AN8500
NONE	STAMP; INSPECTORS, AN, STEEL, IMPRESSION	

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

NOTE: This drawing was approved by joint action of the War and Navy Departments as the Army-Navy standard for this product. This drawing supersedes all antecedent standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new design, not later than six months after the latest date of approval shown. It may be put into effect, however, at an earlier date after promulgation.

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:23Z
Check the source to verify that this is the currentversion before use.