MILITARY SPECIFICATION

CONTAINER, AMMUNITION, METAL, FOR
PROPELLING CHARGES AND CARTRIDGES

This amendment forms a part of Military Specification MIL-C-63461(AR), dated 20 July 1981, and is approved for use by the U.S. Army Armament Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title - Delete "AND CARTRIDGES".

1.1 Scope - Delete "and for packing cartridges".

PAGE 3

3.3.1 Tensile strength (if applicable). Add the following new subparagraphs:

3.3.1.1 Tensile strength of body material. The tensile strength of the body material shall not be less than 47,000 pounds per square inch (psi) nor greater than 53,000 psi when tested as specified in 4.5.1."

3.4 Painted surface - Delete in its entirety and substitute the following:

"3.4 Painted surface. The painted surfaces of the container shall comply with the requirements of TT-C-490. However, the film thickness and salt spray requirements of TT-C-490 shall not apply to the interior surfaces and the welded spots and sharp corners of the exterior surface of the container."

PAGE 28

4.4.3.1 Tensile strength - Delete in its entirety and substitute the following:

"4.4.3.1 Tensile strength (see 3.3.1), Major Defect. Six (6) bodies shall be randomly selected for this test. From each body, three (3) specimens shall be selected at random for determination of body material tensile strength. Also, from each body, four (4) specimens approximately equally spaced along the axis shall be taken at right angles to the weld and the tensile strength of their welds shall be determined. Each of these values shall be compared with the lowest determined value of the body material tensile strength for compliance with the requirement of 3.3.1. If one or more specimens (longitudinal body weld or body material) fail to comply with 3.3.1 or 3.3.1.1, that sample body shall be classed defective. If two or more sample bodies are classed defective, the lot shall be rejected."

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project Number: 8140-A544

FSC: 8140



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:56Z
Check the source to verify that this is the current version before use.