INCH-POUND

MIL-S-851-D
ADMENDMENT 1
31 August 1990

# MILITARY SPECIFICATION
# STEEL GRIT, SHOT, AND CUT WIRE SHOT; AND IRON GRIT AND SHOT BLAST CLEANING AND PEENING

This specificication is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense

This admendment forms a part of MIL-S-851D, dated 21 April 1989, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1: DELETE

QQ-W-423 Wire, Steel, Corrosion Resisting

2.2: ADD:

Society of Automotive Engineers, Inc.

SAE J441 Cut wire shot, recommended practice

(SAE standards may be purchased from the Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096)

AMSC N/A FSC 5350

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:35Z
Check the source to verify that this is the current version before use.

PAGE 3

3.1.1 Delete and Substitute:

3.1.1 Type I and II. Type I cast steel grit and shot, and Type II cast iron grit and shot, shall be made
from materials complying in chemical composition as specified in Table I.

3.1.2 Delete and Substitute:

3.1.2 Type III. Type III cut wire shot shall be made from wire conforming to SAE J441.

PAGE 5

Table III: Delete and Substitute:

| Table III: - Screening Tolerences for Shot | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Shot No. | No. | Size | No. | Size | No. | Size | No. | Size |
| 930 | 5 | .157 | 6 | .132 | 8 | .0937 | 10 | .0787 |
| 780 | 6 | .132 | 7 | .111 | 10 | .0787 | 12 | .0661 |
| 660 | 7 | .111 | 8 | .0937 | 12 | .0661 | 14 | .0555 |
| 550 | 8 | .0937 | 10 | .0787 | 14 | .0555 | 16 | .0469 |
| 460 | 10 | .0787 | 12 | .0661 | 16 | .0469 | 18 | .0394 |
| 390 | 12 | .0661 | 14 | .0555 | 18 | .0394 | 20 | .0331 |
| 330 | 14 | .0555 | 16 | .0469 | 20 | .0331 | 25 | .0278 |
| 280 | 16 | .0469 | 18 | .0394 | 25 | .0278 | 30 | .0234 |
| 230 | 18 | .0394 | 20 | .0331 | 30 | .0234 | 35 | .0197 |
| 190 | 20 | .0331 | 25 | .0278 | 35 | .0197 | 40 | .0165 |
| 170 | 25 | .0278 | 30 | .0234 | 40 | .0165 | 45 | .0139 |
| 130 | 30 | .0234 | 35 | .0197 | 45 | .0139 | 50 | .0117 |
| 110 | 35 | .0197 | 40 | .0165 | 50 | .0117 | 80 | .0070 |
| 70 | 40 | .0165 | 45 | .0139 | 80 | .0070 | 120 | .0049 |

Custodians:
Air Force - 99
Army - MR
Navy - SH
Reviewers:
Navy - AS, OS

Preparing Activity:
Air Force - 84

Project Number 5350-0027



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:35Z
Check the source to verify that this is the current version before use.