O-P-001324 (AGR-FS)
November 1, 1967
INTERIM REVISION OF
Fed. Spec. TT-W-570a
January 27, 1956

INTERIM FEDERAL SPECIFICATION

PENTACHLOROPHENOL, TECHNICAL, (SOLID)

This Interim Federal Specification was developed by the United States Department of Agriculture, Forest Service, Washington, D. C., 20250, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this Interim Federal Specification as a valid exception to Federal Specification TT-W-570a, dated January 27, 1956.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the composition and methods of analysis of solid pentachlorophenol for use in preparing solutions for the preservative treatment of wood by pressure or nonpressure methods (see 6.1).

1.2 Classification. The solid pentachlorophenol shall be of one type and grade.

2. APPLICABLE DOCUMENTS

2.1 Specifications and standards. The following specifications and standards, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

UU-S-48 - Sacks, Shipping, Paper.
PPP-B-41 - Barrels; Wood, Slack.
PPP-D-723 - Drums, Fiber.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

FSC 6810

Source: https://assist.dla.mil -- Downloaded: 20260-26T11:16Z
Check the source to verify that this is the current version before use.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

Code of Federal Regulations:

49 CFR 71-78 - Interstate Commerce Commission Rules and Regulations for the Transportation of Explosives and Other Dangerous Articles.

(The Interstate Commerce Commission Regulations are a part of the Code of Federal Regulations (Revised 1956) available from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402.)

Federal Insecticide, Fungicide, and Rodenticide Act.

(Application for copies should be addressed to the U. S. Department of Agriculture, Agricultural Research Service, Pesticides Regulation Division, Washington, D. C., 20250.)

American Wood Preservers' Association (AWPA) Standards:

A4 - Standard Methods for Sampling Wood Preservatives.
A5 - Standard Methods for Analysis of Oil-Borne Preservatives.

(Application for copies should be addressed to the American Wood Preservers' Association, 839 Seventeenth St., N. W., Washington, D. C., 20006.)

3. REQUIREMENTS

3.1 Properties. The properties of solid pentachlorophenol shall comply with the requirements in 3.1.1, 3.1.2, and 3.1.3.

3.1.1 Chlorinated phenol. It shall contain not less than 95 percent of chlorinated phenols as determined by titration of hydroxyl and calculated as pentachlorophenol.

3.1.2 Insoluble matter. It shall contain not more than 1 percent of matter insoluble in 1N aqueous sodium hydroxide solution.

3.1.3 Freezing point. It shall have a freezing point of not less than 174° C.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling for quality conformance.

4.2.1 Sampling. Sampling shall be conducted in accordance with AWPA Standard A4. A 1/4-pound sample from each lot of 50 pounds or fraction thereof shall be taken for inspection and test purposes. The contractor shall supply such samples and containers as may be required at no cost to the Government.

4.3 Inspection of preparation for delivery. An inspection shall be made to determine that the packaging, packing, and marking comply with the requirements in section 5. Defects shall be scored in accordance with table I. Sampling shall be in accordance with MIL-STD-105, inspection level S-2, with an acceptable quality level (AQL) of 4.0 defects per hundred units. Defects of closure listed shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot.

Source: https://assist.dla.mil -- Downloaded: 20260-26T11:16Z
Check the source to verify that this is the current version before use.

TABLE I. Classification of preparation for delivery defects

Examine	Defects
Markings	Omitted; incorrect; illegible; improper size, location, sequence, or method of application.
Materials	Any component missing or damaged.
Containers	Not type and kind as specified.
Workmanship	Inadequate application of components such as incomplete closure.

4.4 Test methods.

4.4.1 Properties. Tests to determine the properties of pentachlorophenol (see 3.1), shall be made in accordance with AWPA Standard A5, Sections 1, 2, 3, and 4.

5. PREPARATION FOR DELIVERY

5.1 Packing. Packing shall be level A, B, or C, as specified (see 6.2).

5.1.1 Level A. Fifty pounds of pentachlorophenol shall be packed in a sack conforming to UU-S-48, construction number 8 or 8X, type optional. One hundred pounds of pentachlorophenol shall be packed in a fiber drum conforming to PPP-D-723, type III, grade A. Three hundred pounds of the product shall be packed in a fiber drum conforming to PPP-D-723, type II, grade A or in a slack wood barrel conforming to PPP-B-41, type II, grade A.

5.1.2 Level B. Fifty pounds of pentachlorophenol shall be packed in a sack conforming to UU-S-48, construction number 4 or 4X, type optional. One hundred pounds of pentachlorophenol shall be packed in a fiber drum conforming to PPP-D-723, type I, grade A. Three hundred pounds of the product shall be packed in a fiber drum conforming to PPP-D-723, type I, grade A or in a slack wood barrel conforming to PPP-B-41, type I, grade A.

5.1.3 Level C. Pentachlorophenol, in quantities specified, shall be packed to insure carrier acceptance and safe delivery at destination in containers complying with the rules and regulations applicable to the mode of transportation.

5.2 Marking. Marking shall be in accordance with 5.2.1 and 5.2.2, as applicable (see 6.2, and 5.2.3).

5.2.1 Civil agencies. In addition to markings required by the contract or order, the drums and barrels shall be marked in accordance with Fed. Std. No. 123.

5.2.2 Military agencies. In addition to markings required by the contract or order, the drums and barrels shall be marked in accordance with MIL-STD-129.

5.2.3 Labeling. All shipping containers shall be labeled in accordance with applicable Interstate Commerce Commission Regulations. The labeling shall be registered under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended in compliance with its requirements. Unless otherwise specified, each individual container shall be plainly marked with the following information:

Pentachlorophenol.
Quantity.
Gross weight.
Name of manufacturer (name of contractor if not the same).
Government order number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:16Z
Check the source to verify that this is the current version before use.

CAUTION:

May cause skin irritation.
Avoid prolonged or repeated contact with skin.
Avoid prolonged breathing of vapor.
Use only with adequate ventilation.

6. NOTES

6.1 Intended use. The intended use of this material (see TT-W-571) is in general as specified in 6.1.1, 6.1.2, and 6.1.3.

6.1.1 Heavy petroleum solvent. In solution with heavy petroleum solvent: For the pressure treatment of lumber, plywood, structural timbers, either for use in fresh water, in ground contact or above ground; for land piles, poles, and posts; and for the thermal (hot and cold) treatment of selected species.

6.1.2 Volatile petroleum solvent. In solution with volatile petroleum solvent: For the pressure treatment of lumber, plywood, and structural timbers for above-ground use requiring cleanliness and paintability.

6.1.3 Water-repellent and preservative. In solutions that combine water-repellent and preservative properties as specified in TT-W-572: For the treatment of wood products by simple nonpressure methods.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Selection of applicable level of packing required (see 5.1).
(c) Capacity of barrel or drum (see 5.1.1 and 5.1.2).
(d) Marking requirements (see 5.2).

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:16Z
Check the source to verify that this is the current version before use.