O-R-511D
May 25, 1973
SUPERSEDING
Fed. Spec. O-R-511C
May 11, 1965

FEDERAL SPECIFICATION

RODENTICIDE, ZINC PHOSPHIDE

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers one type and grade of rodenticide powder (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

RR-S-366	-	Sieve, Test.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-C-96	-	Cans, Metal, 28 Gage and Lighter.
PPP-C-186	-	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

Federal Standard:

FED-STD-123	-	Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

FSC 6840

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers, at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-P-116	-	Preservation, Methods of.
MIL-P-43327	-	Paper Book, Water Resistant (Text).

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-147	-	Palletized Unit Loads for 40" x 48" Pallets.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Military Handbooks:

TM 5-632, AFM 85-7, MO-310 - Military Entomology Operational Handbook.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.)

LAWS AND REGULATIONS

7 CFR 2762	-	Federal Insecticide, Fungicide, and Rodenticide Act.

(The Code of Federal Regulations (CFR) and the Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. When indicated, reprints of certain regulations may be obtained from the Federal agency responsible for the issuance thereof.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Composition. The composition of the rodenticide shall be as shown in table I when tested as specified in 4.3.

TABLE I. Composition

Ingredients	Percent by weight	
	Minimum	Maximum
Zinc phosphide (Zn_3P_2)	74.7	75.7
Antimony potassium tartrate ($(K(SbO)C_4H_4O_6.1/2H_2O)$)	19.3	20.3

3.2 Particle size. The finished rodenticide shall be of such fineness that not less than 99.5 percent shall pass through a No. 100 standard sieve, and not less than 80.0 percent shall pass through a No. 325 standard sieve when tested as specified in 4.3.

3.3 Labeling. Each container of rodenticide shall be labeled (see 5.4.3) as follows:

Panels No. 1 and 2 - DIRECTIONS: One ounce of rodenticide makes 1% concentration when added to 4.5 lbs. bait selected for animal control.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

COMMENSAL MICE & RATS - Dry cereals, flour, bread crumbs with fats or oils, fish, meat, fresh coconut. Do not use foods attractive to children as cookies, candy, nuts etc.
Place bait in containers 8-10 ft. apart where animals feed, drink or travel. Use tamper proof containers if accessible to children or domestic animals. Collect and destroy uneaten baits.

FIELD MICE - Grains. Spot, trail or machine baiting at 1%, broadcast at 2%. GOPHERS, FIELD RATS, MUSKRATS, NUTRIA - Dust on 3/4" x 3" carrot or sweet potato strips. See included Instruction Sheets for Baiting.

Panel No. 2 (or 3) -

(Skull and Crossbones)
POISON
RODENTICIDE, ZINC PHOSPHIDE
Active Ingredient
Zinc phosphide ---------- %

Inert ingredients
Antimony
potassium
tartrate ---------- %
Other ---------- %

Total
100%

Net contents - (as applicable)
Manufacturer's name
Contract number
Date

Panel No. 3 (or 4) -
ANTIDOTE: Call a physician immediately. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Lie victim down and keep warm.

WARNING: Do not breathe dust or fumes. Do not contaminate feed or food stuffs. Keep away from children and domestic animals. Do not use bait foods attractive to children. This product contains antimony potassium tartrate which is intended to cause prompt vomiting, and thus offer some protection when product is engested by children, pets, or irresponsible persons.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

3.4 Instruction sheets.

Twelve (12) instruction sheets printed as follows shall be placed in each intermediate package:

"INSTRUCTIONS FOR BAITING

(Rodenticide, zinc phosphide is classified in Army TM 5-632, Air Force AFM 85-7, Navy MO-310 as category 2 and can be used only by an Installation Engineer with pest control certificate or under direct supervision of an Installation Engineer or Post Medical Officer.)

1. SPOT OR TRAIL BAITING

a. Place one teaspoon of bait in surface trails or at the mouth of holes leading to underground burrow systems.

b. Two to four bait spots should be made near the base of each infested tree.

c. Cover bait by pulling overhanging grass back into place. Do not distrub the runway system.

d. Baiting should be conducted at the rate of 2 to 3 pounds per acre.

2. BROADCAST BAITING

a. Can be applied by aircraft, cyclone seeder, or by hand. By hand, throw tablespoon amounts into heavy cover along tree rows, rock outcrops, and fence lines.

b. Apply at the rate of 6 to 10 pounds per acre.

c. Do not broadcast over growing crops.

3. MACHINE BAITING

a. Use a modified corn planter with plates set to drop one kernel per inch along a line just inside the drip line on both sides of the tree.

b. Bait should be applied at the rate of 3 to 6 pounds per acre.

4. SPECIAL CAUTIONS

a. Do not allow bait to be exposed on bare ground.

b. Store poisoned grains in locations not accessible to children, pets, poultry and domestic animals.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS FOR BAITING (cont'd)

c. Treated grain must be formulated in such a way as to offer minimum hazard to poultry and seed-eating wild birds. A change in the size, form, or color of the seed from that normally available (by flattening, pelletizing or dyeing) will discourage use by most bird life."

Instructions shall be legibly printed with black ink on white paper conforming to MIL-P-43327.

3.5 Workmanship. The finished rodenticide shall be a uniformly blended, free-flowing powder, devoid of lumps. The occurrence of defects shall not exceed the number permitted under the applicable acceptable quality levels in section 4.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.2.1 Component and material inspection. In accordance with 4.1 above, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification, or applicable purchase document.

4.2.2 Inspection of the end item.

4.2.2.1 Examination of the end item. The end item shall be examined for the defects in the applicable subparagraphs at the inspection levels and acceptable quality levels (AQLs) set forth in 4.2.2.6. The lot size shall be expressed in unit containers of the specified capacity for the examinations in 4.2.2.2 and 4.2.2.3, in units of shipping containers for the examinations in 4.2.2.4, and palletized unit loads for the examination in 4.2.2.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

4.2.2.2 Examination of filled unit containers. The sample unit for this examination shall be one filled unit container.

Examine	Defect
Container	Not type specified. Cracked or chipped. Closure not as specified, missing or broken. Any leakage; cap not tight. Seal missing, not type specified, fits loosely, torn or broken.
Marking	Omitted, illegible, incorrect, incomplete, not in accordance with requirements. Unit container not labeled as specified (see 3.3).
Workmanship	Contents not uniformly blended. Not free-flowing powder; presence of lumps.

4.2.2.3 Examination for net contents. The sample unit for this examination shall be one filled unit container. The lot shall be unacceptable if the average net contents per container examined is less than the quantity specified.

4.2.2.4 Examination of preparation for delivery requirements. An examination shall be made to determine that the packaging, packing, and marking complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects of closure listed below shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot.

Examine	Defect
Marking (exterior and interior)	Omitted, incorrect; illegible; of improper size, location, sequence or method of application.
Materials	Any component missing, damaged, or not as specified.
Workmanship	Inadequate application of components, such as: incomplete closure of container flaps, inadequate stapling, loose taping or reinforcing. Bulged or distorted container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

Examine	Defect
Content	Number of containers of rodenticide per intermediate box or shipping container is more or less than required. Instruction sheets missing, not as specified (see 3.4).

4.2.2.5 Examination for palletization. An examination shall be made to determine that the palletization complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one palletized unit load fully prepared for delivery. The lot size shall be the number of palletized unit loads in the end item inspection lot.

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirement.
Palletization	Not as specified. Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence or method of application.

4.2.2.6 Inspection levels and AQLs for examinations. The inspection levels, for determining the sample size and AQL's, expressed in defects per 100 units, shall be as follows:

Examination paragraph	Inspection level	AQLs
4.2.2.2	I	1.5
4.2.2.3	S-4	-
4.2.2.4	S-2	4.0
4.2.2.5	S-1	6.5

4.3 Testing of the end item. The methods of testing listed in table II shall be followed for each lot. The lot size shall be expressed in pounds of rodenticide. The sample unit for testing shall be a one-half pound

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

composite obtained by randomly selecting and thoroughly mixing one-quarter pound samples in the frequency indicated below. The composite shall be placed in a clean, dry, sealed container of the smallest possible size. Care shall be exercised to prevent contamination or alteration of the composite during the sampling, weighing, and storage. The lot shall be unacceptable if the composite fails to meet any of the test requirements specified.

Lot size (pounds)	Sample size
800 or less	2
801 to 22,000	3
22,001 or more	5

TABLE II. Instructions for testing of end item

Characteristic	Specification reference: Requirement	Specification reference: Test method	Requirements applicable to composite sample	Number of determinations	Results reported as
Zinc phosphide	Table I	4.4.1	X	2	Average of 2 determinations, to nearest 0.1 percent.
Antimony potassium tartrate	Table I	4.4.2	X	2	Average of 2 determinations, to nearest 0.1 percent.
Particle size	3.2	4.4.3	X	2	Average of 2 determinations, to nearest 0.1 percent.

4.4 Test procedures.

4.4.1 Determination of phosphide phosphorus in zinc phosphide as magnesium pyrophosphate.

4.4.1.1 Apparatus. The apparatus shall consist of a gas-generating cylinder with a rubber stopper fitted with a gas inlet bubbler, a filling tube with stopcock, and a gas outlet tube to an absorption train. The train consists

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

of three absorption cylinders with an inlet bubbling tube and a gas outlet tube in each (see 6.3). A hot water bath is used to hold the generator and absorption train at about 50°C. Nitrogen is fed into the system through the generator inlet gas bubbler during entire evolution. (See fig. 1)

4.4.1.2 Reagents.

Potassium Permanganate - Approximately 0.5 N.
Nitrogen
Hydrochloric Acid, C. P.
Sulfur Dioxide
Ammonium Citrate, C. P.
Methyl Red Solution
Ammonium Hydroxide, C. P.

Magnesia Mixture: In one liter of distilled water is dissolved 235 grams $MgCl_2.6H_2O$ and 175 grams NH_4Cl. The solution is made ammoniacal and let stand overnight. It is then filtered and made acidic with HCl.

4.4.1.3 Procedure. The absorption cylinders are charged with $KMnO_4$ solution: 100 ml in the first, 100 ml in the second, and 50 ml in the third. A sample of about 0.5 gram of Zn_3P_2 is accurately wieghed in a small vial. Sample and vial are placed in a dry generator. The apparatus is assembled with the absorption cylinders in the hot water bath, and the nitrogen flow adjusted to a slow bubbling. Distilled water is added to the generator through the filling tube until the sample is just covered, then 100 ml of 1:3 HCl is added. After the evolution has proceeded for 5 minutes, the generator is placed in the hot water bath. The nitrogen is adjusted to slow bubbling and the evolution continued for one hour. After that period, 25 ml of concentrated HCl is added to the generator and the evolution allowed to proceed for another hour. The generator is disconnected and SO_2 is bubbled thru the absorption train until the excess $KMnO_4$ is reduced and solutions are clear. The contents of the three cylinders are transferred quantitatively to a 600 ml beaker, boiled until the excess SO_2 is removed, and the volume adjusted to about 150 ml. To the sample solution is added 25 grams of ammonium citrate, 5 ml of concentrated HCl, and 80 ml of magnesia mixture. The beaker is cooled in an ice bath and made ammoniacal to methyl red. Concentrated NH_4OH is slowly added dropwise, with continuous stirring, until a precipitate forms. The solution is stirred frequently for the first half-hour and then 5 ml of NH_4OH is added for each 100 ml volume. Sample is allowed to stand overnight. The sample is filtered through No. 42 Whatman paper and washed twice with dilute NH_4OH (1:19). The

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

filtrate is discarded. All the precipitate in the beaker and on the paper is dissolved through the filter with hot HCl solution (5 percent). The acid filtrate is returned to the beaker and 3 grams ammonium citrate, 2 ml of magnesia mixture and several drops of methyl red are added. The volume is adjusted to about 300 ml and solution is cooled in an ice bath. The precipitation with NH_4OH is repeated as before, and the sample is allowed to stand overnight. The solution is filtered through No. 42 Whatman paper. The beaker, etc. are policed and precipitate washed free of chlorides using NH_4OH (1:19). Portions of the filtrate are acidified with HNO_3 and checked with $AgNO_3$ solution. The paper with precipitate is transferred to a tared crucible and charred at about 300°C. The sample is then ignited to constant weight at 1050°C.

4.4.1.4 Calculations.

$$\frac{\text{gms. } Mg_2P_2O_7 \times 0.27835 \times 100}{\text{gram of sample}} = \text{percent Phosphorus due to phosphide}$$

$$\text{percent Phosphorus} \times 4.166 = \text{percent } Zn_3P_2$$

4.4.2 Antimony potassium tartrate determination.

4.4.2.1 Reagents.

Sodium bicarbonate solution (saturated).
0.1 N iodine solution.
Starch solution, 0.5 percent.

4.4.2.2 Procedures. Weigh 0.600 ± 0.001 gram (g.) of the rodenticide powder and place in a 250 ml. beaker. Add 50-75 ml. of freshly boiled and cooled (15°C.) distilled water, stir and filter with light suction through ashless, double acid-washed filter paper (Whatman's No. 44, or equivalent, suitable for fine **precipitates**). Use minimum suction from water aspirator to avoid tearing of the filter paper. Wash residue 5 times with 15 ml. portions of CO_2-free distilled water. To the filtrate add 10 ml. of a cold, saturated solution of sodium bicarbonate, and a few drops of starch solution. Titrate immediately with 0.1 N iodine solution until a persistent blue color is obtained. Calculate the percentage of antimony potassium tartrate as follows:

$$\text{Percent antimony potassium tartrate} = \frac{\text{ml. } I_2 \text{ solution} \times 1.67}{\text{Weight sample (g.)}}$$

4.4.3 Sieve test. Transfer 50.0 ± 0.1 g. of the rodenticide powder to a No. 100 standard sieve nested over a No. 325 standard sieve, both sieves shall conform to RR-S-366. Screen in a Ro-Tap or equivalent machine for 10

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

minutes. Stop the machine; break any soft lumps by brushing lightly over the sieves and return to the machine for five minutes. Repeat until screening is complete. Completion of screening shall be determined by shaking the sieves by hand over a clean glazed paper. Screening is complete when no powder passes through the sieves. Weigh portion retained on each sieve, and calculate percentage of rodenticide passing through each sieve.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A, B or C as specified (see 6.2).

5.1.1 Level A.

5.1.1.1 Unit packaging. One ounce of the rodenticide shall be filled into a rounded square nominal 1/2-fluid ounce bottle conforming to group A, class 1, style 1, grade optional, closure B, seal A of PPP-C-186.

5.1.1.2 Intermediate packaging. Twelve bottles of rodenticide, unit packaged as specified in 5.1.1.1, shall be further packaged in an intermediate box in accordance with the applicable requirements of PPP-C-186. Before the box is closed, twelve of the instruction sheets specified in 3.4 shall each be individually preserved in a transparent envelope in accordance with method IC3 of MIL-P-116 and shall be placed on top of the bottles.

5.1.2 Level B (civil agencies). Five pounds of rodenticide shall be packaged in a can conforming to PPP-C-96, type V, class 1 or 2.

5.1.3 Level C. The rodenticide shall be packaged to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Packing shall be level A, B, or C, as specified (see 6.2).

5.2.1 Level A. Two hundred and eighty-eight bottles of rodenticide, packaged as specified in 5.1, shall be packed in accordance with the applicable level A packing requirements of PPP-C-186.

5.2.2 Level B. Two hundred and eighty-eight bottles of rodenticide, packaged as specified in 5.1, shall be packed in accordance with the applicable level B packing requirements of PPP-C-186.

5.2.2.1 When specified (see 6.2), the fiberboard shipping container shall be a grade V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of the container specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

5.2.2.2 Level B (civil agencies). Four cans (20 pounds) shall be packed in accordance with appendix to PPP-C-96.

5.2.3 Level C. The rodenticide, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Palletization (military requirements). When specified (see 6.2), the rodenticide, packed as specified in 5.2, shall be palletized in accordance with load type I of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course. If the container is of a size which coes not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer.

5.4 Marking.

5.4.1 Civil agencies. In addition to the labeling specified in 5.4.3 and any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with FED-STD-123.

5.4.2 Military requirements. In addition to the labeling specified in 5.4.3 and any special marking required by the contract or order, interior packages, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129.

5.4.3 Labeling. Each container shall be durably and legibly labeled to comply with the provisions of the Federal Insecticide, Fungicide and Rodenticide Act and shall bear the labeling data specified in 3.3.

5.4.4 Instructions for use by military agencies. Rodenticide, zinc phosphide, is classified in Army TM 5-632, Air Force AFM 85-7, Navy MO-310 as Category 2 and can be used only by an Installation Engineer with pest control certificate or under direct supervision of an Installation Engineer or Post Medical Officer.

6. NOTES

6.1 Intended use. The rodenticide covered by this specification is intended for use in controlling commensal and field rodents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.




Figure 1.- Apparatus for evolution and absorption of phosphine

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Selection of the applicable levels of packaging and packing (see 5.1 and 5.2).
(c) When weather resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1).
(d) When palletization is required (see 5.3).

6.3 The apparatus used in this procedure is similar to that use by J. W. Elmore and F. J. Roth. Analysis and Stability of Zinc Phosphide, Journal A. O. A. C. 26, 559 (1943).

Custodians:

Army - GL
Navy - YD
Air Force - 68

Review activities:

Army - CE, MD, MU
Navy - MS, MC

User activity:

Army - SM

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

AGR-AFS, AMS, ARS
COM-NBS
DC-DCG
GSA-FSS, PBS
HEW-FDA, NIH
JUS-FPI
PO-POS
TR-IRS
VA-DMS

Project No. 6840-0139

Orders for this publication are to be placed with istration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:14Z
Check the source to verify that this is the current version before use.