COMMERCIAL ITEM DESCRIPTION

DIOCTYL-P-PHENYLENEDIAMINE
(ANTIOZONANT)

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-D-50000 which is cancelled.

Abstract. This description covers N, N'-dioctyl-p-phenylenediamine for use as an antiozonant in and on rubber goods where staining and discoloration is not a factor.

Salient characteristics.

1. Material. This material shall be, N-N'-dioctyl-p-phenylenediamine.

a. Copper. The material shall not contain copper or compounds of copper together exceeding 10 parts per million.

b. Manganese. The material shall not contain manganese or compounds of manganese together exceeding 10 parts per million.

2. Physical characteristics. The material shall conform to the properties listed in Table I.

TABLE I. Physical characteristics

	Minimum	Maximum
Refractive index, n 20/D	1.507	1.515
Specific gravity, at 60 deg/60 deg F.	0.900	0.915
Solubility in acetone	Complete	

3. Pour point. The compound shall be capable of being poured, after a test tube one-half full of the material has been stored for 24 hours at a temperature no higher than 32 degrees Fahrenheit (F).

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own

Beneficial comments (recommendations, additions, deletions, clarifications) and any other data which may improve this document should be sent by letter to: Commander, U.S. Army Armament Research, Development and Engineering Center, ATTN: SMCAR-EST-S, Rock Island, IL 61299-7300

AMSC N/A FSC 6810

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

drawings, specifications, standards and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Packaging. The preservation, packaging, packing, and marking shall be as specified in the contract or order.

Notes.

Method of application. The N, N'-dioctyl-p-phenylenediamine should be mixed in a 50/50 ratio by volume with acetone. The mixture may be applied to the rubber items by either brushing or dipping. Two coats are preferred. The first coat should be dried at least 5 minutes before the second coat is applied.

MILITARY INTERESTS:

Custodian

Army - AL

Review activity

Army - EA
DLA - GS

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - AL

Project No. 6810-1181

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

CID, A-A-50305, Dioctyl-P-Phenylenediamine

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.