INCH-POUND

A-A-55208

May 19, 1993

# COMMERCIAL ITEM DESCRIPTION

## TAPE, TEXTILE: NYLON, MULTIPLE TUBULAR

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-T-5666.

Abstract. The tape shall be one type of nylon tape for the manufacturing of parachute packs. The tape holds the springs used to pull the pack flaps when the parachute ripcord is pulled.

Salient Characteristics. The tape shall be 1 3/8 inches wide (± 1/16) and manufactured with 210 denier warp and a 420 denier filling. The yarn shall be bright, high tenacity, light and heat resistant nylon having a minimum of 2-1/2 turns per inch.

Material. It is encouraged that recycled material be used when practical as long as it meets the requirements of this document.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8315

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Weave. The tape shall be composed of two ground warps (face and back) and one filling. The face and back warps shall weave plain, with one filling yarn per shed. The filling shall accomplish a cross-over; first on the face, then on the back at each 40-warp end interval so that five separated tubular sections shall be formed in the total width.

Color. The tape shall be yarn or piece dyed to Sage Green 1545, Camouflage Green 483, or other color as specified by the procuring activity.

Colorfastness. The dyed tape shall show fastness to laundering equal to or better than the rating of 3 on the international grey scale when tested in accordance with AATCC 61-1986 (water temperature 100°F ± 4°).

Physical requirements. The dyed tape shall conform to the requirements specified in Table I.

Table I. Physical requirements

| Characteristic | Requirement | Test Method |
|---|---|---|
| Colorfastness to Laundering | 3 rating | AATCC 61-1986 1/ |
| Weave | Plain | Visual |
| Width | 1-3/8 ± 1/16 | Visual |
| Thickness | 0.020 to 0.025 inch | ASTM-D 1777-64 |
| Weight (max) | 0.40 ounces per linear yd | ASTM-D 3776-85 |
| Breaking Strength (min) (original) | 500 pounds | ASTM-D 5034-90 2/ |
| Elongation (min) | 20 percent | ASTM-D 5034-90 |
| Total ends (min) | 199 | Visual |
| Picks per inch (min) | 84 | Visual |

1/ Water temperature shall be $100^0$F ± $4^0$F.

2/ The long dimension of the jaws shall be no less than the width of the specimen.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Length and put-up. Unless otherwise specified, the tape shall be put up in rolls of not less than 95 yards and not greater than 105 yards. No roll shall contain more than three pieces and no piece shall be less than 10 yards in length.

Workmanship. The end item shall conform to the quality of product established by this document and the occurrence of defects shall not exceed the applicable acceptable quality levels.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract. Reliance on contractor quality assurance systems shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the government for acceptance comply with all requirements of the contract.

Examination

Visual Examination. The tape shall be examined for the defects listed below. The lot size shall be expressed in units of yards. The sample unit is one linear yard.

Defects. The tape shall be examined for the following defects: any hole, cut, tear, or color not as specified; any spot or stain (outside); thread ends not removed; label missing, incorrect, or illegible; measurement of item not as specified; bar-code omitted or not readable by scanner, Human-Readable Interpretation (HRI) omitted or illegible; bar-coded type not as specified, code density not as specified.

Dimensional Examination. The finished tape shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one roll.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot.

| EXAMINE | DEFECT |
|---|---|
| Marking (exterior and interior) | Omitted; incorrect; illegible; of improper size, location, or method of application |
| Materials | Any component missing, damaged, or not as specified |
| Workmanship | Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, or inadequate stapling |
| Content | Number of items in container is more or less than required |
| | NSN shown on one or more items is not as specified on shipping container |
| Palletization | Length, width, or height exceeds specified maximum requirements |
| | Pallet type not as specified |
| | Load not bonded as specified |

Regulatory Requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Packaging, Packing, Marking, and Palletization

The preservation, packing, marking and palletization shall be as specified in the contract or order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Sources of Nongovernment Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

ASTM-D 3951 - Standard Practice for Commercial Packaging

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Custodian:
Army - GL
Navy - AS
Air Force - 99

Review Activity:
Air Force - 82
DLA - CT

User Activity:
Army - AV
Navy - OS

Civil Agency Coordinating Activity:
GSA - FSS

Preparing Activity:
DLA - CT

Project No.8315-0370



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

| I RECOMMEND A CHANGE: | 1. DOCUMENT NUMBER | 2. DOCUMENT DATE (YYMMDD) |
|---|---|---|
| | A-A-55208 | 1993 May 19 |

3. DOCUMENT TITLE

TAPE, TEXTILE: nylon, multiple tubular

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

| a. NAME (Last, First, Middle Initial) | c. ORGANIZATION | |
|---|---|---|
| b. ADDRESS (Include Zip Code) | d. TELEPHONE (Include Area Code)<br>(1) Commercial<br>(2) AUTOVON<br>(If applicable) | 7. DATE SUBMITTED (YYMMDD) |

8. PREPARING ACTIVITY

| a. NAME<br>Defense Personnel Support Center<br>ATTN: DPSC-FSSD (12-3-D) | b. TELEPHONE (Include Area Code)<br>(1) Commercial (215) 737-8105 | (2) AUTOVON 444-810 |
|---|---|---|
| c. ADDRESS (Include Zip Code)<br>2800 South 20th Street<br>P. O. Box 8419<br>Philadelphia, Pennsylvania 19101-8419 | IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:<br>Defense Quality and Standardization Office<br>5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466<br>Telephone (703) 756-2340 AUTOVON 289-2340 | |

DD Form 1426, OCT 89

Source: https://assist.dla.mil -- Downloaded: 2026-02-26T09:44Z
Check the source to verify that this is the current version before use.