FED. SUP CLASS
5310




| INCHES | MM |
|---|---|
| .12 | 3.05 |
| .492 | 12.50 |
| .502 | 12.75 |
| .553 | 14.05 |
| .56 | 14.22 |
| .564 | 14.33 |
| .66 | 16.76 |

| MS Part number | A | B | Thread T | Material |
|---|---|---|---|---|
| MS24017-1 | 0.502<br>0.492 | .56 | 3/8-24 UNF-2B | Brass |
| MS24017-2 | 0.564<br>0.553 | .66 | 1/2-20 UNF-2B | Brass |
| MS24017-3 | 0.502<br>0.492 | .56 | 3/8-24 UNF-2B | Steel |
| MS24017-4 | 0.564<br>0.553 | .66 | 1/2-20 UNF-2B | Steel |

(C) INACTIVE FOR NEW DESIGN
AFTER 6 DECEMBER 1971

NOTES:
1. Material - brass - spec. QQ-B-626, comp. 22, half hard
   steel - spec. QQ-S-624, comp. FS 1330.
2. Finish: See procurement spec.
3. Dimensions in inches: Unless otherwise specified, tolerance is ±.02 (.51 mm) for two place decimals.
4. Referenced documents shall be of the issue in effect on the date of invitation for bids.
5. This standard takes precedence over documents referenced herein.
6. The MS part number marking required on the item may be omitted by marking the packages or tagging the parts per MIL-STD-130.
7. Group A and B inspection is required in lieu of qualification.

(C) REDRAWN

APPROVED 31 AUG 1954 REVISED (C) 6 Dec 1971

User activities: Army ME, AM, WC
Navy MC, SH
Air Force .

Reviewer activities: Army MI, MU, AT
Navy AS, OS
Air Force 11

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| P.A. NAVY-EC<br>Other Cust AF-80<br>ARMY-EL | International interest | TITLE<br>NUT-PLAIN, HEXAGON, MOUNTING | MILITARY STANDARD<br>MS24017 |
|---|---|---|---|
| Procurement Specification<br>MIL-C-28748 | | SUPERSEDES: | SHEET 1 OF 1 |

DD FORM 10 APR 64 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. 5310-0749

☆ U. S. GOVERNMENT PRINTING OFFICE: 1977 -703-020/4974

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:46Z
Check the source to verify that this is the current version before use.