INCH-POUND

MIL-C-306C
Interim Amendment 3 (AR)
23 November 1990
SUPERSEDING
Interim Amendment 2
22 August 1988

MILITARY SPECIFICATION

CARBON BLACK, POWDERED, DRY

This Interim Amendment is approved for use within the US Army Armament, Munitions and Chemical Command, with MIL-C-306C dated 4 August 1978.

PAGE 1

1.1 Scope. Change "six grades" to "seven grades".

1.2 Classification. Add the following grade:

"Grade G - For use in M864 propellant composition"

PAGE 2

2.2 Other publications. Add the following under "American Society for Testing and Materials (ASTM)":

"ASTM-E203 - Water using Karl Fischer Reagent.
ASTM-E300 - Recommended Practice for Sampling Industrial Chemicals
ASTM-D3951 - Standard Practice for Commercial Packaging."

PAGE 4

Table I. For Grade A only, substitute the following values for the properties shown:

"Properties	Grade A Min	Grade A Max
Ash (%)	-	0.4
Water Soluble Material (%)	-	0.2
Bulk density (g/cc)	0.14	0.30"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:00Z
Check the source to verify that this is the current version before use.

Add the following new grade to Table I:

"Properties	Grade G Min.	Max.
Ash(%)	-	0.75
Moisture (%)	-	1.0
pH	5.5	8.5"

* 4.4.3 Add the following new paragraph:

"4.4.3.1 Sampling for Grade G. Approximately 500 grams of the composition shall be selected from each batch to be samples using ASTM Method E300-70 for solids. Samples shall be selected for inspection in accordance with table below. If any sample fails to meet any test requirements the batch represented by the sample shall be rejected. Each required test shall be performed in duplicate. No composite samples shall be used.

Number of containers in batch	Number of containers to be sampled
2 - 200	2
Over - 200	5"

PAGE 11

4.5.2 Add the following new paragraph:

"4.5.2.1 Moisture - Alternate method for Grade G. The moisture content of the sample may also be determined in accordance with ASTM-E203.

PAGE 18

5.1 Packing. Delete "Packing" and substitute "Packaging and Packing".

5.1.3 Commercial. Delete in its entirety and substitute the following:

"5.1.3 Level C. Unless otherwise specified in the contract or order, packaging and packing shall be in accordance with ASTM-D-3951".

Source: https://assist.dla.mil -- Downloaded: 202640-16T07:00Z
Check the source to verify that this is the current version before use.

6.1 Intended use. Add the following to the end of the paragraph:

"and propellant for base bleed projectiles."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, correction, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians
Army-AR
Navy-OS
Air Force-68

Preparing activity
Army-AR

Project (6810-A045)

Review activities:
Army
Navy
Air Force
DSA Center-GS

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:00Z
Check the source to verify that this is the current version before use.