MILITARY SPECIFICATION SHEET

ELECTRON TUBE, RECEIVING

TYPE 6397

This amendment forms a part of Military Specification Sheet MIL-E-1/844B, dated 2 November 1970, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

DESCRIPTION: Delete "Tetrode" and substitute "Pentode."

PAGE 3

Periodic-check test, Method column: Delete "(B)"; delete "Periodic-check test" title heading.

Quality conformance inspection, part 3, Method 1202, Filament burnout, under Requirement or Test column: Add "(See note 11)."

NOTES, add new note 11 as follows:

"11. This test shall be performed during the initial production and once each succeeding 12-calendar months in which there is production. A regular double sampling plan shall be used, with the first sample of three tubes with an acceptance number of zero, and a second sample of three tubes with a combined acceptance number of one. In the event of failure, the test will be made as a part of quality conformance inspection, part 2, code level D, with an AQL of 6.5. The regular "12-calendar month" double sampling plan shall be reinstated after three consecutive samples have been accepted."

Custodians:
Army - EL
Navy - EC
Air Force -85

Review activities:
Air Force - 80
DSA - ES

User activities:
Army - MU, WC
Navy - AS, OS, CG
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 5960-3095)

☆U.S. GOVERNMENT PRINTING OFFICE: 1976—603-766/4141

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:43Z
Check the source to verify that this is the current version before use.