REVIEW ACTIVITIES: OTHER - NSA
USER ACTIVITIES: ARMY - ME

FED. SUP CLASS
6640



PART NUMBER	CAPACITY ml	PORE SIZE microns	DIMENSIONAL DATA mm			
			DISK DIA	H ABOVE DISK (± 5)	STEM LG (± 5)	STEM OD
MS36092-1	2	10-15	10 ± 0.60	30	30	7 ± 0.55
MS36092-2	30	4-5.5	30 ± 1.20	45	75	8 ± 0.60
MS36092-3	30	10-15	30 ± 1.20	45	75	8 ± 0.60
MS36092-8	60	4-5.5	40 ± 1.40	50	75	10 ± 0.60
MS36092-9	60	10-15	40 ± 1.40	50	75	10 ± 0.60
MS36092-4	150	4-5.5	60 ± 1.80	50	75	15 ± 0.65
MS36092-5	150	10-15	60 ± 1.80	50	75	15 ± 0.65
MS36092-10	350	4-5.5	80 ± 2.15	75	75	20 ± 0.85
MS36092-6	350	10-15	80 ± 2.15	75	75	20 ± 0.85
MS36092-7	600	4-5.5	90 ± 2.30	90	100	20 ± 0.85
MS36092-11	600	10-15	90 ± 2.30	90	100	20 ± 0.85

MATERIAL: Borosilicate glass in accordance with Federal Specification DD-G-541 Type I, Class A.

DESIGN: Funnels shall have fused-in fritted disk. MS36092-1 shall have a fire polished top edge. MS36092-2 through MS36092-11 shall have a beaded top edge.

NOTES:
1. For design feature purposes this standard takes precedence over procurement document referenced herein.
2. Referenced documents shall be of the issue in effect on date of invitations for bid.

APPROVED 28 JUNE 1961 REVISED (A) 4 JUNE 69

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

(A) ENTIRE STANDARD REVISED

P.A. MU Other Cust MS 82	TITLE FUNNEL, FILTERING, LABORATORY glass, Buchner	MILITARY STANDARD MS36092	
PROCUREMENT SPECIFICATION DD-F-776	SUPERSEDES:	SHEET 1	OF 1

DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1969-341-520/A-7271

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:34Z
Check the source to verify that this is the current version before use.