FEDERAL SPECIFICATION

KNIFE, STENCIL

This amendment, which forms a part of Federal Specification GGG-K-501a, dated 20 May 1953, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 2, paragraphs 3.4 and 3.5: Add "The knife, with blade in operating position, or the individual knife blades, shall be capable of withstanding a downward pressure up to 30 pounds when tested as specified in 4.3.4 and shall not break, bend, or separate from the shaft, or otherwise be deleteriously affected by the application of this force."

Page 3, paragraphs 4.1.2 through 4.1.4: Delete and substitute:

4.1.2 *Sampling for visual and dimensional inspection.*—A random sample of stencil knives shall be taken from each inspection lot of material offered for Government inspection of visual and dimensional characteristics in accordance with table I and the provisions of Military Standard MIL-STD-105.

TABLE I.—*Sampling for visual and dimensional inspection AQL (approx.) = 1.5 percent defective*

Lot size, number of knives	Sample size, number of knives
40 and under	Inspection level III
41 to 300	Inspection level II
301 and over	Inspection level I

Note. The Government inspector may institute tightened or reduced inspection in accordance with section 9 of Military Standard MIL-STD-105.

4.1.3 *Sampling for practical cutting, hardness, and strength tests.*—A random sample of stencil knives shall be taken in accordance with table II from each inspection lot, and shall be subjected to the practical cutting test of 4.3.1, the hardness test of 4.3.3 and the strength test of 4.3.4.

4.1.4 *Sampling for flammability test (knives with plastic handles).*—A random sample of three stencil knives shall be taken from each lot of knives with plastic handles and shall be subjected to the flammability test specified in 4.3.2. When lots consist of less than 40 knives, the test may be omitted at the discretion of the Government inspector.

Page 3, table II, title: Delete and substitute *"Sampling for practical cutting, hardness, and strength tests."*

Page 4, paragraph 4.3.2, first sentence: Delete and substitute "The plastic handles of the knives selected in accordance with 4.1.4 shall be tested as follows:".

Page 4, add paragraph 4.3.4:

4.3.4 *Strength test.*—The knife or blade shall be placed vertically in a compression testing machine with the blade point on a block of hardwood or fiberboard and a gradually increasing downward force shall be applied until a maximum of 30 pounds has been reached.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.

Page 4: Delete paragraph 6.3.1 and substitute:

6.3.1 Transportation description applicable to these items is:

Tools, not otherwise indexed by name.
Carload weight 30,000 pounds.

Mechanics' hand tools, not otherwise indexed.
Truckload weight 30,000 pounds.

CUSTODIANS:

Army—Q
Navy—Sh
Air Force

OTHER INTEREST:

Army—E
Navy—MC S.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:40Z
Check the source to verify that this is the current version before use.