INCH-POUND

MIL-F-0011137E(EA)
AMENDMENT 1
13 December 1989

MILITARY SPECIFICATION

FILTER, GAS, 150 CFM, M10

This amendment forms a part of MIL-F-0011137E(EA), dated 1 December 1987, and is approved for use by the U.S. Army *Chemical Research, Development and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.*

PAGE 5

4.3.1: Add the following sentence to the end of the paragraph: "The filters shall be packaged in accordance with SPI P5-19-673. "

4.3.2.2: Delete in its entirety and substitute the following:

"4.3.2.2 For nondestructive test.

(a) Moisture content of charcoal sorbent. The sample for moisture content shall be taken at the station where the filter is filled with sorbent. A sample specimen of charcoal sorbent shall be taken during the filling of the first, tenth, and twentieth filter in the preproduction lot. Each sample (25 grams) shall be sequentially designated and suitably identified as from the preproduction lot.

(b) Unit pack bag leakage. Each packaged filter in the preproduction lot shall be tested for unit pack bag leakage. "

4.3.2.3: Delete in its entirety and substitute the following:

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:28Z
Check the source to verify that this is the current version before use.

"4.3.2.3 For destructive test.

(a) Airflow resistance, and DMMP gas life after rough handling. Eight filters shall be tested for airflow resistance and DMMP gas life after rough handling.

(b) CK life of charcoal sorbent. Four filters shall be tested for CK life of charcoal sorbent.

(c) Heat seal seam strength. Each packaged filter in the preproduction lot shall be tested for heat seal seam strength. "

PAGE 6

4.3.3.2: Add the following new subparagraph:

" (c) Unit pack bag leakage. Sample packaged filters shall be tested for unit pack bag leakage in accordance with 4.4.4.5. Any filter failing to meet this requirement shall be rejected. "

4.3.3.3: Add the following new subparagraph:

" (c) Heat seal seam strength. Sample packaged filters shall be tested for heat seal seam strength in accordance with 4.4.4.8. If any sample filter fails to meet this requirement, the lot represented by the sample shall be rejected. "

PAGE 7

4.4.2.2.2: Add the following new paragraph:

"4.4.2.2.2 Unit pack bag leakage. Sampling for unit pack bag leakage shall be in accordance with MIL-STD-105, using level S-2. "

4.4.2.3: Add the following new subparagraph:

"(c) Heat seal seam strength. Sampling for heat seal seam strength shall be in accordance with MIL-STD-105, using level S-3. "

4,4.3.2: Add the following new subparagraphs:

"(d) Unit pack bag leakage. Unit pack bag leakage test shall be conducted in accordance with 4.4.4.5, using an AQL of 4.0 percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:28Z
Check the source to verify that this is the current version before use.

(e) Heat seal seam strength. Heat seal seam strength test shall be conducted in accordance with 4.4.4.8, using an AQL of 4.0 percent defective. ”

PAGES 8 AND 9

4.4.3.4(c):

Delete “Packaging” and substitute “Packaging (SPI P5-19-673)”.

Under “Major” defects: Delete “103” through “106” and substitute the following:

“103	Interior container closure not as specified
104	Interior container comers not blunted as specified
105	Stapled seams of containers not taped as specified
106	Barrier bags not as specified
107	Barrier bag closures not as specified
108	Exterior container not as specified
109	Exterior container closure not as specified
110	Marking missing, incorrect, or illegible”

PAGE 10

4.4.4.5: Delete in its entirety and substitute the following:

“4.4.4.5 Unit pack bag leakage. The unit pack barriers containing the filters shall not leak when tested in accordance with method 5009.2 of FED. TEST METHOD STD. NO. *101,* using the hot water technique. ”

PAGES 10 AND 11

6.2: Add the following new subparagraph:

“(e) Shelf life code.”

PAGE 12

6.5: Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:28Z
Check the source to verify that this is the current version before use.

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 4240-A993

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:28Z
Check the source to verify that this is the current version before use.