MILITARY SPECIFICATION

MINE, INERT, ANTIPERSONNEL M16A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This specification is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the inspection of parts and loading, assembling and packing for one type of mine designated as Mine, Inert, Antipersonnel, M16A1.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. - The following documents of the issue in effect on date of invitation for bids or request for proposals form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables For Inspection by Attributes

FSC: 1345

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.5)

U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

7548179 - Box, Wirebound, Packing, Ammunition for Mine, AntiPersonnel, M16A1, M16A1 Inert or M16A2 with Fuze, Mine Combination, M605
8863609 - Box, Fiber, Packing, Ammunition for Mine, AntiPersonnel, M16A1, M16A1 Inert or M16A2 with Fuze, Mine Combination, M605
9324631 - Mine, Inert: M16A1

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer).

3. REQUIREMENTS

3.1 Materials. - Materials shall be in accordance with applicable drawings and specifications.

3.2 Parts and assemblies.- The parts and assemblies shall comply with all requirements specified on the applicable drawings and with all requirements specified on applicable specifications.

3.3 Workmanship. - All parts shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agent. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections. - The following type of inspection shall be conducted on this item.

a. Quality Conformance Inspection

4.3 First article inspection.- None required

4.4 Quality conformance inspection

4.4.1 Inspection lot formation.- Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination.- (See MIL-A-48078). Unless otherwide specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.4.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8796349
4.4.2.1	Plug, Shipping				NEXT HIGHER ASSEMBLY 9321543
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Pitch diameter of thread		0.40%	3.2	Gage
102	Major diameter of thread		0.40%	3.2	Gage
Minor					
201	Length of Hexagon		0.65%	3.2	Gage
202	Width across Hexagon		0.65%	3.2	Gage
203	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8796359
4.4.2.2	Bushing				NEXT HIGHER ASSEMBLY 9321543
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Pitch diameter of internal thread		0.40%	3.2	Gage
102	Minor diameter of internal thread		0.40%	3.2	Gage
103	Pitch diameter of external thread		0.40%	3.2	Gage
104	Major diameter of external thread		0.40%	3.2	Gage
Minor					
201	Length to flange above thread		0.65%	3.2	Gage
202	Diameter of flange		0.65%	3.2	Gage
203	Width across wrench flats		0.65%	3.2	Gage
204	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.3	Container Assembly		8796364
			NEXT HIGHER ASSEMBLY 9321543

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Inside diameter of container		0.40%	3.2	Gage
102	Thickness of container side and bottom		0.40%	3.2	Gage
103	Diameter of cover opening for bushing		0.40%	3.2	Gage
Minor					
201	Outside diameter of crimped can		0.65%	3.2	Gage
202	Height of crimped can (max)		0.65%	3.2	Gage
203	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.4	Gasket, Shipping				8796366
					NEXT HIGHER ASSEMBLY
					9321543
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Inside diameter		0.65%	3.2	Gage
202	Outside diameter		0.65%	3.2	Gage
203	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 71 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.5	Tube, Threaded		9321544
			NEXT HIGHER ASSEMBLY
			9321543

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Pitch diameter of internal thread		0.40%	3.2	Gage
102	Minor diameter of internal thread		0.40%	3.2	Gage
103	Pitch diameter of external thread		0.40%	3.2	Gage
104	Major diameter of external thread		0.40%	3.2	Gage
Minor					
201	Outside diameter of tube		0.65%	3.2	Gage
202	Length of tube		0.65%	3.2	Gage
203	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9321545
4.4.2.6	Plate, Ballast				NEXT HIGHER ASSEMBLY 9321543
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Diameter of Plate		0.40%	3.2	Gage
102	Pitch diameter of thread		0.40%	3.2	Gage
103	Minor diameter of thread		0.40%	3.2	Gage
Minor					
201	Thickness of plate		0.65%	3.2	Gage
202	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.7	Mine, Inert: M16A1 Metal Parts Assembly, (Prior to Crimping Top Cover)	1 OF 1	9321543
			NEXT HIGHER ASSEMBLY 9324631

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
.101	Ballast plate, inert filler or threaded tube missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63216 (AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.8.	Mine, Inert: M16A1 Metal Parts Assembly.		9321543
			NEXT HIGHER ASSEMBLY 9324631

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Bushing, gasket or shipping plug missing		0.40%	3.2	Visual
Minor					
201	Weight of Assembly		0.65%	3.2	Scale
202	Evidence of poor workmanship		1.00%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. - None required

4.4.4 Inspection equipment - The inspection equipment required to perform the inspections and tests prescribed in this specification is identified in the 'Paragraph/ Reference Inspection Method' column in the tables starting with paragraph 4.4.2.1. The contractor shall submit for approval, inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078, and section 6.3 herein.

5. PACKAGING

5.1 Preservation and Packaging. -

5.1.1 Level C. - Preservation and packaging shall be in accordance with Dwg. 8863609.

5.2 Packing. -

5.2.1 Level C. - The inert mine shall be packed in accordance with Dwg. 7548179.

5.3 Marking. - Marking of the cartons shall be in accordance with Dwg. 7548179.

6. NOTES

6.1 Intended use. - The inert mine covered by this specification is intended for demonstration purposes only.

6.2 Ordering data. - See MIL-A-48078

6.3 Submission of inspection equipment designs for approval. - See MIL-A-48078. Submit equipment designs as required to Commander, U.S. Army Armament Research and Development Command, ATTN: DRDAR-QAA-I, Dover, N.J. 07801.

6.4 Distribution of Ammunition Data Cards. - Distribution of data cards shall include the following: Commander, U.S. Army Armament Research and Development Command, ATTN: DRDAR-QAA-Q, Dover, New Jersey 07801.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

6.5 Drawings. - Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by, and identified as, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARRADCOM.

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project Number: 1345-A195

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE MIL-M-63216

Mine, Inert Antipersonnal M16A1 Parts for and Loading Assembling and Packing

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Armament R&D Command
ATTN: DRDAR-QAA
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:25Z
Check the source to verify that this is the current version before use.