USER ACTIVITIES:
NAVY - MC,OS,SH

REVIEWER ACTIVITIES:
AIR FORCE - 84
DLA - IS



TABLE I. DASH NUMBERS.

DASH NO	A	B	C	D	F	R	P	G	H	WEIGHT
001	1.625	.062	.062	.500	1.000	.125	.078	1.000	2.000	0

REQUIREMENTS:

1. MATERIAL. ALUMINUM ALLOY 7178, (UNS A97178) AS SPECIFIED IN QQ-A-200/19.
2. FORMING PROCESS. EXTRUDED (CODE E).
3. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14386E001

- 001 — DASH NUMBER FROM TABLE I
- E — EXTRUDED (SEE REQUIREMENT 2)
- MS14386 — BASIC MS NUMBER

4. MARKING. ALUMINUM AND ALUMINUM ALLOYS SHALL BE MARKED WITH THE PRODUCER'S NAME OR REGISTERED TRADE MARK, THE PART NUMBER (MILITARY STANDARD (MS) NUMBER PLUS THE APPLICABLE DASH NUMBER), AND THE LOT NUMBER AND THIS MARKING SHALL BE APPLIED IN ACCORDANCE WITH FED-STD-184.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. STANDARD LENGTH OF I-BEAM IS 10' MINIMUM, 12' MAXIMUM.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER REQUIREMENT DOCUMENTS REFERENCED HEREIN.

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 30 April 1984 REVISED

P. A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Other Cost AS MR 99		I BEAM ALUMINUM ALLOY 7178	MS14386
PROCUREMENT SPECIFICATION QQ-A-200	SUPERSEDES		PAGE 1 OF 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:41Z
Check the source to verify that this is the current version before use.