INCH-POUND

MIL-S-20322B
INT. AMENDMENT 1 (AR)
30 June 1990

MILITARY SPECIFICATION

STRONTIUM NITRATE, ANHYDROUS

This Interim Amendment is approved for use within the U.S. Army Armament, Munitions and Chemical Command with MIL-S-20322B dated 19 April 1973.

PAGE 5

Add the following new paragraph:

"4.4.1.1 Alternate method. Weigh about 35 mg of strontium nitrate sample to the nearest 0.01 mg and dissolve in deionized water. Dilute this to one liter in a one liter volumetric flask. The sample should be analyzed in triplicate. After setting up the Lamba 5 uv-visible spectrophotometer and calibrating it to read out in absorbance according to the nitrate method, analyze each solution of strontium nitrate in turn. Record the readings obtained. Calculate the percent strontium nitrate as follows:

$$Y = \frac{(\text{Abs of sample})}{(\text{Abs of standard})} \times \frac{(\text{mg N2 standard})}{(\text{liter})} \times \frac{(755.45)}{(W)}$$

Where:

Y = Percent strontium nitrate
Abs = Absorbance measured at 220 n.m.
W = Sample weight in milligrams

Note: 755.45 is calculated by dividing the molecular weight of strontium nitrate by the molecular weight of nitrogen (N_2) and taking that value times one hundred."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 6810 - A070)

AMSC N/A

FSC 6810

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:37Z
Check the source to verify that this is the current version before use.