MILITARY SPECIFICATION

PROJECTILE, 105MM: SMOKE, BE, M84E1
METAL PARTS ASSEMBLY

This amendment forms a part of Military Specification MIL-P-14839(MU) dated 9 February 1968.

Paragraph 3.2 Line 2 delete "projectile body" and substitute "any component part"

Paragraph 3.3.1 Line 1 delete "Projectile body.-" and substitute "Body and base plug.-"
Line 2 delete "throughout the projectile body".

Paragraph 4.3.3.1.2.5 Add the following new paragraph:
"4.3.3.1.2.5 Base plug.-Two base plugs from each lot shall be subjected to the tension test to determine compliance with the mechanical properties requirements of the applicable drawing. Failure of any tension test specimen to comply with the requirements for yield strength, tensile strength or elongation shall be cause for rejection of the lot."

Paragraph 4.4.1.2.3 Add the following new paragraph:
"4.4.1.2.3 Base plug.-From each sample supplied in accordance with 4.3.3.1.2.5. One tension test specimen conforming to the largest obtainable "R" type specimen as prescribed by Federal Test Method Standard No. 151 shall be taken from the center of the base. The criteria for determining yield strength, tensile strength and elongation shall be as prescribed by Federal Test Method Standard No. 151. Yield strength shall be determined by the offset method using 1% offset (0.001 inch per inch of gage length)."

Custodian

Army - MU

Preparing activity

Army - MU

Project No. 1315-A702

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T04:53Z
Check the source to verify that this is the current version before use.