INCH-POUND
MIL-PRF-423F
22 January 1996
SUPERSEDING
MIL-R-423E
18 August 1989

PERFORMANCE SPECIFICATION

RIPPING TOOLS, METAL DRUM PAVING BREAKER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers ripping tools used with a lightweight paving breaker for opening metal drums.

1.2 Classification. The ripping tools are of the following types, as specified (see 6.2):

Type I	- For cutting out heads of metal drums.
Type II	- For splitting metal drums lengthwise.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements documents cited in sections 3 and 4 of this specification, whether or not they are listed.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U. S. Army Tank-automotive and Armaments Command. ATTN: AMSTA-TR-E/BLUE, Warren. MI 48397-5000, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter

AMSC N/A FSC 3820

DISTRIBUTION STATEMENT A. Approved for public release distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.

2.2 Government documents.

2.2.1 Specifications. standards. and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

DEPARTMENT OF DEFENSE

MIL-B-385 - Breakers, Paving, Pneumatic-Powered (7/8-Inch Hexagon by 2-3/4-Inch Chuck and 7/8-Inch Hexagon by 3-1/4-Inch Chuck).

(Unless otherwise indicated, copies of the above specifications, standards, and handbooks are available from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

2.2.2 Other Government documents, drawings, and publications. The following other Government document forms a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation (see 6.2).

CODE OF FEDERAL REGULATIONS

40 CFR 162.1 - Protection of Environment.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402).

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DoDISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DoDISS are the issues of the documents cited in the solicitation (see 6.2).

AMERICAN SOCIETY FOR QUALITY CONTROL (ASQC)

ASOC Z1.4 - Sampling Procedures and Tables for Inspection by Attributes (DoD) Adopted).

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:24Z
Check the source to verify that this is the current version before use.

(Application for copies should be addressed to American Society for Quality Control, P.O. Box 305,611 East Wisconsin Avenue, Milwaukee, WI 53202 -4606.)

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI Y14.5 - Dimensioning and Tolerancing.

(Application for copies should be addressed to American National Standards Institute, 11 West 42nd Street, New York, NY 10036.)

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM A686 - Specification for Tool Steel, Carbon (DoD adopted).
ASTME18 - Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials (DoD adopted).

(Copies of ASTM publications maybe obtained from the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

SOCIETY OF AUTOMOTIVE ENGINEERS (SAE)

SAE J437 - Selection and Heat Treatment of Tool and Die Steels.

(Application for copies should be addressed to the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, PA 15096).

2.4 Order of precedence. In the event of a conflict between the text of this specification and the reference cited herein, the text of this specification takes precedence. Nothing in this specification, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 6.3) in accordance with 4.2.

3.2 Materials. Materials used shall be in accordance with the manufacturer's materials specifications for ripping tools. Steel, when used, shall be forged steel as specified in ASTM A686. The ripping tools shall be fabricated from compatible materials, inherently corrosion resistant of treated to provide life protection against the various forms of corrosion and

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.

deterioration that may be encountered in any of the applicable operating and storage environments to which the ripping tools maybe exposed. Asbestos, cadmium, and radioactive materials shall not be used in this item. Radioactive material is defined by:

a. Title 10, Code of Federal Regulations, Part 40.
b. Other radioactive material in which the radioactivity is greater than 0.002 microcuries per gram or 0.01 microcuries total activity for the items (see 4.4.1).

3.2.1 Dissimilar metals. Dissimilar metals shall not be used in intimate contact with each other unless protected against galvanic corrosion (see 4.4.2).

3.2.2 Identification of materials and finishes. The contractor shall identify the specific material, material finish or treatment for use with component and subcomponent, and shall make information available upon request to the contracting officer or designated representative (see 4.4.1 and 4.4.2),

3.2.3 Heat treatment. After forging, the ripping tools shall be normalized, hardened and tempered. The hardness shall be not less than Rockwell C50 when tested as specified in 4.4.4. The heat treatment shall be as specified in SAE J437.

3.2.4 Recycled. recovered. or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the materials meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

3.3 Design and construction. The ripping tools shall be as shown in figure 1 for cutting out heads from metal drums, as shown in figure 2 for splitting metal drums lengthwise, and as specified herein. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. The ripping tools are for use with paving breakers as specified in MIL-B-385 (see 4.4.1 and 4.4.2).

3.4 Performance. The ripping tools shall not be susceptible to damage, wear, or scoring, when subjected to the battering force of a paving breaker when tested as specified in 4.4.3.

3.5 Finish. The finished ripping tools shall have a natural metal surface (see 4.4.2).

3.6 Identification marking. Identification marking shall include, as a minimum the following information permanently marked on the exterior of the ripping tools (see 4.4.2).

a. Ripping tool
b. Manufacturer’s serial number
c Manufacturer’s brand or firm name. or code number

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:24Z
Check the source to verify that this is the current version before use.

d. Type number
e. Date of manufacture (quarter and year)
f. Contract or order number
g. US.

3.7 Government-loaned property. Unless otherwise specified (see 6.2), the following property in the quantities indicated will be loaned by the Government (see 6.5).

Item	Description	Identification	Quantity
1	Breaker paving · pneumatic power	MIL-B-385	1

3.8 Workmanship. The ripping tools shall be free of defects such as rust, cracks, and other defects that could impair their operation or serviceability (see 4.4.2).

4. VERIFICATION

4.1 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.2).
b. Conformance inspection (see 4.3).

4.2 First article inspection.

4.2.1 First article examination. The first article ripping tool shall be examined as specified in table I, as applicable. Presence of one or more defects shall be cause for rejection.

TABLE I. Examination schedule.

Category	Defect	Method of examination
Major:		
101	Material deterioration and control not as specified (see 3.2).	Visual
102	Dissimilar metals not as specified (see 3.2.1).	Visual
103	Identification of materials not as specified (see 3.2.2).	Visual
104	Heat treatment not as specified (see 3.2.3).	Functional
105	Dimensions and tolerances not as specified (see 3.3).	SIE 1/
106	Workmanship not as specified (see 3.8)	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.

TABLE I. Examination schedule - Continued.

Category	Defect	Method of examination
Minor:		
201	Finish not as specified (see 3 .5).	Visual
202	Identification marking not as specified (see 3.6).	Visual

1/ SIE = Standard Inspection Equipment

4.2.2 First article tests. The first article ripping tool shall be tested as specified in table II.

TABLE II. Test schedule.

Requirement	Test	First article inspection	Conformance inspection
Heat treatment (see 3.2.3)	4.4.4	x	x
Performance (see 3.4)	4.4.3	x	x

4.3 Conformance inspection.

4.3.1 Lot. A lot shall consist of ripping tools of one type only.

4.3.2 Sampling. Sample size for examination and tests shall be determined in accordance with ASQC Z1.4. A lot shall be accepted when zero defects are found and rejected when one or more defects are found.

4.3.3 Examination. Samples selected as specified in 4.3.2 shall be examined for the defects specified in table I, as applicable.

4.3.4 Tests. Samples selected as specified in 4.3.2 shall be tested as specified in table II.

4.4 Methods of inspection.

4.4.1 Materials and design inspection. Conformance to 3.2, 3.2.2 and 3.3 shall be determined by inspection of contractor records providing proof or certification that materials and design conform to requirements. Applicable records shall include drawings, specifications, design data, receiving inspection records, processing and quality control standards, vendor catalogs and certifications, industry standards, test reports, and rating data.

4.4.2 Defects. Conformance to 3.2.1, 3.2.2, 3.3, 3.5, 3.6 and 3.8 shall be determined by examination for the defects listed in table I. Examination shall be visual, functional, or by measurement will SIE.

Source: https://assist.dla.mil -- Downloaded: 202610-16T07:24Z
Check the source to verify that this is the current version before use.

4.4.3 Performance tests. Conformance to 3.4 shall be determined by using the ripping tool for a period of 30 minutes in conjunction with the paving breaker conforming to MIL-B-385, for its intended purpose (see 1.2), to determine that there is no damage, wearing or scoring of the ripper tool. The ripper tool shall be disassembled and checked for damage, wear, or scoring. Parts showing damage, wear or scoring shall constitute failure of this test.

4.4.4 Heat treatment test. The ripping tools shall be prepared and tested as specified in ASTM E18. Impressions shall be taken at each 2-inch (5 centimeters (cm)) interval along the length of the ripping tool, beginning as near to the cutting end as practicable. Nonconformance to 3.2.3 shall constitute failure of this test.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When actual packaging of materiel is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature which maybe helpful, but is not mandatory.)

6.1 Intended use. The ripping tools are intended for use with paving breakers as specified in MIL-B-385 to open metal drums.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Type required (see 1.2).
c. Issue of DoDISS to be cited in the solicitation and if required, the specific issue of individual documents referenced (see 2.2.1, 2.2.2 and 2.3).
d. If first article inspection is required, and time frame for submission of samples (see 3.1).
e. If the Government will loan property other than as specified in 3.7.
f. Packaging requirements (see 5.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.

6.3 First article. When a first article inspection is required, the item should be a preproduction model. The first article should consist of one or more units. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations, approval of the first article test results and disposition of the first article. Invitation for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract. Bidders should not submit alternate bids unless specifically requested to do so in the solicitation.

6.4 Provisioning. The contracting officer should include provisioning requirements for repair parts, as necessary, and instruction on shipment of ripping tools.

6.5 Government loaned property. The contracting officer should arrange to lend the property listed in 3.7.

6.6 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

6.7 Subject term (key word) listing.

Cutting
Lightweight
Opening
Pneumatic-powered
Splitting

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.




FIGURE 1. Type I (tool for cutting out heads from metal drums).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.




FIGURE 2. Type II (tool for splitting metal drums lengthwise).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-PRF-423F	960122

3. DOCUMENT TITLE

Ripping Tools, Metal Drum, Paving Breaker

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON
	(810) 574-8745	786-8745
c. ADDRESS (Include Zip Code) Commander U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-E/BLUE Warren, MI 48397-5000	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 Previous editions are obsolete. 38790

Source: https://assist.dla.mil - Downloaded: 2026-10-16T07:24Z
Check the source to verify that this is the current version before use.