MILITARY SPECIFICATION

STEEL BAR FOR PROJECTILE STOCK

This amendment forms a part of Military Specification MIL-S-46070(MU), 12 February 1968, and is mandatory for use by all Departments and Agencies of the Department of Defense.

Page 3, para 3.6.1.1, insert in the second line after the word "conditions," the words "including refractory materials."

Page 3, para 3.6.1.2, insert in the second line after the word "condition," the words "including refractory materials."

Page 3, para 3.6.2, delete and substitute the following:

"3.6.2 Magnetic.-Finished bars shall be free of cracks, seams, folds, laps, scabs, or slivers which extend to a depth greater than 0.020 inch below the surface of the bar, except on bars over 1¼ inches in diameter where defects shall be limited to 0.001 inch in depth per 1/16 inch in bar diameter."

Page 7, para 4.5.4.2, delete and substitute the following:

"4.5.4.2 Magnetic.-The test system shall incorporate scanning rotation, an indicating or rejection device and shall operate at a frequency not exceeding 75 kilohertz (kHz). The rejection standard for calibration control shall have slots 1.250 inches maximum in length, 0.010 inch maximum in width and 0.018 inch maximum in depth."

Page 7, add the following paragraph:

"4.6 Magnetic inspection system.-The electromagnetic inspection system utilized shall conform to the requirements set forth in this specification. A description of the inspection equipment and operating procedures shall be supplied to the cognizant technical agency (see 6.5) for review and retention. Inadequacies in the system shall be corrected as specified by the Government. The system shall be subject to inspection at the convenience of the Government."

Page 9, add the following paragraph:

"6.5 Magnetic inspection system review.-Submission of inspection procedures to establish compliance with 4.6 may be made by potential suppliers of steel bar by mailing to Commanding Officer, Frankford Arsenal, ATTN: SMUFA-Q3000, Philadelphia, Pa. 19137."

Custodian:

Army - MU

Preparing Activity:

Army - MU

Project No. 9510-A012

FSC 9510

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:46Z
Check the source to verify that this is the current version before use.