

Thickness: **1.6MM** Finished Outer Copper: **10Z** Inner Copper: **10Z** Inner layer Residual copper ratio: **30%**

		Layer	Material	Thickness (mm)	Thickness after lamination(mm)
	L1-CU		Outer Base Copper 0.5OZ	0.0175	0.0175 (Plating to 1OZ)
	PP		7628 RC46% DK:4.74	0.1960	0.1715
	L2-CU	CORE	Inner Copper 1OZ	0.0350	1.1 (Core with Cu)
	L3-CU		Core DK:4.6	1.0300	
	PP		Inner Copper 1OZ	0.0350	
	L4-CU		7628 RC46% DK:4.74	0.1960	0.1715
			Outer Base Copper 0.5OZ	0.0175	0.0175 (Plating to 1OZ)