Onsager Documentation

Release 0.9

Dallas R. Trinkle

CONTENTS

1	Onsager	3
2	References	5
3	Contributors	7
4	Support	9
5	Indices and tables	21
Рy	thon Module Index	23
Index		25

Contents:

CONTENTS 1

2 CONTENTS

ONE

ONSAGER

Documentation now available at the [Onsager github page](http://dallastrinkle.github.io/Onsager/). Please cite as [![DOI](https://zenodo.org/badge/14172/DallasTrinkle/Onsager.svg){]}(https://zenodo.org/badge/latestdoi/14172/DallasTrinkle/Onsager)

The Onsager package provides routines for the general calculation of transport coefficients in vacancy-mediated diffusion and interstitial diffusion. It does this using a Green function approach, combined with point group symmetry reduction for maximum efficiency.

Typical usage looks like:

```
#!/usr/bin/env python

from onsager import crystal
from onsager import OnsagerCalc
...
```

Many of the subpackages within Onsager are support for the main attraction, which is in OnsagerCalc. Interstitial calculation examples are avaliable in *bin*, including three YAML input files, as well as a interstitial diffuser. An example of vacancy-mediated diffusion is shown in *bin/fivefreq.py*, which computes the well-known five-frequency model for substitutional solute transport in an FCC lattice.

The tests for the package are include in *test*; *tests.py* will run all of the tests in the directory with verbosity level 2. This can be time-consuming (on the order of several of minutes) to run all tests; coverage is currently >90%.

The code uses YAML files for input/output of diffusion data for the interstitial calculator. The vacancy-mediated calculator requires much more data, and uses HDF5 format to save/reload as needed. The vacancy-mediated calculator uses tags (unique human-readable-ish strings) to identify all (symmetry-unique) vacancy, solute, and complex states, and transitions between them.

Release 0.9: Full release of Interstitial calculator, along with theory paper (see References below).

TWO

REFERENCES

• 4. (a) Trinkle, "Diffusivity and derivatives for interstitial solutes: Activation energy, volume, and elastodiffusion tensors." [arXiv:](http://arxiv.org/abs/)

THREE

CONTRIBUTORS

- Dallas R. Trinkle, initial design, derivation, and implementation.
- Ravi Agarwal, testing of HCP interstitial calculations; testing of HCP vacancy-mediated diffusion calculations
- Abhinav Jain, testing of HCP vacancy-mediated diffusion calculations.

Thanks to discussions with Maylise Nastar (CEA, Saclay), Thomas Garnier (CEA, Saclay and UIUC), Thomas Schuler (CEA, Saclay), and Pascal Bellon (UIUC).

FOUR

SUPPORT

This work has been supported in part by

- DOE/BES grant DE-FG02-05ER46217,
- ONR grant N000141210752,
- NSF/CDSE grant 1411106.
- 4. (a) Trinkle began the theoretical work for this code during the long program on Material Defects at the [Institute for Pure and Applied Mathematics](https://www.ipam.ucla.edu/) at UCLA, Fall 2012, which is supported by the National Science Foundation.

Crystal: Crystal class

Class to store definition of a crystal, along with some analysis 1. geometric analysis (nearest neighbor displacements) 2. space group operations 3. point group operations for each basis position 4. Wyckoff position generation (for interstitials)

crystal.CombineTensorBasis (b1, b2, symmetric=True)

Combines (intersects) two tensor spaces into one; uses SVD to compute null space.

Parameters

- **b1** list of tensors
- **b2** list of tensors

Returns list of tensors

crystal.CombineVectorBasis (b1, b2)

Combines (intersects) two vector spaces into one.

Parameters

- **b1** (dim, vect) dimensionality (0..3), vector defining line direction (1) or plane normal (2)
- **b2** (dim, vect)

Returns (dim, vect)

class crystal.Crystal (lattice, basis, chemistry=None, NOSYM=False, noreduce=False)

A class that defines a crystal, as well as the symmetry analysis that goes along with it.

classmethod BCC (a0, chemistry=None)

Create a body-centered cubic crystal with lattice constant a0

Parameters a0 - lattice constant

Returns BCC crystal

classmethod FCC (a0, chemistry=None)

Create a face-centered cubic crystal with lattice constant a0

Parameters a0 – lattice constant

Returns FCC crystal

FullVectorBasis (chem=None)

Generate our full vector basis, using the information from our crystal

Parameters chem - (optional) chemical index to consider; otherwise return a list of such

Returns (list) of our unique vector basis lattice functions, normalized; each is an array

Returns (list) of ouf VV "outer" expansion

classmethod HCP (a0, c_a=1.6329931618554521, chemistry=None)

Create a hexagonal closed packed crystal with lattice constant a0, c/a ratio c_a

Parameters

- a0 lattice constant
- c_a c/a ratio

Returns HCP crystal

SymmTensorBasis (ind)

Generates the symmetric tensor basis corresponding to an atomic site

Parameters ind – tuple index for atom

Returns (dim, vect) – dimension of basis, vector = normal for plane, direction for line

VectorBasis (ind)

Generates the vector basis corresponding to an atomic site

Parameters ind – tuple index for atom

Returns (dim, vect) – dimension of basis, vector = normal for plane, direction for line

Wyckoffpos (uvec)

Generates all the equivalent Wyckoff positions for a unit cell vector.

Parameters uvec – 3-vector (float) vector in direct coordinates

Returns list of equivalent Wyckoff positions

addbasis (basis, chemistry=None)

Returns a new Crystal object that contains additional sites (assumed to be new chemistry). This is intended to "add in" interstitial sites. Note: if the symmetry is to be maintained, should be the output from Wyckoffpos().

Parameters basis – list (or list of lists) of new sites

Paran chemistry (optional) list of chemistry names

Returns new Crystal object, with additional sites

calcmetric()

Computes the volume of the cell and the metric tensor

Returns volume, metric tensor

cart2pos(v)

10

Return the lattvec and index corresponding to an atomic position in cartesian coord.

Parameters \mathbf{v} – 3-vector (float) position in Cartesian coordinates

Returns 3-vector (integer) lattice vector in direct coordinates, index tuple of corresponding atom. Returns None on tuple if no match

cart2unit(v)

Return the lattvec and unit cell coord. corresponding to a position in cartesian coord.

Parameters \mathbf{v} – 3-vector (float) position in Cartesian coordinates

Returns 3-vector (integer) lattice vector in direct coordinates, 3-vector (float) inside unit cell

center()

Center the atoms in the cell if there is an inversion operation present.

chemindex (chemistry)

Return index corresponding to chemistry; None if not present.

Parameters chemistry - value to check

Returns index corresponding to chemistry

classmethod fromdict (yamldict)

Creates a Crystal object from a YAML-created dictionary

Parameters yamldict - dictionary; must contain 'lattice' (using row vectors!) and 'basis';

can contain optional 'lattice_constant' :return: Crystal(lattice.T, basis)

fullkptmesh (Nmesh)

Creates a k-point mesh of density given by Nmesh; does not symmetrize but does put the k-points inside the BZ. Does not return any *weights* as every point is equally weighted.

Parameters Nmesh – mesh divisions Nmesh[0] x Nmesh[1] x Nmesh[2]

Return kpt array[Nkpt][3] of kpoints

$g_cart(g, x)$

Apply a space group operation to a (Cartesian) vector position

Parameters

- **g** group operation (GroupOp)
- \mathbf{x} 3-vector position in space

Returns 3-vector position in space (Cartesian coordinates)

$static g_direc(g, direc)$

Apply a space group operation to a direction

Parameters

- **q** group operation (GroupOp)
- direc 3-vector direction

Returns 3-vector direction

g_direc_equivalent (d1, d2, threshold=1e-08)

Tells us if two directions are equivalent by according to the space group

Parameters

- **d1** direction one (array[3])
- **d2** direction two (array[3])
- threshold threshold for equality

Returns True if equivalent by a point group operation

```
g_pos (g, lattvec, ind)
```

Apply a space group operation to an atom position specified by its lattice and index

Parameters

- **g** group operation (GroupOp)
- **lattvec** 3-vector (integer) lattice vector in direct coordinates
- ind two-tuple index specifying the atom: (atomtype, atomindex)

Returns 3-vector (integer) lattice vector in direct coordinates, index

static g_tensor (g, tensor)

Apply a space group operation to a 2nd-rank tensor

Parameters

- **g** group operation (GroupOp)
- tensor 2nd-rank tensor

Returns 2nd-rank tensor

static g_vect (g, lattvec, uvec)

Apply a space group operation to a vector position specified by its lattice and a location in the unit cell in direct coordinates

Parameters

- **g** group operation (GroupOp)
- lattvec 3-vector (integer) lattice vector in direct coordinates
- **uvec** 3-vector (float) vector in direct coordinates

Returns 3-vector (integer) lattice vector in direct coordinates, location in unit cell in direct coordinates

genBZG()

Generates the reciprocal lattice G points that define the Brillouin zone.

Returns array of G vectors that define the BZ, in Cartesian coordinates

genWyckoffsets()

Generate our Wykcoff sets.

Returns set of sets of tuples of positions that correspond to identical Wyckoff positions

gengroup()

Generate all of the space group operations.

Returns list of group operations

genpoint()

Generate our point group indices. Done with crazy list comprehension due to the structure of our basis.

Returns list of sets of point group operations that leave a site unchanged

```
inBZ (vec, BZG=None, threshold=1e-05)
```

Tells us if vec is inside our set of defining points.

Parameters

• vec – array [3], vector to be tested

- BGZ array [:,3], optional (default = self.BZG), array of vectors that define the BZ
- threshold double, optional, threshold to use for "equality"

Returns False if outside the BZ, True otherwise

jumpnetwork (chem, cutoff, closestdistance=0)

Generate the full jump network for a specific chemical index, out to a cutoff. Organized by symmetry-unique transitions. Note that i->j and j->i are always related to one-another, but by equivalence of transition state, not symmetry. Now updated with closest-distance parameter.

Parameters

- chem index corresponding to the chemistry to consider
- cutoff distance cutoff
- closestdistance closest distance allowed in transition (can be a list)

Returns list of symmetry-unique transitions; each is a list of tuples: ((i,j), dx) corresponding to jump from i->j with vector dx

jumpnetwork2lattice(chem, jumpnetwork)

Convert a "standard" jumpnetwork (that specifies displacement vectors dx) into a lattice representation, where we replace dx with the lattice vector from i to j.

Parameters

- chem index corresponding to the chemistry to consider
- jumpnetwork list of symmetry-unique transitions; each is a list of tuples: ((i,j), dx) corresponding to jump from i->j with vector dx

Returns list of symmetry-unique transitions; each is a list of tuples: ((i,j), R) corresponding to jump from i in unit cell $0 \rightarrow j$ in unit cell R

minlattice()

Try to find the optimal lattice vector definition for a crystal. Our definition of optimal is (a) length of each lattice vector is minimal; (b) the vectors are ordered from shortest to longest; (c) the vectors have minimal dot product; (d) the basis is right-handed.

Works recursively.

nnlist (ind, cutoff)

Generate the nearest neighbor list for a given cutoff. Only consider neighbor vectors for atoms of the same type. Returns a list of cartesian vectors.

Parameters

- ind tuple index for atom
- cutoff distance cutoff

Returns list of nearest neighbor vectors

pos2cart (lattvec, ind)

Return the cartesian coordinates of an atom specified by its lattice and index

Parameters

- lattvec 3-vector (integer) lattice vector in direct coordinates
- ind two-tuple index specifying the atom: (atomtype, atomindex)

Returns 3-vector (float) in Cartesian coordinates

```
reduce (threshold=1e-08)
```

Reduces the lattice and basis, if needed. Works (tail) recursively.

reducekptmesh (kptfull, threshold=1e-08)

Takes a fully expanded mesh, and reduces it by symmetry. Assumes every point is equally weighted. We would need a different (more complicated) algorithm if not true...

Parameters

- kptfull array[Nkpt][3] of kpoints
- threshold threshold for symmetry equality

Return kptsymm array[Nsymm][3] of kpoints

Return weight array[Nsymm] of weights (integrates to 1)

remapbasis (supercell)

Takes the basis definition, and using a supercell definition, returns a new basis

Parameters supercell – integer array[3,3]

Returns atomic basis

```
simpleYAML (a0=1.0)
```

Creates a simplified YAML dump, in case we don't want to output the full symmetry analysis

Returns YAML dump

```
sitelist(chem)
```

Return a list of lists of Wyckoff-related sites for a given chemistry. Done with a single list comprehension—useful as input for diffusion calculation

Parameters chem – index corresponding to chemistry to consider

Returns list of lists of indices that are equivalent by symmetry

$\mathtt{strain}\,(eps)$

Returns a new Crystal object that is a strained version of the current.

Parameters eps - strain tensor

Returns new Crystal object, strained

unit2cart (lattvec, uvec)

Return the cartesian coordinates of a position specified by its lattice and unit cell coordinates

Parameters

- lattvec 3-vector (integer) lattice vector in direct coordinates
- uvec 3-vector (float) unit cell vector in direct coordinates

Returns 3-vector (float) in Cartesian coordinates

static vectlist (vb)

Returns a list of orthonormal vectors corresponding to our vector basis.

Parameters vb – (dim, v)

Returns list of vectors

class crystal.GroupOp

A class corresponding to a group operation. Based on namedtuple, so it is immutable.

Intended to be used in combination with Crystal, we have a few operations that can be defined out-of-the-box.

Parameters

14

- rot np.array(3,3) integer idempotent matrix
- trans np.array(3) real vector
- cartrot np.array(3,3) real unitary matrix
- indexmap list of list, containing the atom mapping

static GroupOp constructor (loader, node)

Construct a GroupOp from YAML

static GroupOp_representer (dumper, data)

Output a GroupOp

eigen()

Returns the type of group operation (single integer) and eigenvectors. 1 = identity 2, 3, 4, 6 = n-fold rotation around an axis negative = rotation + mirror operation, perpendicular to axis "special cases": -1 = mirror, -2 = inversion

eigenvect[0] = axis of rotation / mirror eigenvect[1], eigenvect[2] = orthonormal vectors to define the plane giving a right-handed coordinate system and where rotation around [0] is positive, and the positive imaginary eigenvector for the complex eigenvalue is [1] + i[2].

Returns type (integer)

Returns list of [ev0, ev1, ev2]

classmethod ident (basis)

Return a group operation corresponding to identity for a given basis

incell(

Return a version of groupop where the translation is in the unit cell

inhalf()

Return a version of groupop where the translation is in the centered unit cell

inv()

Construct and return the inverse of the group operation

crystal.ProjectTensorBasis (tensor, basis)

Given a tensor, project it onto the basis.

Parameters

- tensor tensor
- basis list consisting of an orthonormal basis

Returns tensor, projected

crystal.SymmTensorBasis (rottype, eigenvect)

Returns a symmetric second-rank tensor basis corresponding to the optype and eigenvectors for a GroupOp

Parameters

- rottype output from eigen()
- eigenvect eigenvectors

Returns list of 2nd-rank symmetric tensors making up the basis

crystal.VectorBasis (rottype, eigenvect)

Returns a vector basis corresponding to the optype and eigenvectors for a GroupOp

Parameters

• rottype – output from eigen()

• eigenvect - eigenvectors

Returns (dim, vect) – dimensionality (0..3), vector defining line direction (1) or plane normal (2)

```
crystal. Voigtstrain (e1, e2, e3, e4, e5, e6)
```

Returns a symmetric strain tensor from the Voigt reduced strain values.

Parameters

- e1 xx
- **e2** yy
- e3 zz
- e4 yz + zx
- e5 zx + xz
- e6 xy + yx

Returns symmetric strain tensor

crystal.incell(vec)

Returns the vector inside the unit cell (in [0,1)**3)

Parameters vec – 3-vector (unit coord)

Returns 3-vector

crystal.inhalf(vec)

Returns the vector inside the centered cell (in [-0.5,0.5)**3)

Parameters vec – 3-vector (unit coord)

Returns 3-vector

crystal.maptranslation (oldpos, newpos, threshold=1e-08)

Given a list of transformed positions, identify if there's a translation vector that maps from the current positions to the new position.

Parameters

- oldpos list of list of array[3]
- **newpos** list of list of array[3], same layout as oldpos

Returns translation (array[3]), mapping (list of list of indices)

The mapping specifies the index that the *translated* atom corresponds to in the original position set. If unable to construct a mapping, the mapping return is None; the translation vector will be meaningless.

```
crystal.ndarray_representer(dumper, data)
```

Output a numpy array

CrystalStars:

PowerExpansion: Power expansion class

Class to store and manipulate 3-dimensional Taylor (power) expansions of functions Particularly useful for inverting the FT of the evolution matrix, and subtracting off analytically calculated IFT for the Green function.

Really designed to get used by other code.

```
class PowerExpansion.Taylor3D (coefflist=[], Lmax=4, nodeepcopy=False)
```

Class that stores a Taylor expansion of a function in 3D, and defines some arithmetic

addhdf5 (HDF5group)

Adds an HDF5 representation of object into an HDF5group (needs to already exist).

Example: if f is an open HDF5, then T3D.addhdf5(f.create_group('T3D')) will

1. create the group named 'T3D', and then (2) put the T3D representation in that group.

Parameters HDF5group - HDF5 group

addterms (coefflist)

Add additional coefficients into our object. No type checking. Only works if terms are completely non-overlapping (otherwise, need to use sum). :param coefflist: list((n, lmax, powexpansion))

classmethod checkinternalsHDF5 (HDF5group)

Reads the power expansion internals into an HDF5group, and performs sanity check :param HDF5group:

classmethod coeffproductcoeff (a, b)

Takes a direction expansion a and b, and returns the product expansion. :param a, b = list((n, lmax, powexpansion)):

written as a series of coefficients; n defines the magnitude function, which is additive; lmax is the largest cumulative power of coefficients, and powexpansion is a numpy array that can multiplied. We assume that a and b have consistent shapes throughout—we *do not test this*; runtime will likely fail if not true. The entries in the list are *tuples* of n, lmax, pow

Return c = list((n, lmax, powexpansion)) product of a and b

classmethod collectcoeff (*a*, *inplace=False*, *atol=1e-10*)

Collects coefficients: sums up all the common n values. Best to be done *after* reduce is called. :param a = list((n, lmax, powexpansion): expansion of function in powers :param inplace: modify a in place? :return coefflist: a

classmethod constructexpansion (basis, N=-1, pre=None)

Takes a "basis" for constructing an expansion – list of vectors and matrices – and constructs the expansions up to power N (default = Lmax) Takes a direction expansion a and b, and returns the sum of the expansions. :param basis = list((coeffmatrix, vect)): expansions to create;

sum(coeffmatrix * (vect*q)^n), for powers n = 0..N

Parameters

- N maximum power to consider; for N=-1, use Lmax
- pre list of prefactors, defining the Taylor expansion. Default = 1

:returns list((n, lmax, powexpansion)), ... [our expansion, as input to create] Taylor3D objects

copy()

Returns a copy of the current expansion

dumpinternalsHDF5(HDF5group)

Adds the initialized power expansion internals into an HDF5group–should be stored for a sanity check :param HDF5group:

ildot(c)

Computes c.self in place

inv(Nmax=0)

Return the inverse of the expansion, up to order Nmax :param Nmax: maximum order in the inverse expansion :return: Taylor series of inverse

classmethod inversecoeff (a, Nmax=0)

Takes a direction expansion , and returns the inversion expansion (approximated based on the Taylor expansion of $1/(1-x) = \text{sum}_i = 0^{\text{infinity}} x^{\text{i}}$, or $(A + B)^{\text{-}1} = ((1+BA^{\text{-}1})A)^{\text{-}1} = A^{\text{-}1}(1-(-BA^{\text{-}1}))^{\text{-}1} = A^{\text{-}1} \text{ sum}_i = 0 (-BA^{\text{-}1})^{\text{n}}$; param a = list((n, lmax, powexpansion)):

written as a series of coefficients; n defines the magnitude function, which is additive; lmax is the largest cumulative power of coefficients, and powexpansion is a numpy array that can multiplied. We assume that a and b have consistent shapes throughout—we *do not test this*; runtime will likely fail if not true. The entries in the list are *tuples* of n, lmax, pow

Parameters Nmax – maximum remaining n value in expansion. Default value of 0 means up to a discontinuity correction in an inversion, but higher (or lower) values are possible.

Return c = list((n, lmax, powexpansion)) inverse of a

NOTE: assumes SMALLEST n coefficient is the leading order; only works if that coefficient is also isotropic (l=0). Otherwise, raises an error

NOTE: there is no sanity check on whether Nmax is reasonable given the expansion and Lmax values; caveat emptor

irdot(c)

Computes self.c in place

irotate(powtrans)

Rotate in place. :param powtrans: Npow x Npow matrix, of [oldpow,newpow] corresponding to the rotation :return: self

1dot (*c*)

Returns c.self

classmethod loadhdf5 (HDF5group)

Creates a new T3D from an HDF5 group: param HDFgroup: HDF5 group :return: new T3D object

classmethod makeLprojections()

Constructs a series of projection matrices for each l component in our power series :return: projL[l][p][p']

projection of powers containing *only* l component. -1 component = sum(l=0..Lmax, projL[l]) = simplification projection

classmethod makeYlmpow()

Construct the expansion of the Ylm's in powers of x,y,z. Done via brute force. :return Ylmpow[lm, p]: expansion of each Ylm in powers

classmethod makedirectmult()

Return direcmult[p][p'] index that corresponds to the multiplication of power indices p and p'

static makeindexPowerYlm (Lmax)

Analyzes the spherical harmonics and powers for a given Lmax; returns a series of index functions. :param Lmax: maximum l value to consider; equal to the sum of powers :return NYlm: number of Ylm coefficients :return Npower: number of power coefficients :return pow2ind[n1][n2][n3]: powers to index :return ind2pow[n]: powers for a given index :return Ylm2ind[l][m]: (l,m) to index :return ind2Ylm[lm]: (l,m) for a given index :return powlrange[l]: upper limit of power indices for a given l value; note: [-1] = 0

classmethod makepowYlm()

Construct the expansion of the powers in Ylm's. Done using recursion relations instead of direct calculation. Note: an alternative approach would be Gaussian quadrature. :return powYlm[p][lm]: expansion of powers in Ylm; uses indexing scheme above

classmethod makepowercoeff()

Make our power coefficients for our construct expansion method :return powercoeff[n][p]: vector we multiply by our power expansion to get the n'th coefficients

classmethod negcoeff (a)

Negates a coefficient expansion a :param a = list((n, lmax, powexpansion)): expansion of function in powers :return coefflist: -a

nl()

Returns a list of (n,l) pairs in the coefflist :return nl list: all of the (n,l) pairs that are present in our coefflist

classmethod powexp (u, normalize=True)

Given a vector u, normalize it and return the power expansion of uvec :param u[3]: vector to apply :param normalize: do we normalize u first? :return upow[Npower]: ux uy uz products of powers :return umagn: magnitude of u (if normalized)

rdot(c)

Returns self.c

reduce()

Reduce the coefficients: eliminate any n that has zero coefficients, collect all of the same values of n together. Done in place.

classmethod reducecoeff (a, inplace=False, atol=1e-10)

Projects coefficients through Ylm space, then eliminates any zero contributions (including possible reduction in l values, too). :param a = list((n, lmax, powexpansion): expansion of function in powers :param inplace: modify a in place? :return coefflist: a

rotate (powtrans)

Return a rotated version of the expansion. :param powtrans: Npow x Npow matrix, of [oldpow,newpow] corresponding to the rotation :return: coefficient list, rotated

classmethod rotatecoeff (a, npowtrans, inplace=False)

Return a rotated version of the expansion. Needs to use pad to work with reduced representations. :param a: coefficient list :param npowtrans: Lmax+1 x Npow x Npow matrix, of [n,oldpow,newpow] corresponding to the rotation :return: coefficient list, rotated

classmethod rotatedirections (qptrans)

Takes a transformation matrix qptrans, where $q[i] = \text{sum_j}$ qptrans[i][j] p[j], and returns the Npow x Npow transformation matrix for the new components in terms of the old. NOTE: This is more complex than one might first realize. If we only work with cases where all of the entries for a given power n have those same n (that is, not reduced), then this is straightforward. However, we run into problems with *reductions*: e.g., for n=2, the power x^0 y^0 z^0 is, in reality, x^2+y^2+z^2, and hence *it must be transformed* because we allow non-orthogonal transformation matrices. :param qptrans: 3x3 matrix :return: Lmax +1 x Npow x Npow transformation matrix [n][original pow][new pow] for each n from 0 up to Lmax

classmethod scalarproductcoeff (c, a, inplace=False)

Multiplies an coefficient expansion a by a scalar c :param c: scalar or dictionary mapping (n,l) to scalars :param a = list((n, lmax, powexpansion): expansion of function in powers :param inplace: modify a in place? :return coefflist: c*a

separate()

Separate out the coefficients into (n,l) terms where *only* 1 contributions appear in each.

classmethod separatecoeff (*a*, *inplace=False*, *atol=1e-10*)

Projects coefficients through Ylm space, one by one. Assumes they've already been reduced and collected first; if not, could lead to duplicated (n,l) entries in list, which is inefficient (should still *evaluate* the same, just with extra steps). After this, each (n,l) term *only* contains terms equal to l, rather than terms <= l. :param a = list((n, lmax, powexpansion): expansion of function in powers :param inplace: modify a in place? :return coefflist: a

classmethod sumcoeff (a, b, alpha=1, beta=1, inplace=False)

Takes Taylor3D expansion a and b, and returns the sum of the expansions. :param: a, b = list((n, lmax, powexpansion))

written as a series of coefficients; n defines the magnitude function, which is additive; lmax is the largest cumulative power of coefficients, and powexpansion is a numpy array that can multiplied. We assume that a and b have consistent shapes throughout—we *do not test this*; runtime will likely fail if not true. The entries in the list are *tuples* of n, lmax, pow

Parameters

- **beta** (alpha,) optional scalars: c = alpha*a + beta*b; allows for more efficient expansions
- inplace True if the summation should modify a in place

Return c coeff of sum of a and b (! NOTE! does not return the class!) sum of a and b

${f classmethod}$ tensorproductcoeff (c, a, leftmultiply=True)

Multiplies an coefficient expansion a by a scalar c :param c: array or dictionary mapping (n,l) to arrays :param a = list((n, lmax, powexpansion): expansion of function in powers :param leftmultiply: tensor-dot(c,a) vs. tensordot(a,c) :return coefflist: c.a (or a.c)

truncate (Nmax, inplace=False)

Remove the coefficients above a given Nmax; normally returns a new object :param Nmax: maximum coefficient to include :param inplace: do it in place?

classmethod truncatecoeff(a, Nmax, inplace=False)

Remove the coefficients above a given Nmax; normally returns a new object :param Nmax: maximum coefficient to include :param a = list((n, lmax, powexpansion)): expansion of function in powers :param inplace: do it in place?

classmethod zeros (nmin, nmax, shape, dtype=<class 'complex'>)

Constructs (and returns) a "zero" Taylor expansion with the prescribed shape. This will be useful for doing slicing assignments. Because of the manner in which slicing works for assignment, we create what looks like a *lot* of zeros, by explicitly making the full range of 1 values. :param nmin: minimum value of n :param nmax: maximum value of n (inclusive) :param shape: shape of matrix, as zeros would expect. :return: Taylor3D, with a zero coefficient list

GFcalc:

OnsagerCalc:

FIVE

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

С

crystal,9

р

PowerExpansion, 16

24 Python Module Index

A	G	
addbasis() (crystal.Crystal method), 10 addhdf5() (PowerExpansion.Taylor3D method), 16 addterms() (PowerExpansion.Taylor3D method), 17	g_cart() (crystal.Crystal method), 11 g_direc() (crystal.Crystal static method), 11 g_direc_equivalent() (crystal.Crystal method), 11 g_pos() (crystal.Crystal method), 12	
В	g_tensor() (crystal.Crystal static method), 12	
BCC() (crystal.Crystal class method), 9	g_vect() (crystal.Crystal static method), 12	
С	genBZG() (crystal.Crystal method), 12 gengroup() (crystal.Crystal method), 12	
calcmetric() (crystal.Crystal method), 10 cart2pos() (crystal.Crystal method), 10 cart2unit() (crystal.Crystal method), 11 center() (crystal.Crystal method), 11 checkinternalsHDF5() (PowerExpansion.Taylor3D class	genpoint() (crystal.Crystal method), 12 genWyckoffsets() (crystal.Crystal method), 12 GroupOp (class in crystal), 14 GroupOp_constructor() (crystal.GroupOp static method), 15	
method), 17 chemindex() (crystal.Crystal method), 11	GroupOp_representer() (crystal.GroupOp static method), 15	
coeffproductcoeff() (PowerExpansion.Taylor3D class	Н	
method), 17 collectcoeff() (PowerExpansion.Taylor3D class method),	HCP() (crystal.Crystal class method), 10	
17 CombineTensorBasis() (in module crystal), 9	1	
Combine VectorBasis() (in module crystal), 9 constructexpansion() (PowerExpansion.Taylor3D class method), 17 copy() (PowerExpansion.Taylor3D method), 17 Crystal (class in crystal), 9 crystal (module), 9	ident() (crystal.GroupOp class method), 15 ildot() (PowerExpansion.Taylor3D method), 17 inBZ() (crystal.Crystal method), 12 incell() (crystal.GroupOp method), 15 incell() (in module crystal), 16 inhalf() (crystal.GroupOp method), 15	
D	inhalf() (in module crystal), 16 inv() (crystal.GroupOp method), 15	
dumpinternalsHDF5() (PowerExpansion.Taylor3D method), 17	inv() (PowerExpansion.Taylor3D method), 17 inversecoeff() (PowerExpansion.Taylor3D class method), 17	
E eigen() (crystal.GroupOp method), 15	irdot() (PowerExpansion.Taylor3D method), 18 irotate() (PowerExpansion.Taylor3D method), 18	
FCC() (crystal.Crystal class method), 9 fromdict() (crystal.Crystal class method), 11 fullkptmesh() (crystal.Crystal method), 11 FullVectorBasis() (crystal.Crystal method), 10	J jumpnetwork() (crystal.Crystal method), 13 jumpnetwork2lattice() (crystal.Crystal method), 13 L ldot() (PowerExpansion.Taylor3D method), 18 loadhdf5() (PowerExpansion.Taylor3D class method), 18	

method), 18 makeIndexPowerYlm() (PowerExpansion.Taylor3D static method), 18 makeIndexPowerOrtion() (PowerExpansion.Taylor3D class method), 18 makeIndexPowerCoeff() (PowerExpansion.Taylor3D class method), 18 makepowYlm() (PowerExpansion.Taylor3D class method), 18 makeping (PowerExpansion.Taylor3D class method), 19 makeping (PowerExpansion.Taylor3D class method), 19 makepowYlm() (PowerExpansion.Taylor3D class method), 19 makepowYlm() (PowerExpansion.Taylor3D class method), 19 makepowYlm() (PowerExpansion.Taylor3D class method), 19 makepowYlm() (PowerExpansion.Taylor3D class method), 19 makepowYlm() (PowerExpansion.Taylor3D method), 19 makepowYlm() (PowerExpansion.Ta	M		SymmTensorBasis() (in module crystal), 15		
makeindexPowerYIm() (PowerExpansion.Taylor3D static method), 18 makeLprojections) (PowerExpansion.Taylor3D class method), 18 makepowercoeff() (PowerExpansion.Taylor3D class method), 18 makepowerthod), 18 makepowerthod), 18 makepowerthod), 18 makepowerthod), 18 makepowerthod), 18 makeyImpow() (PowerExpansion.Taylor3D class method), 18 makeyImpow() (PowerExpansion.Taylor3D class method), 18 mathod), 18 maptranslation() (in module crystal), 16 minlattice() (crystal.Crystal method), 13 N N Na makeyImpow() (PowerExpansion.Taylor3D class method), 19 nl() (PowerExpansion.Taylor3D class method), 19 nl() (PowerExpansion.Taylor3D method), 19 nl() (PowerExpansion.Taylor3D method), 19 pos2cart() (crystal.Crystal method), 13 P pos2cart() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 19 reduce() (PowerExpansion.Taylor3D method), 19 rotatecderff() (PowerExpansion.Taylor3D class method), 19 rotatederff() (PowerExpansion.Taylor3D method), 19 rota		class	Т		
makepowercoeff() (PowerExpansion.Taylor3D class method), 18 makepowyIm() (PowerExpansion.Taylor3D class method), 18 makepowyIm() (PowerExpansion.Taylor3D class method), 18 makepinow() (PowerExpansion.Taylor3D class method), 19 matrial, representer() (in module crystal), 16 malaray_representer() (in module crystal), 19 malist() (crystal.Crystal method), 19 malist() (crystal.Crystal method), 13 P mose2cart() (crystal.Crystal method), 13 P mose2cart() (crystal.Crystal method), 14 produce() (PowerExpansion.Taylor3D class method), 19 produce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D meth	makeindexPowerYlm() (PowerExpansion.Taylor3D s method), 18		Taylor3D (class in PowerExpansion), 16 tensorproductcoeff() (PowerExpansion.Taylor3D class		
makepowercoeff() (PowerExpansion.Taylor3D class method), 18 makepowYlm() (PowerExpansion.Taylor3D class method), 18 makeyImpow() (PowerExpansion.Taylor3D class method), 18 maptranslation() (in module crystal), 16 minlattice() (crystal.Crystal method), 13 N ndarray_representer() (in module crystal), 16 negcoeff() (PowerExpansion.Taylor3D class method), 19 nd() (PowerExpansion.Taylor3D method), 19 nnlist() (crystal.Crystal method), 13 P poss2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reducecy (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 reducecy (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 simple YAML() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 19	- · · · · · · · · · · · · · · · · · · ·	class			
method), 18 makeYImpow() (PowerExpansion.Taylor3D class method), 18 maptranslation() (in module crystal), 16 minlattice() (crystal.Crystal method), 13 N N nodarray_representer() (in module crystal), 16 negcoeff() (PowerExpansion.Taylor3D class method), 19 nl() (PowerExpansion.Taylor3D method), 19 nl() (PowerExpansion.Taylor3D method), 19 nlost() (crystal.Crystal method), 13 P pose2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 rotate() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 simpleYAML() (crystal.Crystal method), 14 sticlisto (crystal.Crystal method), 14	$make power coeff () \\ \hspace{0.5cm} (Power Expansion. Taylor 3D \\ \hspace{0.5cm} class$		truncatecoeff() (PowerExpansion.Taylor3D class		
makeYImpow() (PowerExpansion.Taylor3D class method), 18 maptranslation() (in module crystal), 16 minlattice() (crystal.Crystal method), 13 N ndarray_representer() (in module crystal), 16 negcoeff() (PowerExpansion.Taylor3D class method), 19 nnlist() (erystal.Crystal method), 13 P nnlist() (erystal.Crystal method), 13 P pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdott() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 reduce() (PowerExpansion.Taylor3D class method), 19 rotate() (PowerExpansion.Taylor3D class method), 19 rotated() (PowerExpansion.Taylor3D class method), 19 rotatedefrections() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 15 vectorBasis() (in module crystal), 10 vectorBasis() (in module crystal), 10 vectorBasis() (in module crystal)	- · · · · · · · · · · · · · · · · · · ·	class	U		
maptranslation() (in module crystal), 16 minlattice() (crystal.Crystal method), 13 N ndarray_representer() (in module crystal), 16 negcoeff() (PowerExpansion.Taylor3D class method), 19 nl() (PowerExpansion.Taylor3D method), 19 nnlist() (crystal.Crystal method), 13 P pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reduce() (crystal.Crystal method), 13 reduce() (crystal.Crystal method), 13 reduce() (PowerExpansion.Taylor3D method), 19 reducecoeff() (PowerExpansion.Taylor3D method), 19 reducecoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sticlist() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	makeYlmpow() (PowerExpansion.Taylor3D	class	unit2cart() (crystal.Crystal method), 14		
N ndarray_representer() (in module crystal), 16 negcoeff() (PowerExpansion.Taylor3D class method), 19 nfl) ((PowerExpansion.Taylor3D method), 19 nnlist() (crystal.Crystal method), 13 P pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reduce() (crystal.Crystal method), 13 reduce() (crystal.Crystal method), 13 reduce() (crystal.Crystal method), 19 reduce(powerExpansion.Taylor3D class method), 19 reduce(powerExpansion.Taylor3D class method), 19 reducecoff() (PowerExpansion.Taylor3D class method), 19 reducecoff() (PowerExpansion.Taylor3D class method), 19 reducecoff() (PowerExpansion.Taylor3D class method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 separatecoeff() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 suncoeff() (PowerExpansion.Taylor3D class method), 19	maptranslation() (in module crystal), 16		V		
P pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reduce() (crystal.Crystal method), 13 reduce() (PowerExpansion.Taylor3D method), 19 reducecoeff() (PowerExpansion.Taylor3D class method), 19 reducekptmesh() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 rotate() (PowerExpansion.Taylor3D method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method), 19 S scalarproductcoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (Crystal.Crystal method), 14 strain() (PowerExpansion.Taylor3D class method), 19	N ndarray_representer() (in module crystal), 16), 19	VectorBasis() (crystal.Crystal method), 10 VectorBasis() (in module crystal), 15 Voigtstrain() (in module crystal), 16 W		
pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16 powexp() (PowerExpansion.Taylor3D class method), 19 ProjectTensorBasis() (in module crystal), 15 R rdot() (PowerExpansion.Taylor3D method), 19 reduce() (crystal.Crystal method), 13 reduce() (PowerExpansion.Taylor3D method), 19 reducecy (fowerExpansion.Taylor3D method), 19 reduceceff() (PowerExpansion.Taylor3D class method), 19 reducekptmesh() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D class method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simple YAML() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	P				
rdot() (PowerExpansion.Taylor3D method), 19 reduce() (crystal.Crystal method), 13 reduce() (PowerExpansion.Taylor3D method), 19 reducecoeff() (PowerExpansion.Taylor3D class method), 19 reducekptmesh() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 rotate() (PowerExpansion.Taylor3D method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 S scalarproductcoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 separate() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	pos2cart() (crystal.Crystal method), 13 PowerExpansion (module), 16	, 19			
reduce() (crystal.Crystal method), 13 reduce() (PowerExpansion.Taylor3D method), 19 reducecoeff() (PowerExpansion.Taylor3D class method), 19 reducekptmesh() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 rotate() (PowerExpansion.Taylor3D method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method), 19 rotatedirections() (PowerExpansion.Taylor3D class method), 19 S scalarproductcoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	R				
rotatedirections() (PowerExpansion.Taylor3D class method), 19 S scalarproductcoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	reducekptmesh() (crystal.Crystal method), 14 remapbasis() (crystal.Crystal method), 14 rotate() (PowerExpansion.Taylor3D method), 19 rotatecoeff() (PowerExpansion.Taylor3D class method)				
scalarproductcoeff() (PowerExpansion.Taylor3D class method), 19 separate() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	rotatedirections() (PowerExpansion.Taylor3D	class			
method), 19 separate() (PowerExpansion.Taylor3D method), 19 separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	S				
separatecoeff() (PowerExpansion.Taylor3D class method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14 strain() (crystal.Crystal method), 14 sumcoeff() (PowerExpansion.Taylor3D class method), 19	method), 19	class			
sumcoeff() (PowerExpansion.Taylor3D class method), 19	separatecoeff() (PowerExpansion.Taylor3D method), 19 simpleYAML() (crystal.Crystal method), 14 sitelist() (crystal.Crystal method), 14	class			

26 Index