

Glossary

Variable	Description
Q_{uk}	Discharge at upstream end of superlink k
C_{uk}	Coefficient of discharge at upstream end of superlink k
A_{uk}	Cross-sectional area of flow at upstream end of superlink k
ΔH_{uk}	Head difference at upstream end of superlink k
H_{juk}	Head at junction upstream of superlink k (ground elevation + water depth)
h_{uk}	Water depth at upstream of superlink k
$z_{inv,uk}$	Invert elevation at upstream end of superlink k
Q_{dk}	Discharge at downstream end of superlink k
C_{dk}	Coefficient of discharge at downstream end of superlink k
A_{dk}	Cross-sectional area of flow at downstream end of superlink k
ΔH_{dk}	Head difference at downstream end of superlink k
H_{jdk}	Head at junction downstream of superlink k (ground elevation + water depth)
h_{dk}	Water depth at downstream of superlink k
$z_{inv,dk}$	Invert elevation at downstream end of superlink k
$NBDj$	Number of superlinks with downstream end attached to superjunction j
$NBUj$	Number of superlinks with upstream end attached to superjunction j
H_j	Head at junction j
U_{Ik}, V_{Ik}, W_{Ik}	Coefficients
X_{Ik}, Y_{Ik}, Z_{Ik}	Coefficients

Basic equations

Continuity:

$$\frac{\partial A}{\partial t} + \frac{\partial Q}{\partial x} = q_0 \quad (1)$$

Conservation of momentum:

$$\frac{\partial Q}{\partial t} + \frac{\partial}{\partial x}(Qu) + gA \left(\frac{\partial h}{\partial x} - S_0 + S_f + S_L \right) = 0 \quad (2)$$

Discretization of momentum

Discretizing the momentum equation:

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + u_{I+1k} Q_{I+1k}^{t+\Delta t} - u_{Ik} Q_{Ik}^{t+\Delta t} \\
& + gA(h_{I+1k}^{t+\Delta t} - h_{Ik}^{t+\Delta t}) - gA_{ik} S_{o,ik} \Delta x_{ik} + gA_{ik} (S_{f,ik} + S_{L,ik}) \Delta x = 0
\end{aligned} \tag{3}$$

This equation can be written in terms of the following coefficient equation:

$$a_{ik} Q_{i-1k}^{t+\Delta t} + b_{ik} Q_{ik}^{t+\Delta t} + c_{ik} Q_{i+1k}^{t+\Delta t} = P_{ik} + gA_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t}) \tag{4}$$

Where:

$$a_{ik} = -\max(u_{Ik}, 0) \tag{5}$$

$$c_{ik} = -\max(-u_{I+1k}, 0) \tag{6}$$

$$b_{ik} = \frac{\Delta x_{ik}}{\Delta t} + \frac{gn_{ik}^2 |Q_{ik}^t| \Delta x_{ik}}{A_{ik} R_{ik}^{4/3}} + \frac{A_{ik} |Q_{ik}^t|}{A_{cik}^2 C_{ik}^2} - a_{ik} - c_{ik} \tag{7}$$

$$P_{ik} = Q_{ik} \frac{\Delta x_{ik}}{\Delta t} + gA_{ik} S_{o,ik} \Delta x_{ik} \tag{8}$$

Substituting the coefficients:

$$\begin{aligned}
& -\max(u_{Ik}, 0) Q_{i-1k}^{t+\Delta t} + \left(\frac{\Delta x_{ik}}{\Delta t} + \frac{gn_{ik}^2 |Q_{ik}^t| \Delta x_{ik}}{A_{ik} R_{ik}^{4/3}} + \frac{A_{ik} |Q_{ik}^t|}{A_{cik}^2 C_{ik}^2} + \max(u_{Ik}, 0) + \max(-u_{I+1k}, 0) \right) Q_{ik}^{t+\Delta t} \\
& - \max(-u_{I+1k}, 0) Q_{i+1k}^{t+\Delta t} \\
& = Q_{ik} \frac{\Delta x_{ik}}{\Delta t} + gA_{ik} S_{o,ik} \Delta x_{ik} + gA_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{9}$$

Assuming $u_{ik} > 0$ and $u_{i-1k} \approx u_{ik} \approx u_{i+1k}$:

$$\begin{aligned}
& -u_{Ik} Q_{i-1k}^{t+\Delta t} + \left(\frac{\Delta x_{ik}}{\Delta t} + \frac{gn_{ik}^2 |Q_{ik}^t| \Delta x_{ik}}{A_{ik} R_{ik}^{4/3}} + \frac{A_{ik} |Q_{ik}^t|}{A_{cik}^2 C_{ik}^2} + u_{Ik} \right) Q_{ik}^{t+\Delta t} \\
& = Q_{ik} \frac{\Delta x_{ik}}{\Delta t} + gA_{ik} S_{o,ik} \Delta x_{ik} + gA_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{10}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{ik}^{t+\Delta t} - Q_{i-1k}^{t+\Delta t}) u_{Ik} \\
& + g A_{ik} \left(\frac{n_{ik}^2 |Q_{ik}^t| Q_{ik}^{t+\Delta t}}{A_{ik}^2 R_{ik}^{4/3}} + \frac{|Q_{ik}^t| Q_{ik}^{t+\Delta t}}{g C_{ik}^2 A_{cik}^2 \Delta x_{ik}} \right) \Delta x_{ik} \\
& = g A_{ik} S_{o,ik} \Delta x_{ik} + g A_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{11}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{ik}^{t+\Delta t} - Q_{i-1k}^{t+\Delta t}) u_{Ik} + g A_{ik} (S_{f,ik} + S_{L,ik}) \Delta x_{ik} \\
& = g A_{ik} S_{o,ik} \Delta x_{ik} + g A_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{12}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{ik}^{t+\Delta t} - Q_{i-1k}^{t+\Delta t}) u_{Ik} \\
& + g A_{ik} (h_{I+1k}^{t+\Delta t} - h_{Ik}^{t+\Delta t}) + g A_{ik} (S_{f,ik} - g A_{ik} S_{o,ik} \Delta x_{ik} + S_{L,ik}) \Delta x_{ik}
\end{aligned} \tag{13}$$

Alternatively, assuming $u_{ik} < 0$ and $u_{i-1k} \approx u_{ik} \approx u_{i+1k}$:

$$\begin{aligned}
& u_{I+1k} Q_{i+1k}^{t+\Delta t} + \left(\frac{\Delta x_{ik}}{\Delta t} + \frac{g n_{ik}^2 |Q_{ik}^t| \Delta x_{ik}}{A_{ik} R_{ik}^{4/3}} + \frac{A_{ik} |Q_{ik}^t|}{A_{cik}^2 C_{ik}^2} - u_{I+1k} \right) Q_{ik}^{t+\Delta t} \\
& = Q_{ik}^t \frac{\Delta x_{ik}}{\Delta t} + g A_{ik} S_{o,ik} \Delta x_{ik} + g A_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{14}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{i+1k}^{t+\Delta t} - Q_{ik}^{t+\Delta t}) u_{I+1k} \\
& + g A_{ik} \left(\frac{n_{ik}^2 |Q_{ik}^t| Q_{ik}^{t+\Delta t}}{A_{ik}^2 R_{ik}^{4/3}} + \frac{|Q_{ik}^t| Q_{ik}^{t+\Delta t}}{g C_{ik}^2 A_{cik}^2 \Delta x_{ik}} \right) \Delta x_{ik} \\
& = g A_{ik} S_{o,ik} \Delta x_{ik} + g A_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{15}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{i+1k}^{t+\Delta t} - Q_{ik}^{t+\Delta t}) u_{I+1k} + g A_{ik} (S_{f,ik} + S_{L,ik}) \Delta x_{ik} \\
& = g A_{ik} S_{o,ik} \Delta x_{ik} + g A_{ik} (h_{Ik}^{t+\Delta t} - h_{I+1k}^{t+\Delta t})
\end{aligned} \tag{16}$$

$$\begin{aligned}
& (Q_{ik}^{t+\Delta t} - Q_{ik}^t) \frac{\Delta x_{ik}}{\Delta t} + (Q_{i+1k}^{t+\Delta t} - Q_{ik}^{t+\Delta t}) u_{I+1k} \\
& + g A_{ik} (h_{I+1k}^{t+\Delta t} - h_{Ik}^{t+\Delta t}) + g A_{ik} (S_{f,ik} - g A_{ik} S_{o,ik} \Delta x_{ik} + S_{L,ik}) \Delta x_{ik}
\end{aligned} \tag{17}$$

Recurrence relationships

Forward recurrence

Starting at the upstream end of superlink k:

$$Q_{2k}^{t+\Delta t} - Q_{1k}^{t+\Delta t} + E_{2k}h_{2k}^{t+\Delta t} = D_{2k} \quad (18)$$

$$a_{1k}Q_{0k}^{t+\Delta t} + b_{1k}Q_{1k}^{t+\Delta t} + c_{1k}Q_{2k}^{t+\Delta t} = P_{1k} + gA_{1k}(h_{1k}^{t+\Delta t} - h_{2k}^{t+\Delta t}) \quad (19)$$

Assuming $Q_{0k}^{t+\Delta t} = Q_{1k}^{t+\Delta t}$:

$$a_{1k}Q_{1k}^{t+\Delta t} + b_{1k}Q_{1k}^{t+\Delta t} + c_{1k}(Q_{1k}^{t+\Delta t} - E_{2k}h_{2k}^{t+\Delta t} + D_{2k}) = P_{1k} + gA_{1k}(h_{1k}^{t+\Delta t} - h_{2k}^{t+\Delta t}) \quad (20)$$

$$(a_{1k} + b_{1k} + c_{1k})Q_{1k}^{t+\Delta t} = E_{2k}c_{2k}h_{2k}^{t+\Delta t} + (P_{1k} + c_{1k}D_{2k}) + gA_{1k}(h_{1k}^{t+\Delta t} - h_{2k}^{t+\Delta t}) \quad (21)$$

$$(a_{1k} + b_{1k} + c_{1k})Q_{1k}^{t+\Delta t} = (E_{2k}c_{1k} - gA_{1k})h_{2k}^{t+\Delta t} + (P_{1k} - D_{2k}c_{1k}) + gA_{1k}h_{1k}^{t+\Delta t} \quad (22)$$

$$Q_{1k}^{t+\Delta t} = \frac{(E_{2k}c_{1k} - gA_{1k})h_{2k}^{t+\Delta t} + (P_{1k} - D_{2k}c_{1k}) + gA_{1k}h_{1k}^{t+\Delta t}}{a_{1k} + b_{1k} + c_{1k}} \quad (23)$$

Thus for the upstream end of superlink k:

$$\boxed{Q_{1k}^{t+\Delta t} = U_{1k}h_{2k}^{t+\Delta t} + Y_{1k} + Z_{1k}h_{1k}^{t+\Delta t}} \quad (24)$$

Where:

$$\boxed{T_{1k} = a_{1k} + b_{1k} + c_{1k}} \quad (25)$$

$$\boxed{U_{1k} = \frac{E_{2k}c_{1k} - gA_{1k}}{T_{1k}}} \quad (26)$$

$$\boxed{V_{1k} = \frac{P_{1k} - D_{2k}c_{1k}}{T_{1k}}} \quad (27)$$

$$\boxed{W_{1k} = \frac{gA_{1k}}{T_{1k}}} \quad (28)$$

For the next element downstream:

$$Q_{3k}^{t+\Delta t} - Q_{2k}^{t+\Delta t} + E_{3k}h_{3k}^{t+\Delta t} = D_{3k} \quad (29)$$

$$a_{2k}Q_{1k}^{t+\Delta t} + b_{2k}Q_{2k}^{t+\Delta t} + c_{2k}Q_{3k}^{t+\Delta t} = P_{2k} + gA_{2k}(h_{2k}^{t+\Delta t} - h_{3k}^{t+\Delta t}) \quad (30)$$

Substituting:

$$\begin{aligned} a_{2k}(Q_{2k}^{t+\Delta t} + E_{2k}h_{2k}^{t+\Delta t} - D_{2k}) + (b_{2k})Q_{2k}^{t+\Delta t} + c_{2k}(Q_{2k} - E_{3k}h_{3k}^{t+\Delta t} + D_{3k}) \\ - P_{2k} - gA_{2k}(h_{2k}^{t+\Delta t} - h_{3k}^{t+\Delta t}) = 0 \end{aligned} \quad (31)$$

$$\begin{aligned} (a_{2k} + b_{2k} + c_{2k})Q_{2k}^{t+\Delta t} + (E_{2k}a_{2k} - gA_{2k})h_{2k}^{t+\Delta t} \\ + (gA_{2k} - c_{2k}E_{3k})h_{3k}^{t+\Delta t} + (-D_{2k}a_{2k} + D_{3k}c_{2k} - P_{2k}) = 0 \end{aligned} \quad (32)$$

Multiplying $h_{2k}^{t+\Delta t}$ by $(U_{1k} - E_{2k})/(U_{1k} - E_{2k})$ and rearranging:

$$\begin{aligned} (a_{2k} + b_{2k} + c_{2k})Q_{2k}^{t+\Delta t} + \frac{(E_{2k}a_{2k} - gA_{2k})(U_{1k} - E_{2k})}{(U_{1k} - E_{2k})}h_{2k}^{t+\Delta t} \\ + (gA_{2k} - c_{2k}E_{3k})h_{3k}^{t+\Delta t} + (-P_{2k} - D_{2k}a_{2k} + D_{3k}c_{2k}) = 0 \end{aligned} \quad (33)$$

Note that:

$$U_{1k}h_{2k}^{t+\Delta t} = (Q_{1k}^{t+\Delta t} - V_{1k} - W_{1k}h_{1k}^{t+\Delta t}) \quad (34)$$

$$E_{2k}h_{2k}^{t+\Delta t} = (D_{2k} - Q_{2k}^{t+\Delta t} + Q_{1k}^{t+\Delta t}) \quad (35)$$

Thus:

$$\begin{aligned}
& (a_{2k} + b_{2k} + c_{2k})Q_{2k}^{t+\Delta t} \\
& + \frac{(E_{2k}a_{2k} - gA_{2k})}{(U_{1k} - E_{2k})}[(Q_{1k}^{t+\Delta t} - V_{1k} - W_{1k}h_{1k}^{t+\Delta t}) - (D_{2k} - Q_{2k}^{t+\Delta t} + Q_{1k}^{t+\Delta t})] \\
& + (gA_{2k} - c_{2k}E_{3k})h_{3k}^{t+\Delta t} + (-P_{2k} - D_{2k}a_{2k} + D_{3k}c_{2k}) = 0
\end{aligned} \tag{36}$$

Allowing $Q_{1k}^{t+\Delta t}$ to be eliminated:

$$\begin{aligned}
& (a_{2k} + b_{2k} + c_{2k})Q_{2k}^{t+\Delta t} + \frac{(E_{2k}a_{2k} - gA_{2k})}{U_{1k} - E_{2k}}Q_{2k}^{t+\Delta t} \\
& + \frac{(E_{2k}a_{2k} - gA_{2k})(-W_{1k})}{U_{1k} - E_{2k}}h_{1k}^{t+\Delta t} + (gA_{2k} - c_{2k}E_{3k})h_{3k}^{t+\Delta t} \\
& + (-P_{2k} - D_{2k}a_{2k} + D_{3k}c_{2k} + (E_{2k}a_{2k} - gA_{2k})\frac{(-V_{1k} - D_{2k})}{(U_{1k} - E_{2k})}) = 0
\end{aligned} \tag{37}$$

Rearranging:

$$\begin{aligned}
& \left(a_{2k} + b_{2k} + c_{2k} - \frac{gA_{2k} - E_{2k}a_{2k}}{U_{1k} - E_{2k}}\right)Q_{2k}^{t+\Delta t} \\
& + \frac{(gA_{2k} - E_{2k}a_{2k})W_{1k}}{U_{1k} - E_{2k}}h_{1k}^{t+\Delta t} + (gA_{2k} - c_{2k}E_{3k})h_{3k}^{t+\Delta t} \\
& + \left(-P_{2k} - D_{2k}a_{2k} + D_{3k}c_{2k} + (gA_{2k} - E_{2k}a_{2k})\frac{V_{1k} + D_{2k}}{U_{1k} - E_{2k}}\right) = 0
\end{aligned} \tag{38}$$

$$\begin{aligned}
& \left(a_{2k} + b_{2k} + c_{2k} - \frac{gA_{2k} - E_{2k}a_{2k}}{U_{1k} - E_{2k}}\right)Q_{2k}^{t+\Delta t} \\
& = (E_{3k}c_{2k} - gA_{2k})h_{3k}^{t+\Delta t} \\
& + \left(P_{2k} + D_{2k}a_{2k} - D_{3k}c_{2k} - (gA_{2k} - E_{2k}a_{2k})\frac{V_{1k} + D_{2k}}{(U_{1k} - E_{2k})}\right) \\
& - \frac{(gA_{2k} - E_{2k}a_{2k})W_{1k}}{U_{1k} - E_{2k}}h_{1k}^{t+\Delta t}
\end{aligned} \tag{39}$$

Generalizing for $i = 2, I = 2$:

$$\begin{aligned}
& \left(a_{ik} + b_{ik} + c_{ik} - \frac{gA_{ik} - E_{Ik}a_{ik}}{U_{I-1k} - E_{Ik}} \right) Q_{ik}^{t+\Delta t} \\
& = (E_{I+1k}c_{ik} - gA_{ik})h_{I+1k}^{t+\Delta t} \\
& + \left(P_{ik} + D_{Ik}a_{ik} - D_{I+1k}c_{ik} - (gA_{ik} - E_{Ik}a_{ik}) \frac{V_{I-1k} + D_{Ik}}{U_{I-1k} - E_{Ik}} \right) \\
& \quad - \frac{(gA_{ik} - E_{Ik}a_{ik})W_{I-1k}}{U_{I-1k} - E_{Ik}} h_{1k}^{t+\Delta t}
\end{aligned} \tag{40}$$

Condensing in terms of coefficients:

$$\boxed{Q_{ik}^{t+\Delta t} = U_{Ik}h_{I+1k}^{t+\Delta t} + V_{Ik} + W_{Ik}h_{1k}^{t+\Delta t}} \tag{41}$$

Where:

$$\boxed{U_{Ik} = \frac{E_{I+1k}c_{ik} - gA_{ik}}{T_{ik}}} \tag{42}$$

$$\boxed{V_{Ik} = \frac{P_{ik} + D_{Ik}a_{ik} - D_{I+1k}c_{ik} - (gA_{ik} - E_{Ik}a_{ik}) \frac{V_{I-1k} + D_{Ik}}{U_{I-1k} - E_{Ik}}}{T_{ik}}} \tag{43}$$

$$\boxed{W_{Ik} = -\frac{(gA_{ik} - E_{Ik}a_{ik})W_{I-1k}}{U_{I-1k} - E_{Ik}}} \tag{44}$$

$$\boxed{T_{ik} = \left(a_{ik} + b_{ik} + c_{ik} - \frac{gA_{ik} - E_{Ik}a_{ik}}{U_{I-1k} - E_{Ik}} \right)} \tag{45}$$

Backward recurrence

Starting at the downstream end of superlink k:

$$Q_{nk}^{t+\Delta t} - Q_{nk-1}^{t+\Delta t} + E_{Nk} h_{Nk}^{t+\Delta t} = D_{Nk} \quad (46)$$

$$a_{nk} Q_{nk-1}^{t+\Delta t} + b_{nk} Q_{nk}^{t+\Delta t} + c_{nk} Q_{nk+1}^{t+\Delta t} = P_{nk} + g A_{nk} (h_{Nk}^{t+\Delta t} - h_{Nk+1}^{t+\Delta t}) \quad (47)$$

Assuming $Q_{nk}^{t+\Delta t} = Q_{nk+1}^{t+\Delta t}$.

$$a_{nk} (Q_{nk}^{t+\Delta t} + E_{Nk} h_{Nk}^{t+\Delta t} - D_{Nk}) + b_{nk} Q_{nk}^{t+\Delta t} + c_{nk} Q_{nk}^{t+\Delta t} = P_{nk} + g A_{nk} (h_{Nk}^{t+\Delta t} - h_{Nk+1}^{t+\Delta t}) \quad (48)$$

$$(a_{nk} + b_{nk} + c_{nk}) Q_{nk}^{t+\Delta t} = -E_{Nk} a_{nk} h_{Nk}^{t+\Delta t} + (P_{nk} + a_{nk} D_{Nk}) + g A_{nk} (h_{Nk}^{t+\Delta t} - h_{Nk+1}^{t+\Delta t}) \quad (49)$$

$$(a_{nk} + b_{nk} + c_{nk}) Q_{nk}^{t+\Delta t} = (g A_{nk} - E_{Nk} a_{nk}) h_{Nk}^{t+\Delta t} + (P_{nk} + D_{Nk} a_{nk}) - g A_{nk} h_{Nk+1}^{t+\Delta t} \quad (50)$$

$$Q_{nk}^{t+\Delta t} = \frac{(g A_{nk} - E_{Nk} a_{nk}) h_{Nk}^{t+\Delta t} + (P_{nk} + D_{Nk} a_{nk}) - g A_{nk} h_{Nk+1}^{t+\Delta t}}{(a_{nk} + b_{nk} + c_{nk})} \quad (51)$$

Thus for the downstream end of superlink k:

$$\boxed{Q_{nk}^{t+\Delta t} = X_{Nk} h_{Nk}^{t+\Delta t} + Y_{Nk} + Z_{Nk} h_{Nk+1}^{t+\Delta t}} \quad (52)$$

Where:

$$\boxed{O_{nk} = a_{nk} + b_{nk} + c_{nk}} \quad (53)$$

$$\boxed{X_{Nk} = \frac{(g A_{nk} - E_{Nk} a_{nk})}{O_{nk}}} \quad (54)$$

$$\boxed{Y_{Nk} = \frac{P_{nk} + D_{Nk} a_{nk}}{O_{nk}}} \quad (55)$$

$$\boxed{Z_{Nk} = -\frac{gA_{nk}}{O_{nk}}} \quad (56)$$

For the next element upstream:

$$Q_{nk-1}^{t+\Delta t} - Q_{nk-2}^{t+\Delta t} + E_{Nk-1}h_{Nk-1}^{t+\Delta t} = D_{Nk-1} \quad (57)$$

$$a_{nk-1}Q_{nk-2}^{t+\Delta t} + b_{nk-1}Q_{nk-1}^{t+\Delta t} + c_{nk-1}Q_{nk}^{t+\Delta t} = P_{nk-1} + gA_{nk-1}(h_{Nk-1}^{t+\Delta t} - h_{Nk}^{t+\Delta t}) \quad (58)$$

$$a_{nk-1}(Q_{nk-1}^{t+\Delta t} + E_{Nk-1}h_{Nk-1}^{t+\Delta t} - D_{Nk-1}) + (b_{nk-1})Q_{nk-1}^{t+\Delta t} + c_{nk-1}(Q_{nk-1} - E_{Nk}h_{Nk}^{t+\Delta t} + D_{Nk}) - P_{nk-1} - gA_{nk-1}(h_{Nk-1}^{t+\Delta t} - h_{Nk}^{t+\Delta t}) = 0 \quad (59)$$

$$(a_{nk-1} + b_{nk-1} + c_{nk-1})Q_{nk-1}^{t+\Delta t} + (-E_{Nk}c_{nk-1} + gA_{nk-1})h_{Nk}^{t+\Delta t} + (E_{Nk-1}a_{nk-1} - gA_{nk-1})h_{Nk-1}^{t+\Delta t} + (-D_{Nk-1}a_{nk-1} + D_{Nk}c_{nk-1} - P_{nk-1}) = 0 \quad (60)$$

Multiplying $h_{Nk}^{t+\Delta t}$ by $(X_{Nk} + E_{Nk})/(X_{Nk} + E_{Nk})$ and rearranging:

$$(a_{nk-1} + b_{nk-1} + c_{nk-1})Q_{nk-1}^{t+\Delta t} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})(X_{Nk} + E_{Nk})}{(X_{Nk} + E_{Nk})}h_{Nk}^{t+\Delta t} + (E_{Nk-1}a_{nk-1} - gA_{nk-1})h_{Nk-1}^{t+\Delta t} + (-P_{nk-1} - D_{Nk-1}a_{nk-1} + D_{Nk}c_{nk-1}) = 0 \quad (61)$$

Note that:

$$X_{Nk}h_{Nk}^{t+\Delta t} = (Q_{nk}^{t+\Delta t} - Y_{Nk} - Z_{Nk}h_{Nk+1}^{t+\Delta t}) \quad (62)$$

$$E_{Nk}h_{Nk}^{t+\Delta t} = (D_{Nk} - Q_{nk}^{t+\Delta t} + Q_{nk-1}^{t+\Delta t}) \quad (63)$$

Thus:

$$(a_{nk-1} + b_{nk-1} + c_{nk-1})Q_{nk-1}^{t+\Delta t} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})}{(X_{Nk} + E_{Nk})}[(Q_{nk}^{t+\Delta t} - Y_{Nk} - Z_{Nk}h_{Nk+1}^{t+\Delta t}) + (D_{Nk} - Q_{nk}^{t+\Delta t} + Q_{nk-1}^{t+\Delta t})] + (E_{Nk-1}a_{nk-1} - gA_{nk-1})h_{Nk-1}^{t+\Delta t} + (-P_{nk-1} - D_{Nk-1}a_{nk-1} + D_{Nk}c_{nk-1}) = 0 \quad (64)$$

Allowing $Q_{nk}^{t+\Delta t}$ to be eliminated:

$$\begin{aligned}
& (a_{nk-1} + b_{nk-1} + c_{nk-1})Q_{nk-1}^{t+\Delta t} \\
& + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})}{(X_{Nk} + E_{Nk})}Q_{nk-1}^{t+\Delta t} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})(-Z_{Nk})}{(X_{Nk} + E_{Nk})}h_{Nk+1}^{t+\Delta t} \\
& + (E_{Nk-1}a_{nk-1} - gA_{nk-1})h_{Nk-1}^{t+\Delta t} \\
& + \left(-P_{nk-1} - D_{Nk-1}a_{nk-1} + D_{Nk}c_{nk-1} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})(-Y_{Nk} + D_{Nk})}{(X_{Nk} + E_{Nk})} \right) = 0
\end{aligned} \tag{65}$$

Rearranging:

$$\begin{aligned}
& \left(a_{nk-1} + b_{nk-1} + c_{nk-1} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})}{(X_{Nk} + E_{Nk})} \right) Q_{nk-1}^{t+\Delta t} \\
& + (E_{Nk-1}a_{nk-1} - gA_{nk-1})h_{Nk-1}^{t+\Delta t} - \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})Z_{Nk}}{(X_{Nk} + E_{Nk})}h_{Nk+1}^{t+\Delta t} \\
& + \left(-P_{nk-1} - D_{Nk-1}a_{nk-1} + D_{Nk}c_{nk-1} + (gA_{nk-1} - E_{Nk}c_{nk-1})\frac{(D_{Nk} - Y_{Nk})}{(X_{Nk} + E_{Nk})} \right) = 0
\end{aligned} \tag{66}$$

$$\begin{aligned}
& \left(a_{nk-1} + b_{nk-1} + c_{nk-1} + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})}{(X_{Nk} + E_{Nk})} \right) Q_{nk-1}^{t+\Delta t} \\
& = (gA_{nk-1} - E_{Nk-1}a_{nk-1})h_{Nk-1}^{t+\Delta t} \\
& + \left(P_{nk-1} + D_{Nk-1}a_{nk-1} - D_{Nk}c_{nk-1} - (gA_{nk-1} - E_{Nk}c_{nk-1})\frac{(D_{Nk} - Y_{Nk})}{(X_{Nk} + E_{Nk})} \right) \\
& + \frac{(gA_{nk-1} - E_{Nk}c_{nk-1})Z_{Nk}}{(X_{Nk} + E_{Nk})}h_{Nk+1}^{t+\Delta t}
\end{aligned} \tag{67}$$

Generalizing for $i = nk - 1$, $I = Nk - 1$:

$$\begin{aligned}
& \left(a_{ik} + b_{ik} + c_{ik} + \frac{(gA_{ik} - E_{I+1k}c_{ik})}{(X_{I+1k} + E_{I+1k})} \right) Q_{ik}^{t+\Delta t} \\
& = (gA_{ik} - E_{Ik}a_{ik})h_{Ik}^{t+\Delta t} \\
& + \left(P_{ik} + D_{Ik}a_{ik} - D_{I+1k}c_{ik} - (gA_{ik} - E_{I+1k}c_{ik})\frac{(D_{I+1k} - Y_{I+1k})}{(X_{I+1k} + E_{I+1k})} \right) \\
& + \frac{(gA_{ik} - E_{I+1k}c_{ik})Z_{I+1k}}{(X_{I+1k} + E_{I+1k})}h_{Nk+1}^{t+\Delta t}
\end{aligned} \tag{68}$$

Condensing in terms of coefficients:

$$Q_{ik}^{t+\Delta t} = X_{ik}h_{Ik}^{t+\Delta t} + Y_{Ik} + Z_{Ik}h_{Nk+1}^{t+\Delta t} \quad (69)$$

Where:

$$X_{Ik} = \frac{gA_{ik} - E_{Ik}a_{ik}}{O_{ik}} \quad (70)$$

$$Y_{Ik} = \frac{P_{ik} + D_{Ik}a_{ik} - D_{I+1k}c_{ik} - (gA_{ik} - E_{I+1k}c_{ik}) \frac{(D_{I+1k} - Y_{I+1k})}{(X_{I+1k} + E_{I+1k})}}{O_{ik}} \quad (71)$$

$$Z_{Ik} = \frac{(gA_{ik} - E_{I+1k}c_{ik})Z_{I+1k}}{(X_{I+1k} + E_{I+1k})O_{ik}} \quad (72)$$

$$O_{ik} = \left(a_{ik} + b_{ik} + c_{ik} + \frac{gA_{ik} - E_{I+1k}c_{ik}}{X_{I+1k} + E_{I+1k}} \right) \quad (73)$$

Inlet hydraulics

Depth at upstream end of superlink

The discharge at the upstream end of a superlink is given by:

$$Q_{uk} = C_{uk} A_{uk} \sqrt{2g\Delta H_{uk}} \quad (74)$$

Where:

$$\Delta H_{uk} = H_{juk} - h_{uk} - z_{inv,uk} \quad (75)$$

Squaring and rearranging provides the depth boundary condition at the upstream end:

$$Q_{uk}^2 = 2C_{uk}^2 A_{uk}^2 g (H_{juk} - h_{uk} - z_{inv,uk}) \quad (76)$$

$$|Q_{uk}^t| Q_{uk}^{t+\Delta t} = 2C_{uk}^2 A_{uk}^2 g (H_{juk} - h_{uk} - z_{inv,uk}) \quad (77)$$

$$h_{uk} = -\frac{|Q_{uk}^t| Q_{uk}^{t+\Delta t}}{2C_{uk}^2 A_{uk}^2 g} + H_{juk} - z_{inv,uk} \quad (78)$$

Depth at downstream end of superlink

The discharge at the downstream end of a superlink is given by:

$$Q_{dk} = C_{dk} A_{dk} \sqrt{2g\Delta H_{dk}} \quad (79)$$

Where:

$$\Delta H_{dk} = h_{dk} + z_{inv,dk} - H_{jdk} \quad (80)$$

Squaring and rearranging provides the depth boundary condition at the downstream end:

$$Q_{dk}^2 = 2C_{dk}^2 A_{dk}^2 g (h_{dk} + z_{inv,dk} - H_{jdk}) \quad (81)$$

$$|Q_{dk}^t|Q_{dk}^{t+\Delta t} = 2C_{dk}^2 A_{dk}^2 g(h_{dk} + z_{inv,dk} - H_{jdk}) \quad (82)$$

$$h_{dk} = \frac{|Q_{dk}^t|Q_{dk}^{t+\Delta t}}{2C_{dk}^2 A_{dk}^2 g} + H_{jdk} - z_{inv,dk} \quad (83)$$

Superlink boundary conditions

From the recurrence relations:

$$Q_{uk}^{t+\Delta t} = X_{1k}h_{uk}^{t+\Delta t} + Y_{1k} + Z_{1k}h_{dk}^{t+\Delta t} \quad (84)$$

$$Q_{dk}^{t+\Delta t} = U_{Nk}h_{dk}^{t+\Delta t} + V_{Nk} + W_{Nk}h_{uk}^{t+\Delta t} \quad (85)$$

From the depth boundary conditions at the ends of each superlink:

$$h_{uk} = \gamma_{uk}Q_{uk}^{t+\Delta t} + H_{juk} - z_{inv,uk} \quad (86)$$

$$h_{dk} = \gamma_{dk}Q_{dk}^{t+\Delta t} + H_{jdk} - z_{inv,dk} \quad (87)$$

Where:

$$\gamma_{uk} = -\frac{|Q_{uk}^t|}{2C_{uk}^2 A_{uk}^2 g} \quad (88)$$

$$\gamma_{dk} = \frac{|Q_{dk}^t|}{2C_{dk}^2 A_{dk}^2 g} \quad (89)$$

Substituting into the recurrence relations:

$$Q_{uk}^{t+\Delta t} = X_{1k}(\gamma_{uk}Q_{uk}^{t+\Delta t} + H_{juk} - z_{inv,uk}) + Y_{1k} + Z_{1k}(\gamma_{dk}Q_{dk}^{t+\Delta t} + H_{jdk} - z_{inv,dk}) \quad (90)$$

$$Q_{dk}^{t+\Delta t} = U_{Nk}(\gamma_{dk}Q_{dk}^{t+\Delta t} + H_{jdk} - z_{inv,dk}) + V_{Nk} + W_{Nk}(\gamma_{uk}Q_{uk}^{t+\Delta t} + H_{juk} - z_{inv,uk}) \quad (91)$$

Expanding:

$$Q_{uk}^{t+\Delta t} = X_{1k}\gamma_{uk}Q_{uk}^{t+\Delta t} + X_{1k}H_{juk}^{t+\Delta t} - X_{1k}z_{inv,uk} + Y_{1k} + Z_{1k}\gamma_{dk}Q_{dk}^{t+\Delta t} + Z_{1k}H_{jdk}^{t+\Delta t} - Z_{1k}z_{inv,dk} \quad (92)$$

$$Q_{dk}^{t+\Delta t} = U_{Nk}\gamma_{dk}Q_{dk}^{t+\Delta t} + U_{Nk}H_{jdk} - U_{Nk}z_{inv,dk} + V_{Nk} + W_{Nk}\gamma_{uk}Q_{uk}^{t+\Delta t} + W_{Nk}H_{juk} - W_{Nk}z_{inv,uk} \quad (93)$$

Rearranging:

$$0 = (X_{1k}\gamma_{uk} - 1)Q_{uk}^{t+\Delta t} + Z_{1k}\gamma_{dk}Q_{dk}^{t+\Delta t} + X_{1k}H_{juk}^{t+\Delta t} + Z_{1k}H_{jdk}^{t+\Delta t} + \pi_1 \quad (94)$$

$$0 = W_{Nk}\gamma_{uk}Q_{uk}^{t+\Delta t} + (U_{Nk}\gamma_{dk} - 1)Q_{dk}^{t+\Delta t} + W_{Nk}H_{juk} + U_{Nk}H_{jdk} + \pi_2 \quad (95)$$

Where:

$$\pi_1 = Y_{1k} - X_{1k}z_{inv,uk} - Z_{1k}z_{inv,dk} \quad (96)$$

$$\pi_2 = V_{Nk} - W_{Nk}z_{inv,uk} - U_{Nk}z_{inv,dk} \quad (97)$$

$$(98)$$

Writing as a matrix equation:

$$\begin{bmatrix} (X_{1k}\gamma_{uk} - 1) & Z_{1k}\gamma_{dk} \\ W_{Nk}\gamma_{uk} & (U_{Nk}\gamma_{dk} - 1) \end{bmatrix} \begin{bmatrix} Q_{uk}^{t+\Delta t} \\ Q_{dk}^{t+\Delta t} \end{bmatrix} = \begin{bmatrix} -X_{1k}H_{juk}^{t+\Delta t} - Z_{1k}H_{jdk}^{t+\Delta t} - \pi_1 \\ -W_{Nk}H_{juk}^{t+\Delta t} - U_{Nk}H_{jdk}^{t+\Delta t} - \pi_2 \end{bmatrix} \quad (99)$$

Taking the matrix inverse:

$$\begin{bmatrix} Q_{uk}^{t+\Delta t} \\ Q_{dk}^{t+\Delta t} \end{bmatrix} = \frac{1}{D_k^*} \begin{bmatrix} (U_{Nk}\gamma_{dk} - 1) & -Z_{1k}\gamma_{dk} \\ -W_{Nk}\gamma_{uk} & (X_{1k}\gamma_{uk} - 1) \end{bmatrix} \begin{bmatrix} -X_{1k}H_{juk}^{t+\Delta t} - Z_{1k}H_{jdk}^{t+\Delta t} - \pi_1 \\ -W_{Nk}H_{juk}^{t+\Delta t} - U_{Nk}H_{jdk}^{t+\Delta t} - \pi_2 \end{bmatrix} \quad (100)$$

Where:

$$D_k^* = (X_{1k}\gamma_{uk} - 1)(U_{Nk}\gamma_{dk} - 1) - (Z_{1k}\gamma_{dk})(W_{Nk}\gamma_{uk}) \quad (101)$$

Expanding:

$$\begin{bmatrix} Q_{uk}^{t+\Delta t} \\ Q_{dk}^{t+\Delta t} \end{bmatrix} = \frac{1}{D_k^*} \begin{bmatrix} (U_{Nk}\gamma_{dk} - 1)(-X_{1k}H_{juk}^{t+\Delta t} - Z_{1k}H_{jdk}^{t+\Delta t} - \pi_1) + (-Z_{1k}\gamma_{dk})(-W_{Nk}H_{juk}^{t+\Delta t} - U_{Nk}H_{jdk}^{t+\Delta t} - \pi_2) \\ (-W_{Nk}\gamma_{uk})(-X_{1k}H_{juk}^{t+\Delta t} - Z_{1k}H_{jdk}^{t+\Delta t} - \pi_1) + (X_{1k}\gamma_{uk} - 1)(-W_{Nk}H_{juk}^{t+\Delta t} - U_{Nk}H_{jdk}^{t+\Delta t} - \pi_2) \end{bmatrix} \quad (102)$$

Arranging in terms of the unknown heads:

$$\begin{aligned} Q_{uk}^{t+\Delta t} &= [(U_{Nk}\gamma_{dk} - 1)(-X_{1k}) + (-Z_{1k}\gamma_{dk})(-W_{Nk})]H_{juk}^{t+\Delta t} + \\ &\quad [(U_{Nk}\gamma_{dk} - 1)(-Z_{1k}) + (-Z_{1k}\gamma_{dk})(-U_{Nk})]H_{jdk}^{t+\Delta t} + \\ &\quad [(U_{Nk}\gamma_{dk} - 1)(-\pi_1) + (-Z_{1k}\gamma_{dk})(-\pi_2)] \end{aligned} \quad (103)$$

$$\begin{aligned} Q_{dk}^{t+\Delta t} &= [(-W_{Nk}\gamma_{uk})(-X_{1k}) + (X_{1k}\gamma_{uk} - 1)(-W_{Nk})]H_{juk}^{t+\Delta t} + \\ &\quad [(-W_{Nk}\gamma_{uk})(-Z_{1k}) + (X_{1k}\gamma_{uk} - 1)(-U_{Nk})]H_{jdk}^{t+\Delta t} + \\ &\quad [(-W_{Nk}\gamma_{uk})(-\pi_1) + (X_{1k}\gamma_{uk} - 1)(-\pi_2)] \end{aligned} \quad (104)$$

Finally, the upstream and downstream flows can be expressed as:

$$Q_{uk}^{t+\Delta t} = \alpha_{uk}H_{juk}^{t+\Delta t} + \beta_{uk}H_{jdk}^{t+\Delta t} + \chi_{uk} \quad (105)$$

$$Q_{dk}^{t+\Delta t} = \alpha_{dk}H_{juk}^{t+\Delta t} + \beta_{dk}H_{jdk}^{t+\Delta t} + \chi_{dk} \quad (106)$$

Where:

$$\alpha_{uk} = \frac{(1 - U_{Nk}\gamma_{dk})X_{1k} + Z_{1k}\gamma_{dk}W_{Nk}}{D_k^*} \quad (107)$$

$$\beta_{uk} = \frac{(1 - U_{Nk}\gamma_{dk})Z_{1k} + Z_{1k}\gamma_{dk}U_{Nk}}{D_k^*} \quad (108)$$

$$\chi_{uk} = \frac{(1 - U_{Nk}\gamma_{dk})(Y_{1k} - X_{1k}z_{inv,uk} - Z_{1k}z_{inv,dk}) + (Z_{1k}\gamma_{dk})(V_{Nk} - W_{Nk}z_{inv,uk} - U_{Nk}z_{inv,dk})}{D_k^*} \quad (109)$$

$$\alpha_{dk} = \frac{(1 - X_{1k}\gamma_{uk})W_{Nk} + W_{Nk}\gamma_{uk}X_{1k}}{D_k^*} \quad (110)$$

$$\beta_{dk} = \frac{(1 - X_{1k}\gamma_{uk})U_{Nk} + W_{Nk}\gamma_{uk}Z_{1k}}{D_k^*} \quad (111)$$

$$\chi_{dk} = \frac{(1 - X_{1k}\gamma_{uk})(V_{Nk} - W_{Nk}z_{inv,uk} - U_{Nk}z_{inv,dk}) + (W_{Nk}\gamma_{uk})(Y_{1k} - X_{1k}z_{inv,uk} - Z_{1k}z_{inv,dk})}{D_k^*} \quad (112)$$

$$D_k^* = (X_{1k}\gamma_{uk} - 1)(U_{Nk}\gamma_{dk} - 1) - (Z_{1k}\gamma_{dk})(W_{Nk}\gamma_{uk}) \quad (113)$$

$$\gamma_{uk} = -\frac{|Q_{uk}^t|}{2C_{uk}^2 A_{uk}^2 g} \quad (114)$$

$$\gamma_{dk} = \frac{|Q_{dk}^t|}{2C_{dk}^2 A_{dk}^2 g} \quad (115)$$

Forming the solution matrix

The equations for the flows at the ends of each superlink are given by:

$$\sum_{l=1}^{NBDj} Q_{dk_l}^{t+\Delta t} - \sum_{m=1}^{NBUj} Q_{uk_m}^{t+\Delta t} + Q_{o,j} = \frac{A_{sj}(H_j^{t+\Delta t} - H_j^t)}{\Delta t} \quad (116)$$

Substituting the linear expressions for the upstream and downstream flows:

$$\begin{aligned} \frac{A_{sj}(H_j^{t+\Delta t} - H_j^t)}{\Delta t} &= \sum_{l=1}^{NBDj} (\alpha_{dk_l} H_{juk_l}^{t+\Delta t} + \beta_{dk_l} H_{jdk_l}^{t+\Delta t} + \chi_{dk_l}) \\ &\quad - \sum_{m=1}^{NBUj} (\alpha_{uk_m} H_{juk_m}^{t+\Delta t} + \beta_{uk_m} H_{jdk_m}^{t+\Delta t} + \chi_{uk_m}) + Q_{o,j} \end{aligned} \quad (117)$$

Because $H_{jdk_l} = H_j$ and $H_{juk_m} = H_j$:

$$\begin{aligned} \frac{A_{sj}(H_j^{t+\Delta t} - H_j^t)}{\Delta t} &= \sum_{l=1}^{NBDj} (\alpha_{dk_l} H_{juk_l}^{t+\Delta t} + \beta_{dk_l} H_j^{t+\Delta t} + \chi_{dk_l}) \\ &\quad - \sum_{m=1}^{NBUj} (\alpha_{uk_m} H_j^{t+\Delta t} + \beta_{uk_m} H_{jdk_m}^{t+\Delta t} + \chi_{uk_m}) + Q_{o,j} \end{aligned} \quad (118)$$

Rearranging:

$$\begin{aligned}
& \frac{A_{sj}(H_j^t)}{\Delta t} + \sum_{l=1}^{NBDj} \chi_{dk_l} - \sum_{m=1}^{NBUj} \chi_{uk_m} + Q_{o,j} \\
&= \left(\frac{A_{sj}}{\Delta t} + \sum_{m=1}^{NBUj} \alpha_{uk_m} - \sum_{l=1}^{NBDj} \beta_{dk_l} \right) H_j^{t+\Delta t} \\
& \quad - \sum_{l=1}^{NBDj} \alpha_{dk_l} H_{juk_l}^{t+\Delta t} + \sum_{m=1}^{NBUj} \beta_{uk_m} H_{jdk_m}^{t+\Delta t}
\end{aligned} \tag{119}$$

For the example network in Ji (1998):

$$Ax = b \tag{120}$$

$$A = \begin{bmatrix}
(\frac{A_{s0}}{\Delta t} + \alpha_{u0}) & \beta_{u0} & 0 & 0 & 0 & 0 \\
-\alpha_{d0} & (\frac{A_{s1}}{\Delta t} + \alpha_{u1} + \alpha_{u3} - \beta_{d0}) & \beta_{u1} & 0 & \beta_{u3} & 0 \\
0 & -\alpha_{d1} & (\frac{A_{s2}}{\Delta t} + \alpha_{u2} - \beta_{d1} - \beta_{d5}) & \beta_{u2} & -\alpha_{d5} & 0 \\
0 & 0 & 0 & 1 & 0 & 0 \\
0 & -\alpha_{d3} & \beta_{u5} & 0 & (\frac{A_{s4}}{\Delta t} + \alpha_{u4} + \alpha_{u5} - \beta_{d3}) & \beta_{u4} \\
0 & 0 & 0 & 0 & 0 & 1
\end{bmatrix} \tag{121}$$

$$b = \begin{bmatrix}
\frac{A_{s0}H_0^t}{\Delta t} - \chi_{u0} + Q_{o0} \\
\frac{A_{s1}H_1^t}{\Delta t} + \chi_{d0} - (\chi_{u1} + \chi_{u3}) + Q_{o1} \\
\frac{A_{s2}H_2^t}{\Delta t} + (\chi_{d1} + \chi_{d5}) - \chi_{u2} + Q_{o2} \\
H_{3,bc} \\
\frac{A_{s4}H_4^t}{\Delta t} + \chi_{d3} - (\chi_{u4} + \chi_{u5}) + Q_{o4} \\
H_{5,bc}
\end{bmatrix} \tag{122}$$