
Stronger Geometric Augmentation Kept Paying Off; Elastic Deformation, nnU-Net Rates, Noise and Extreme Settings Added Little

Each step tries candidates on top of the recipe kept at the step before, compared on the same folds and seeds. Joint + elastic gained +0.003 Dice but raised HD95 by 1.7 mm against the joint recipe. The final best model is ResEnc + DS U-Net with strong geometric augmentation, trained 50 epochs.



Strong geometric: rotation ±15°, scaling 0.8–1.2, shift 10%, p 0.7. nnU-Net rates: rotation ±10° and scaling 0.7–1.4 at p 0.2, shift 2%; their changes use the 4 seed-0 runs of the joint recipe. 3D foreground Dice; Full40 corrected SegTHOR. Source: docs/augmentation_results/per_run.csv; final choice: docs/final_training.md.