


Thickness: **1.6MM**      Finished Outer Copper: **20Z**      Inner Copper: **10Z**      Inner layer Residual copper ratio: **70%**

	Layer	Material	Thickness (mm)	Thickness after lamination(mm)
	L1-CU	Outer Base Copper 1.5OZ	0.0525	0.0525 (Plating to 2OZ)
	PP	2116 RC58% DK:4.45	0.1300	0.1195
	L2-CU	Inner Copper 1OZ	0.0350	0.5 (Core with Cu)
	CORE	Core DK:4.6	0.4300	
	L3-CU	Inner Copper 1OZ	0.0350	
	PP	2116 RC58% DK:4.45	0.1300	0.1090
	L4-CU	Inner Copper 1OZ	0.0350	0.5 (Core with Cu)
	CORE	Core DK:4.6	0.4300	
	L5-CU	Inner Copper 1OZ	0.0350	
	PP	2116 RC58% DK:4.45	0.1300	0.1195
	L6-CU	Outer Base Copper 1.5OZ	0.0525	0.0525 (Plating to 2OZ)