STAT 659 Spring 2016 Homework 5 Solution

3.11

- (a) Since $\log \mu_A = \alpha, \log \mu_B = \alpha + \beta$, thus $\beta = \log \mu_B \log \mu_A = \log(\mu_B/\mu_A)$. Then $e^{\beta} = \mu_B/\mu_A$.
- (b) After fitting the data to the poisson model, the fitted prediction equation is $\log \hat{\mu} = 1.609 + 0.588x$, where $\hat{\beta} = 0.588 = \log(\hat{\mu}_B/\hat{\mu}_A)$. We can see $\hat{\beta}$ gives the log of ratio between the number of imperfections of treatment B and the number of imperfections of treatment A.
- (c) The standard error of $\hat{\beta} = 0.1764$. So for the Wald test, the test statistic is $\frac{\hat{\beta}-0}{Se_{\hat{\beta}}} = 3.332$ which has approximately a standard normal distribution. The corresponding P-value is 0.00086 < 0.05, so we should reject the null hypothesis that $\beta = 0$. For the likelihood ratio test, the test statistic is 11.589 which has a chi-square distribution with degree of freedom one. The P-value is 0.00066 < 0.05, so we reject H_0 .
- (d) Since $\beta = \log(\mu_B/\mu_A)$, we can first construct a Wald confidence interval for β , which is $0.588 \pm 1.96 * 0.1764 = (0.2423, 0.9337)$. Then the 95 percent confidence interval for μ_B/μ_A is $(e^{0.2423}, e^{0.9337}) = (1.274, 2.544)$.

3.12

First we consider the model with an interaction term xz which is $\log \mu = \alpha + \beta_1 x + \beta_2 z + \beta_3 xz$. The output gives the P-value of the interaction term is 0.4458, so this term is not significant. Then we consider the reduced model $\log \mu = \alpha + \beta x + \gamma z$. The fitted model is $\log \mu = 1.7177 + 0.5878x - 0.2296z$. The standard error for $\hat{\beta}$ is $Se_{\hat{\beta}} = 0.1764$ and the standard error for $\hat{\gamma}$ is $Se_{\hat{\gamma}} = 0.1701$. Then, the test statistic for $\hat{\beta}$ is 3.32 with P-value 0.000861 and the test statistic for $\hat{\gamma}$ is -1.349 with P-value 0.17725. Thus, we can make the conclusion: the effects of treatment type is significant but the effects of thickness of coating is not significant.

3.13

(a) The fitted model is $\log Y = -0.4284 + 0.5893x$. (Notice that here the unit of weight is kg).

- (b) We can plug in x = 2.44 to obtain the estimated mean of Y which is $\log \hat{Y} = -0.4284 + 0.5893 * 2.44 = 1.0095$. Hence, $\hat{Y} = e^{1.0095} = 2.7442$.
- (c) The effect of a 1kg increase in weight is a multiplicative effect of $e^{0.5893} = 1.8027$. The confidence interval for β is $0.5893 \pm 1.96 * 0.06502 = (0.4619, 0.7167)$ while the CI for the ratio of Y is $(e^{0.4619}, e^{0.7167}) = (1.587, 2.048)$.
- (d) The null hypothesis is $H_0: \beta=0$ and alternative is $\beta\neq 0$. The standard error for $\hat{\beta}=0.06502$, so the test statistic is $\frac{0.5893-0}{0.06502}=9.064$ with p-value close to zero. Thus we should reject null hypothesis that Y is independent of weight.
- (e) The reduced model is $\log y = 1.0713$. The chi-squared test statistic is 71.925 with p-value close to zero. So we make the same conclusion that Y is not independent of weight.

3.14

- (a) The fitted model is $\log \mu = -0.8647 + 0.7603x$, where x is the weight. The standard error of $\hat{\beta}$ is 0.1578. The estimated dispersion parameter is 1.0741 with standard error 0.194. So the 95 percent confidence interval for dispersion parameter is $1.0741 \pm 1.96 * 0.194 = (0.69386, 1.45434)$ which excludes zero. So we can see the estimated dispersion parameter is not zero and the negative binomial log-linear model is a better fit.
- (b) The confidence interval for β is $0.7603 \pm 1.96 * 0.1769 = (0.4136, 1.1069)$ which is wider than the CI obtained by poisson log-linear model. This is because $\hat{D} > 0$ and the negative binomial model has greater estimated standard deviation; the poisson log-linear model can not capture this over-dispersion.

3.15


- (a) $\log \hat{\mu}_{1j} = -2.38 + 1.733 = -0.647$. So the estimated population mean is $e^{-0.647} = 0.524$ for blacks. $\log \hat{\mu}_{2j} = -2.38$, so the estimated population mean for whites is $e^{-2.38} = 0.0926$.
- (b) Since $\hat{\beta} = \log(\hat{\mu}_{1j}/\hat{\mu}_{2j})$, we can first construct the CI for β . The 95 percent CI for β is $1.733 \pm 1.96 * 0.147 = (1.445, 2.021)$, so the 95 percent CI for $\mu_{1j}/\mu_{2j} = (e^{1.445}, e^{2.021}) = (4.24, 7.55)$.
- (c) The CI obtained by negative binomial log-linear model is more appropriate. We can see the standard error of $\hat{\beta}$ by negative binomial GLM fit is greater that by poisson GLM fit, also the CI by negative binomial GLM fit is wider than that of the poisson GLM fit. Since poisson model is a special case of the negative binomial model with dispersion parameter equals to zero, so it implies that the over-dispersion is not captured by the poisson model. Also, the ratio of the sample mean to the sample variance seems to be far from 1. This implies that the Poisson model may not be appropriate for this data.
- (d) The 95 percent CI of the dispersion parameter is $(4.94 \pm 1.96 * 1) = (2.98, 6.9)$ which excludes zero. So the negative binomial GLM is more appropriate than the poisson model.

3.17

 $\log \hat{\mu} - \log(38.7) = 2.549$ and the standard error for the intercept is 0.4495. It indicates that 95 % confidence interval for the log rate is $2.549 \pm 1.96(0.04495)$, which is (2.46, 2.64). Hence, 95 % confidence interval for the true rate is (11.7, 14.0).

3.18

- (a) From the data, we can see the number of record of arrests will increase with the number of attendances. Then we can model the rate of the arrests over a mount of attendances. Since $E[Y] = \mu t$, then we have $\log(E[Y]) = \log \mu + \log t \Rightarrow \log(E[Y]/t) = \log \mu = \alpha \Rightarrow \log \mu \log t = \alpha$ where the offset term is $-\log t$.
- (b) The fitted model is $\log \hat{\mu} \log t = -0.9103$ and the standard error for $\hat{\alpha}$ is 0.0216. So $\frac{\hat{\mu}}{t} = \exp(-0.9103) = 0.4024$, that is $\hat{\mu} = 0.4024t$.
- (c) The plot of arrests against attendance is as follows:



The residuals are as follows:

(d) When fitting the data to negative binomial model, the $\hat{\alpha} = -0.9052$ with standard error 0.12 which is much larger than the standard error of $\hat{\alpha}$ obtained by poisson model. The estimated dispersion parameter is 0.3189 with 95 percent Wald confidence interval (0.2253, 0.4125) which excludes zero. Thus the poisson assumption is not appropriate.

3.19

(a) The test statistic is $TS = 35.1 - 23.5 = 11.6 \sim \chi_1^2$ and the corresponding P-value is 0.00066 < 0.05. So we should reject the null hypothesis that the collision counts are independent Poisson variates with constant rate over 29 years.

Observation	Raw Residual	Pearson Residual	Deviance Residual	Sta Deviance Residual	Sta Pearson Residual	Likelihood Residual
1 23 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 23	145. 42577 81. 910324 5. 7317253 80. 992464 42. 664657 65. 638282 -19. 17408 24. 944235 -8. 737755 -5. 908817 -8. 518463 24. 539563 -17. 50641 -30. 14017 -27. 90882 -12. 60512 -30. 44612 -25. 58101 -137. 6345 -61. 94499 -40. 36172 -40. 5569	11.405531 7.6352007 0.4292876 9.8212348 4.5139485 8.4484377 -1.687045 2.8602508 -0.473256 -0.915813 3.72232 -1.904374 -3.174581 -3.028761 -1.533054 -3.528669 -3.208145 -10.47523 -6.495563 -5.195039 -5.255314	10.136615 6.9246837 0.4270174 8.4702274 4.2115954 7.3605021 -1.731598 2.7220537 -0.476992 -0.937996 -0.648907 -0.931494 3.4354303 -1.976552 -3.381978 -3.222669 -1.584829 -3.470251 -12.7891 -7.589358 -6.04471 -6.139955	10.545888 7.119132 0.44603578 8.6083758 4.3025302 7.4667607 -1.786458 2.7718491 -0.489025 -0.950932 3.4709226 -2.016851 -3.45568 -3.285697 -1.610521 -3.891274 -3.523082 -13.33951 -7.756275 -6.127387	11.866039 7.8496006 0.448407 9.9814179 4.6114115 8.570402 -1.740494 2.9125743 -0.485195 -0.942393 -0.654383 -0.9343443 3.7608288 -1.943201 -3.243763 -3.090816 -1.557906 -3.591817 -3.25985 -10.92606 -6.638423 -5.270037 -5.330148	10.652121 7.1603899 0.4462341 8.56554493 4.3158917 7.5001789 –1.783712 2.7769823 –0.48884 –0.957678 –0.661893 –0.95030 3.44770622 –2.013989 –3.4477 –3.281058 –1.608882 –3.881226 –3.515462 –3.515462 –3.151649 –7.711983 –6.109286 –6.204128

- (b) The test statistic for β is $\frac{\hat{\beta}-0}{Se_{\hat{\beta}}}=\frac{-0.0337}{0.013}=-2.5923$ with P-value 0.0096<0.05. So we reject the null hypothesis that $\beta=0$.
- (c) The confidence interval for the multiplicative annual effect on the accident rate is $(e^{-0.06}, e^{-0.008}) = (0.9418, 0.9920)$. It means when the year increased by one, then the increase of accident rate will fall into this interval.

3.20

(a) The death rates per 1000 person years for nonsmokers and smokers and the relative risks of nonsmokers and smokers in each age stage are as follows:

Age	Nonsmokers	Smokers	RelativeRisk
35 - 44	0.1064	0.6106	5.7376
45 - 54	1.1243	2.4047	2.1388
55 - 64	4.904	7.1998	1.4682
65 - 74	10.8317	14.6885	1.3561
75 - 84	21.2038	19.1838	0.9047

We can see the relative risk of coronary death rates per 1000 person years of smokers and nonsmokers are decreasing as the age increases. So it is possible that the coronary death rates also depend on age.

(b) Let x_i be the indicator variable for the first ith age group, where i=1,2,3,4. $x_i=1$, if the person belongs to ith age group and $x_i=0$ otherwise. Let z be the indicator variable for the smoking habits. z=1 for smokers and z=0 for nonsmokers. The model is $\log \mu = \alpha_0 + \alpha_1 x_1 + \alpha_2 x_2 + \alpha_3 x_3 + \alpha_4 x_4 + \beta z$, so $\log \mu_{\text{smokers}} - \log \mu_{\text{nonsmokers}} = \beta$ for i-th age group. But according to (a), we can see the relative risk of nonsmokers and smokers are different for different age stage. Since the age is ordinal and the ratio of death rate for smokers and nonsmokers at each age period is not a constant, an interaction term of age and smoking status is possible.

- (c) We can assign scores to the different age stages. Let the score be i for ith age status, where i=1,2,3,4,5. Then the model with a quantitative interaction term of age and smoking status is $\log \mu = \alpha_0 + \alpha_1 x_1 + \alpha_2 x_2 + \alpha_3 x_3 + \alpha_4 x_4 + \beta z + \gamma z \cdot \text{age So}$ $\log \mu_{\text{smokers}} \log \mu_{\text{nonsmokers}} = \log(\mu_{\text{smokers}}/\mu_{\text{nonsmokers}}) = \beta + \gamma * \text{age for a given age stage}$. Thus the log of the ratio of coronary death rates changes linearly with age.
- (d) The fitted model for (b) is $\log \mu = -4.219 3.7x_1 2.216x_2 1.073x_3 0.350x_4 + 0.355z$. When including the interaction term, the fitted model is $\log \mu = -3.855 4.731x_1 2.996x_2 1.583x_3 0.589x_4 + 2.3558z 0.031 \cdot z$ age. Since the model (b) is nested in model (c), we can see the difference of the deviances of the above two models will have a chi-squared distribution with degree of freedom one under the null hypothesis $\gamma = 0$. The difference of deviances of the two models is 12.1339 1.5464 = 10.5875 with P-value 0.0011 < 0.05, therefore we should reject the null hypothesis.

Additional Problems

1. SAS output:

m o d	Sur	mary	Measure	s for	Poisson	Regress	ion	for	the	Cre	ab Data			
d e 0 0 m 1 0 m 1 0 m 1 0 m 1 0 m 1 0 m 1 0 m 1 0 m 1 0 m 1 0 m 2 0 m 1 0 m 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		m												
e m 1		0												
m 1 o _ d n o _ d d n o _ d d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d d a o _ d a o		d							1					
0 _ d n									0					
d n n a n a n a n a n a n a n a n a n a n	m	1								\mathbf{n}				
n a g G D h a 1 c 1 c c c c c c c c c c c c c c c c	0	_							1	u				d
u m G D h a 1 c 1 c 1 632.792 172 35.9898 1 634.792 634.800 72.9867 72.8744 2 color 609.139 169 47.8160 4 617.139 617.219 55.3342 55.2939 3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2809 6 614.931 3 614.362 52.3882 52.4382 52.4382 52.4382 52.4382 52.4382 52.4882 569.345 569.465 7.5398 7.5398 7.5398 8 8 color weight 551.805 168 76.4831	d	n							1	m		a	d	a
me 2 F d r c c c c c 1 632.792 172 35.9898 1 634.792 634.800 72.9867 72.8744 2 color 609.139 169 47.8160 4 617.139 617.219 55.3342 55.2939 3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 559.348 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine weight 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026	n	e.							k	\mathbf{p}	a	1	a	1
1 632.792 172 35.9898 1 634.792 634.800 72.9867 72.8744 2 color 609.139 169 47.8160 4 617.139 617.219 55.3342 55.2939 3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.05 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.659 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026	u	m								a	i	c	i	c
2 color 609.139 169 47.8160 4 617.139 617.219 55.3342 55.2939 3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 559.488 169 72.6418 4 567.668 574.688 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine weight 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026	\mathbf{m}	e				2	F		d	r	c	c	C	C
2 color 609.139 169 47.8160 4 617.139 617.219 55.3342 55.2939 3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine weight 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026														
3 spine 621.161 170 41.8053 3 627.161 627.208 65.3556 65.2833 4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7 5.398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 549.702 166 73.0708 7 572.659 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026		101112100												
4 width 567.879 171 68.4463 2 571.879 571.902 10.0736 9.9773 5 weight 560.866 171 71.9524 2 564.866 564.90 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.39 3 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.20500 9 spine width 566.05 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.659 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026														
S weight 560.866 171 71.9524 2 564.866 564.890 3.0615 2.9651 6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.568 5.6827 5.6244 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 56														
6 color spine 602.193 167 51.2890 6 614.193 614.362 52.3882 52.4366 7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026										-				
7 color width 559.345 168 72.7132 5 569.345 569.465 7.5398 7.5398 8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.05 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026										_				
8 color weight 551.805 168 76.4831 5 561.805 561.925 0.0000 0.0000 9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026														
9 spine width 566.605 169 69.0831 4 574.605 574.685 12.8000 12.7597 10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026														
10 spine weight 559.488 169 72.6418 4 567.488 567.568 5.6827 5.6424 11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026														
11 width weight 559.901 170 72.4353 3 565.901 565.949 4.0957 4.0233 12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026							169							
12 color spine width 558.629 166 73.0708 7 572.629 572.855 10.8245 10.9297 13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026	10	spine	weight			559.488	169			_			5.6827	5.6424
13 color spine weight 549.702 166 77.5343 7 563.702 563.928 1.8975 2.0026	11	width	weight			559.901	170	72.	4353	3	565.901	565.949	4.0957	4.0233
	12	color	spine	width		558.629	166	73.	0708	7	572.629	572.855	10.8245	10.9297
14 1 14-1 1-1 FEL 200 140 D4 4004 4 D40 200 D40 D40 1 DD54 1 4000	13	color	spine	weight		549.702	166	77.	5343	7	563.702	563.928	1.8975	2.0026
14 color width weight 551.380 167 76.6954 6 563.380 563.549 1.5754 1.6238	14	color	width	weight		551.380	167	76.	6954	6	563.380	563.549	1.5754	1.6238
15 spine width weight 558.826 168 72.9725 5 568.826 568.946 7.0212 7.0212	15	spine	width	weight		558.826	168	72.	9725	5	568.826	568.946	7.0212	7.0212
16 color spine width weight 549.586 165 77.5928 8 565.586 565.876 3.7806 3.9507	16	color	spine	width	weight	549.586	165	77.	5928	8	565.586	565.876	3.7806	3.9507

When the model is (color , weight), there are the smallest AIC and AICc. So, it can be the first candidate.

2. Zero inflated negative binomial regression model with weight in the zero model has the smallest AIC and AICc.

model	AIC	AICc
poisson	920.1641	920.2347
zero inflated poisson with intercept only	762.0018	762.1438
zero inflated poisson with weight	735.2043	735.4424
negative binomial	754.6437	754.7857
zero inflated negative binomial with intercept only	740.1369	740.3750
zero inflated negative binomial with weight	715.5272	715.8865

Only for students having taken STAT 414, 610, 630, or another mathematical statistics course

3.21

We can see the model is equivalent to $\mu = \alpha t + \beta xt$. So it is a linear model with identity link for μ . The t and xt are covariates and this linear model does not have an intercept.